## Sexually Transmitted Infections Wisconsin 2020





DEPARTMENT OF HEALTH SERVICES Division of Public Health Bureau of Communicable Diseases STI Unit P-00415 (11/21)

Wisconsin Sexually Transmitted Disease Surveillance Report, 2020												
				٦	Westeri	n Regio	n					
		Chlamydi	a		Gonorrhe	a		Syphilis			Total	
	Cases	Percent	Rates*	Cases	Percent	Rates*	Cases	Percent	Rates*	Cases	Percent	Rates*
Total	2,262	100%	283	506	100%	63	30	100%	4	2,798	100%	350
Gender												
Male	666	29.4%	166	250	49.4%	62	23	76.7%	6	939	33.6%	234
Female	1,594	70.5%	401	253	50.0%	64	5	16.7%	**	1,852	66.2%	465
Transgender Female	1	0.0%	-	1	0.2%	-	1	3.3%	-	3	0.1%	-
Transgender Male	1	0.0%	-	2	0.4%	-	1	3.3%	-	4	0.1%	-
Race/Ethnicity												
White	1,593	70.4%	215	309	61.1%	42	24	80.0%	3	1,926	68.8%	260
Black	132	5.8%	1,079	62	12.3%	507	3	10.0%	**	197	7.0%	1,610
Native American	27	1.2%	358	8	1.6%	106^	0	0.0%	0	35	1.3%	464
Asian	38	1.7%	218	5	1.0%	***	1	3.3%	**	44	1.6%	253
Hispanic	98	4.3%	438	23	4.5%	103	1	3.3%	**	122	4.4%	545
Other/Unknown	374	16.5%	-	99	19.6%	-	1	3.3%	-	474	16.9%	-
Age												
0-4	1	0.0%	**	0	0.0%	0	0	0.0%	0	1	0.0%	**
5-9	0	0.0%	0	0	0.0%	0	0	0.0%	0	0	0.0%	0
10-14	5	0.2%	**	0	0.0%	0	0	0.0%	0	5	0.2%	**
15-19	606	26.8%	1,106	60	11.9%	109	1	3.3%	**	667	23.8%	1,217
20-24	984	43.5%	1,628	146	28.9%	242	6	20.0%	10^	1,136	40.6%	1,879
25-29	316	14.0%	671	112	22.1%	238	8	26.7%	17^	436	15.6%	926
30-34	165	7.3%	374	76	15.0%	172	6	20.0%	14^	247	8.8%	560
35-39	97	4.3%	199	59	11.7%	121	0	0.0%	0	156	5.6%	319
40-44	48	2.1%	106	25	4.9%	55	4	13.3%	**	77	2.8%	170
45-49	18	0.8%	40	12	2.4%	26	2	6.7%	**	32	1.1%	70
50+	22	1.0%	7	16	3.2%	5	3	10.0%	**	41	1.5%	13

\*Cases per 100,000 population.

\*\*Rates based on case counts five or less are not shown.

Wisconsin Sexually Transmitted Disease Surveillance Report, 2020 Western Region															
		Chlamydia	ı	Gonorrhea					Syphilis			Total			
Western	Case	Percent	Rates*	Case	Case Percent Rates*				Percent	Rates*	Case	Percent	Rates*		
Barron	104	4.6%	226	19	3.8%	41		3	10.0%	**	126	4.5%	273		
Buffalo	19	0.8%	141	3	0.6%	**		0	0.0%	0	22	0.8%	163		
Burnett	33	1.5%	213	7	1.4%	45^		3	10.0%	**	43	1.5%	278		
Chippewa	170	7.5%	262	37	7.3%	57		3	10.0%	**	210	7.5%	323		
Clark	55	2.4%	158	8	1.6%	23^		1	3.3%	**	64	2.3%	184		
Douglas	119	5.3%	271	46	9.1%	105		1	3.3%	**	166	5.9%	378		
Dunn	147	6.5%	327	29	5.7%	65		0	0.0%	0	176	6.3%	392		
Eau Claire	378	16.7%	364	95	18.8%	91		6	20.0%	6^	479	17.1%	461		
Jackson	56	2.5%	270	16	3.2%	77		1	3.3%	**	73	2.6%	351		
La Crosse	580	25.6%	486	153	30.3%	128		9	30.0%	8^	742	26.5%	622		
Monroe	117	5.2%	250	21	4.2%	45		0	0.0%	0	138	4.9%	295		
Pepin	15	0.7%	204	5	1.0%	**		0	0.0%	0	20	0.7%	271		
Pierce	95	4.2%	224	9	1.8%	21^		0	0.0%	0	104	3.7%	245		
Polk	81	3.6%	183	7	1.4%	16^		0	0.0%	0	88	3.1%	199		
Rusk	25	1.1%	171	3	0.6%	**		0	0.0%	0	28	1.0%	191		
Saint Croix	158	7.0%	175	27	5.3%	30		3	10.0%	**	188	6.7%	208		
Trempealeau	88	3.9%	294	18	3.6%	60		0	0.0%	0	106	3.8%	355		
Washburn	22	1.0%	138	3	0.6%	**		0	0.0%	0	25	0.9%	157		
Region total	2,262	100.0%	283	506	100.0%	63		30	100.0%	4	2797	100.0%	350		

\* Cases per 100,000 population.

\*\*Rates based on case counts five or less are not shown.

Syphilis Cases by Disease stage														
					Vestern	- <b>-</b>	_							
		Primary			Secondar			Early Late	ent		Early Total			
	Cases	Percent	Rates*	Cases	Percent	Rates*	Cases	Percent	Rates*	Cases	Percent	Rates*		
Total	5	100%	**	1	100%	**	7	100%	1^	13	100%	2		
Gender														
Male	5	100%	**	1	100%	**	5	71%	**	11	85%	3^		
Female	0	0%	0	0	0%	-	2	29%	**	2	15%	**		
Transgender Female	0	0%	-	0	0%	-	0	0%	-	0	0%	-		
Transgender Male	0	0%	-	0	0%	-	0	0%	-	0	0%	-		
Race/Ethnicity														
White	3	60%	**	1	100%	**	4	57%	**	8	62%	65^		
Black	1	20%	**	0	0%	0	2	29%	**	3	23%	**		
American Indian	0	0%	0	0	0%	0	0	0%	0	0	0%	0		
Asian	1	20%	**	0	0%	0	0	0%	0	1	8%	**		
Hispanic	0	0%	0	0	0%	0	1	14%	**	1	8%	**		
Age														
0-4	0	0%	0	0	0%	0	0		0	0	0%	0		
5-9	0	0%	0	0	0%	0	0	0%	0	0	0%	0		
10-14	0	0%	0	0	0%	0	0		0	0	0%	0		
15-19	0	0%	0	0	0%	0	0	0%	0	0	0%	0		
20-24	3	60%	**	0	0%	0	2	29%	**	5	38%	**		
25-29	1	20%	**	0	0%	0	2	29%	**	3	23%	**		
30-34	1	20%	**	1	100%	**	1	14%	**	3	23%	**		
35-39	0	0%	0	0	0%	0	0	0%	0	0	0%	0		
40-44	0	0%	0	0	0%	0	1	14%	**	1	8%	**		
45-49	0	0%	0	0	0%	0	1	14%	**	1	8%	**		
50+ *Coses per 100.000 perulat	0	0%	0	0	0%	0	0	0%	0	0	0%	0		

Wisconsin Sexually Transmitted Disease Surveillance Report, 2020

\*Cases per 100,000 population.

\*\*Rates based on case counts five or less are not shown.

Wisconsin Sexually Transmitted Disease Surveillance Report, 2020														
				Syphi	llis by D	isease S	Sta	age						
				· · -	Vestern			U						
		Early Tota	al		Late Later				Congenita	l		A	l Stage To	otal
	Cases	Percent	Rates*	Cases	Percent	Rates*		Cases				Cases	Percent	Rates*
Total	13	100%	2	17	100%	2		0	0%	0		30	100%	4
Gender														
Male	11	84.6%	3^	12	70.6%	3		0	0.0%	0		23	76.7%	6
Female	2	15.4%	**	3	17.6%	**		0	0.0%	0		5	16.7%	**
Transgender Female	0	0.0%	-	1	5.9%	**		0	0.0%	0		1	3.3%	**
Transgender Male	0	0.0%	-	1	5.9%	**		0	0.0%	0		1	3.3%	**
Race/Ethnicity														
White	8	61.5%	65^	16	94.1%	131		0	0.00%	0		24	80.0%	196
Black	3	23.1%	**	0	0.0%	0		0	0.00%	0		3	10.0%	**
American Indian	0	0.0%	0	0	0.0%	0		0	0.00%	0		0	0.0%	0
Asian	1	7.7%	**	0	0.0%	0		0	0.00%	0		1	3.3%	**
Hispanic	1	7.7%	**	0	0.0%	0		0	0.00%	0		1	3.3%	**
Other/Unknown	0	0.0%	0	1	5.9%	**		0	0.00%	0		1	3.3%	**
Age														
0-4	0	0.0%	0	0	0.0%	0		0	0.0%	0		0	0.0%	0
5-9	0	0.0%	0	0	0.0%	0		0	0.0%	0		0	0.0%	0
10-14	0	0.0%	0	0	0.0%	0		0	0.0%	0		0	0.0%	0
15-19	0	0.0%	0	1	5.9%	**		0	0.0%	0		1	3.3%	**
20-24	5	38.5%	**	1	5.9%	**		0	0.0%	0		6	20.0%	13^
25-29	3	23.1%	**	5	29.4%	**		0	0.0%	0		8	26.7%	18^
30-34	3	23.1%	**	3	17.6%	**		0	0.0%	0		6	20.0%	12^
35-39	0	0.0%	0	0	0.0%	0		0	0.0%	0		0	0.0%	0
40-44	1	7.7%	**	3	17.6%	**		0	0.0%	0		4	13.3%	**
45-49	1	7.7%	**	1	5.9%	**		0	0.0%	0		2	6.7%	**
50+ * Cases per 100,000 perulati	0	0.0%	0	3	17.6%	0		0	0.0%	0		3	10.0%	**

\* Cases per 100,000 population.

\*\*Rates based on case counts five or less are not shown.

## **Technical Notes**

1. These reports are compiled by the Wisconsin STI Unit and are based on STI case surveillance data collected by the Division of Public Health (DPH). In Wisconsin, state statutes require both laboratories and health care providers to report cases of chlamydia, gonorrhea, syphilis, chancroid, and pelvic inflammatory disease to local health departments. STI case surveillance data is automatically sent to the Wisconsin STI Unit via WEDSS (Wisconsin Electronic Disease Surveillance System).

2. These reports include cases diagnosed within the specified period. Additional cases diagnosed within the specified period may continue to be reported. Thus, this report should be considered provisional and it supersedes all previous reports.

3. Reporting of STI cases can be incomplete. Reporting rates can vary by disease, geographic region, and demographic groups. At any time, reported STI cases represent only part of the total number of diagnosed cases, therefore STI surveillance data likely underestimates total STI morbidity.

4. Rate is calculated based on the population data available on WISH (Wisconsin Interactive Statistics on Health) system website. In these reports, rates presented are cases per 100,000 population (2019). Rates are not calculated for categories with small numbers of cases. See each report for the rate calculation threshold.

5. In these reports, cases are allocated to the derived county at the time of diagnosis. Cases diagnosed among inmates of correctional facilities and cases who resided outside Wisconsin are not included in this report.

6. All races are non-Hispanic ethnicity. Under the category race, Asian includes Asian Pacific Islander. Under the category race, American Indian Alaska Native is named as Native American.

7. Rates based on case counts five or less are not shown and rates based on counts less than 12 are marked as statistically unreliable.

For more information contact: Wisconsin STI Unit 1 West Wilson Street PO Box 2659 Madison, WI 53701-2659 Telephone: 608-266-8479