

Wisconsin sexually transmitted disease surveillance report, 2014

Walworth County

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total | | | | | | | | | | | | |
| Total | 232 | 100.0% | 230 | 11 | 100.0% | 11 | 0 | - | 0 | 243 | 100.0% | 241 |
| Sex | | | | | | | | | | | | |
| Male | 77 | 33.2% | 152 | 4 | 36.4% | 8 | - | - | - | 81 | 33.3% | 160 |
| Female | 155 | 66.8% | 310 | 7 | 63.6% | 14 | - | - | - | 162 | 66.7% | 324 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Race | | | | | | | | | | | | |
| White | 186 | 80.2% | 189 | 10 | 90.9% | 10 | - | - | - | 196 | 80.7% | 199 |
| African American | 20 | 8.6% | 1,704 | 1 | 9.1% | 85 | - | - | - | 21 | 8.6% | 1,789 |
| American Indian | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| Asian/Pacific Islander | 4 | 1.7% | 408 | 0 | 0.0% | 0 | - | - | - | 4 | 1.6% | 408 |
| Other | 4 | 1.7% | - | 0 | 0.0% | - | - | - | - | 4 | 1.6% | - |
| Unknown | 18 | 7.8% | - | 0 | 0.0% | - | - | - | - | 18 | 7.4% | - |
| Hispanic ethnicity | | | | | | | | | | | | |
| Hispanic | 31 | 13.4% | 347 | 0 | 0.0% | 0 | - | - | - | 31 | 12.8% | 347 |
| Not Hispanic | 187 | 80.6% | 204 | 9 | 81.8% | 10 | - | - | - | 196 | 80.7% | 213 |
| Unknown | 14 | 6.0% | - | 2 | 18.2% | - | - | - | - | 16 | 6.6% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 1 | 0.4% | 16 | 0 | 0.0% | 0 | - | - | - | 1 | 0.4% | 16 |
| 5-9 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 10-14 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 15-19 | 60 | 25.9% | 844 | 2 | 18.2% | 28 | - | - | - | 62 | 25.5% | 872 |
| 20-24 | 109 | 47.0% | 1,226 | 7 | 63.6% | 79 | - | - | - | 116 | 47.7% | 1,304 |
| 25-29 | 38 | 16.4% | 557 | 1 | 9.1% | 15 | - | - | - | 39 | 16.0% | 571 |
| 30-34 | 12 | 5.2% | 188 | 0 | 0.0% | 0 | - | - | - | 12 | 4.9% | 188 |
| 35-39 | 5 | 2.2% | 79 | 0 | 0.0% | 0 | - | - | - | 5 | 2.1% | 79 |
| 40-44 | 4 | 1.7% | 57 | 0 | 0.0% | 0 | - | - | - | 4 | 1.6% | 57 |
| 45-49 | 2 | 0.9% | 25 | 0 | 0.0% | 0 | - | - | - | 2 | 0.8% | 25 |
| 50+ | 1 | 0.4% | 3 | 1 | 9.1% | 3 | - | - | - | 2 | 0.8% | 6 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Region of residence | | | | | | | | | | | | |
| Northeastern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Northern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southeastern | 232 | 100.0% | 230 | 11 | 100.0% | 11 | - | - | - | 243 | 100.0% | 241 |
| Southern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Western | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |

* Demographic breakdown not available for diseases with less than 5 cases reported.

** Cases per 100,000 population.



DEPARTMENT OF HEALTH SERVICES
 Division of Public Health
 Bureau of Communicable Diseases
 STD Control Section
 P-00415B (07/2015)