

Wisconsin sexually transmitted disease surveillance report, 2015

Jefferson County

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total | | | | | | | | | | | | |
| Total | 195 | 100.0% | 241 | 22 | 100.0% | 27 | 2 | 100.0% | 2 | 219 | 100.0% | 271 |
| Sex | | | | | | | | | | | | |
| Male | 60 | 30.8% | 149 | 12 | 54.5% | 30 | - | - | - | 74 | 33.8% | 184 |
| Female | 135 | 69.2% | 333 | 10 | 45.5% | 25 | - | - | - | 145 | 66.2% | 358 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Race | | | | | | | | | | | | |
| White | 164 | 84.1% | 207 | 15 | 68.2% | 19 | - | - | - | 181 | 82.6% | 228 |
| African American | 12 | 6.2% | 1,832 | 6 | 27.3% | 916 | - | - | - | 18 | 8.2% | 2,748 |
| American Indian | 1 | 0.5% | 267 | 0 | 0.0% | 0 | - | - | - | 1 | 0.5% | 267 |
| Asian/Pacific Islander | 1 | 0.5% | 198 | 0 | 0.0% | 0 | - | - | - | 1 | 0.5% | 198 |
| Other | 4 | 2.1% | - | 0 | 0.0% | - | - | - | - | 4 | 1.8% | - |
| Unknown | 13 | 6.7% | - | 1 | 4.5% | - | - | - | - | 14 | 6.4% | - |
| Hispanic ethnicity | | | | | | | | | | | | |
| Hispanic | 17 | 8.7% | 365 | 1 | 4.5% | 21 | - | - | - | 18 | 8.2% | 387 |
| Not Hispanic | 160 | 82.1% | 210 | 20 | 90.9% | 26 | - | - | - | 182 | 83.1% | 239 |
| Unknown | 18 | 9.2% | - | 1 | 4.5% | - | - | - | - | 19 | 8.7% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 5-9 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 10-14 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 15-19 | 52 | 26.7% | 848 | 1 | 4.5% | 16 | - | - | - | 53 | 24.2% | 864 |
| 20-24 | 84 | 43.1% | 1,540 | 4 | 18.2% | 73 | - | - | - | 88 | 40.2% | 1,614 |
| 25-29 | 41 | 21.0% | 715 | 7 | 31.8% | 122 | - | - | - | 48 | 21.9% | 837 |
| 30-34 | 12 | 6.2% | 232 | 2 | 9.1% | 39 | - | - | - | 14 | 6.4% | 270 |
| 35-39 | 1 | 0.5% | 19 | 1 | 4.5% | 19 | - | - | - | 2 | 0.9% | 37 |
| 40-44 | 2 | 1.0% | 34 | 3 | 13.6% | 51 | - | - | - | 6 | 2.7% | 103 |
| 45-49 | 1 | 0.5% | 16 | 1 | 4.5% | 16 | - | - | - | 2 | 0.9% | 32 |
| 50+ | 2 | 1.0% | 8 | 3 | 13.6% | 12 | - | - | - | 6 | 2.7% | 23 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Region of residence | | | | | | | | | | | | |
| Northeastern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Northern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southeastern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southern | 195 | 100.0% | 241 | 22 | 100.0% | 27 | - | - | - | 219 | 100.0% | 271 |
| Western | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |

* Demographic breakdown not available for diseases with less than 5 cases reported.

** Cases per 100,000 population



DEPARTMENT OF HEALTH SERVICES
Division of Public Health
Bureau of Communicable Diseases
STD Control Section
P-00415B (05/2016)