

Wisconsin sexually transmitted disease surveillance report, 2018

Trempealeau County

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total | | | | | | | | | | | | |
| Total | 106 | 100.0% | 381 | 19 | 100.0% | 68 | 0 | - | 0 | 126 | 100.0% | 453 |
| Sex | | | | | | | | | | | | |
| Male | 30 | 28.3% | 216 | 10 | 52.6% | 72 | - | - | - | 40 | 31.7% | 287 |
| Female | 76 | 71.7% | 548 | 9 | 47.4% | 65 | - | - | - | 86 | 68.3% | 620 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Race | | | | | | | | | | | | |
| White | 90 | 84.9% | 327 | 17 | 89.5% | 62 | - | - | - | 108 | 85.7% | 393 |
| African American | 1 | 0.9% | 617 | 0 | 0.0% | 0 | - | - | - | 1 | 0.8% | 617 |
| American Indian | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| Asian/Pacific Islander | 1 | 0.9% | 1,299 | 0 | 0.0% | 0 | - | - | - | 1 | 0.8% | 1,299 |
| Other | 9 | 8.5% | - | 2 | 10.5% | - | - | - | - | 11 | 8.7% | - |
| Unknown | 5 | 4.7% | - | 0 | 0.0% | - | - | - | - | 5 | 4.0% | - |
| Hispanic ethnicity | | | | | | | | | | | | |
| Hispanic | 17 | 16.0% | 2,852 | 0 | 0.0% | 0 | - | - | - | 17 | 13.5% | 2,852 |
| Not Hispanic | 76 | 71.7% | 279 | 16 | 84.2% | 59 | - | - | - | 93 | 73.8% | 342 |
| Unknown | 13 | 12.3% | - | 3 | 15.8% | - | - | - | - | 16 | 12.7% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 5-9 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 10-14 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 15-19 | 19 | 17.9% | 1,078 | 1 | 5.3% | 57 | - | - | - | 20 | 15.9% | 1,134 |
| 20-24 | 47 | 44.3% | 3,232 | 1 | 5.3% | 69 | - | - | - | 48 | 38.1% | 3,301 |
| 25-29 | 10 | 9.4% | 532 | 5 | 26.3% | 266 | - | - | - | 16 | 12.7% | 852 |
| 30-34 | 16 | 15.1% | 1,040 | 10 | 52.6% | 650 | - | - | - | 26 | 20.6% | 1,689 |
| 35-39 | 13 | 12.3% | 737 | 1 | 5.3% | 57 | - | - | - | 14 | 11.1% | 794 |
| 40-44 | 1 | 0.9% | 50 | 1 | 5.3% | 50 | - | - | - | 2 | 1.6% | 100 |
| 45-49 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 50+ | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Region of residence | | | | | | | | | | | | |
| Northeastern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Northern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southeastern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Southern | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Western | 106 | 100.0% | 381 | 19 | 100.0% | 68 | - | - | - | 126 | 100.0% | 453 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |

* Demographic breakdown not available for diseases with less than 5 cases reported.

** Cases per 100,000 population



DEPARTMENT OF HEALTH SERVICES
 Division of Public Health
 Bureau of Communicable Diseases
 STD Control Section
 P-00415B (05/2019)