

Wisconsin sexually transmitted disease surveillance report, 2019

Rock County

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total | | | | | | | | | | | | |
| Total | 944 | 100.0% | 589 | 216 | 100.0% | 135 | 11 | 100.0% | 7 | 1,171 | 100.0% | 731 |
| Sex | | | | | | | | | | | | |
| Male | 276 | 29.2% | 347 | 97 | 44.9% | 122 | 10 | 90.9% | 13 | 383 | 32.7% | 482 |
| Female | 664 | 70.3% | 822 | 119 | 55.1% | 147 | 1 | 9.1% | 1 | 784 | 67.0% | 971 |
| Unknown | 4 | 0.4% | - | 0 | 0.0% | - | 0 | 0.0% | - | 4 | 0.3% | - |
| Race | | | | | | | | | | | | |
| White | 584 | 61.9% | 390 | 106 | 49.1% | 71 | 10 | 90.9% | 7 | 700 | 59.8% | 468 |
| African American | 189 | 20.0% | 2,346 | 83 | 38.4% | 1,030 | 0 | 0.0% | 0 | 272 | 23.2% | 3,376 |
| American Indian | 4 | 0.4% | 644 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | 4 | 0.3% | 644 |
| Asian/Pacific Islander | 8 | 0.8% | 440 | 3 | 1.4% | 165 | 0 | 0.0% | 0 | 11 | 0.9% | 605 |
| Other | 38 | 4.0% | - | 4 | 1.9% | - | 0 | 0.0% | - | 42 | 3.6% | - |
| Unknown | 121 | 12.8% | - | 20 | 9.3% | - | 0 | 0.0% | - | 141 | 12.0% | - |
| Hispanic ethnicity | | | | | | | | | | | | |
| Hispanic | 109 | 11.5% | 1,073 | 13 | 6.0% | 128 | 1 | 9.1% | 10 | 123 | 10.5% | 1,211 |
| Not Hispanic | 693 | 73.4% | 462 | 180 | 83.3% | 120 | 3 | 27.3% | 2 | 876 | 74.8% | 584 |
| Unknown | 142 | 15.0% | - | 23 | 10.6% | - | 0 | 0.0% | - | 165 | 14.1% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 1 | 0.1% | 9 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | 1 | 0.1% | 9 |
| 5-9 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | 0 | 0.0% | 0 |
| 10-14 | 10 | 1.1% | 92 | 1 | 0.5% | 9 | 0 | 0.0% | 0 | 11 | 0.9% | 101 |
| 15-19 | 306 | 32.4% | 2,765 | 63 | 29.2% | 569 | 0 | 0.0% | 0 | 369 | 31.5% | 3,335 |
| 20-24 | 326 | 34.5% | 3,377 | 48 | 22.2% | 497 | 0 | 0.0% | 0 | 374 | 31.9% | 3,874 |
| 25-29 | 163 | 17.3% | 1,466 | 46 | 21.3% | 414 | 3 | 27.3% | 27 | 212 | 18.1% | 1,907 |
| 30-34 | 71 | 7.5% | 724 | 29 | 13.4% | 296 | 4 | 36.4% | 41 | 104 | 8.9% | 1,061 |
| 35-39 | 35 | 3.7% | 321 | 12 | 5.6% | 110 | 1 | 9.1% | 9 | 48 | 4.1% | 441 |
| 40-44 | 15 | 1.6% | 129 | 5 | 2.3% | 43 | 1 | 9.1% | 9 | 21 | 1.8% | 181 |
| 45-49 | 9 | 1.0% | 70 | 5 | 2.3% | 39 | 1 | 9.1% | 8 | 15 | 1.3% | 117 |
| 50+ | 8 | 0.8% | 16 | 7 | 3.2% | 14 | 1 | 9.1% | 2 | 16 | 1.4% | 31 |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - |
| Region of residence | | | | | | | | | | | | |
| Northeastern | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - |
| Northern | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - |
| Southeastern | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - |
| Southern | 944 | 100.0% | 589 | 216 | 100.0% | 135 | 11 | 100.0% | 7 | 1,171 | 100.0% | 731 |
| Western | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - |

* Demographic breakdown not available for diseases with less than 5 cases reported.

** Cases per 100,000 population



DEPARTMENT OF HEALTH SERVICES
 Division of Public Health
 Bureau of Communicable Diseases
 STD Control Section
 P-00415B (08/2020)

Wisconsin STD Program data