

Wisconsin Sexually Transmitted Infections Surveillance Report
SHEBOYGAN COUNTY, 2020

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total cases | 406 | 100.0% | 349 | 73 | 100.0% | 63 | 5 | 100.0% | 4 | 484 | 100.0% | 416 |
| Gender | | | | | | | | | | | | |
| Male | 113 | 27.8% | 192 | 39 | 53.4% | 66 | 4 | 80.0% | 7 | 156 | 32.2% | 266 |
| Female | 290 | 71.4% | 504 | 34 | 46.6% | 59 | 1 | 20.0% | 2 | 325 | 67.1% | 565 |
| Transgender Male | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - |
| Transgender Female | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - | 0 | 0.0% | - |
| Unknown | 3 | 0.7% | - | 0 | 0.0% | - | 0 | 0.0% | - | 3 | 0.6% | - |
| Race/ethnicity*** | | | | | | | | | | | | |
| White | 211 | 52.0% | 215 | 29 | 39.7% | 30 | - | - | - | 242 | 50.0% | 247 |
| Black | 54 | 13.3% | 1,784 | 25 | 34.2% | 826 | - | - | - | 80 | 16.5% | 2,643 |
| Hispanic | 54 | 13.3% | 696 | - | - | - | - | - | - | 59 | 12.2% | 761 |
| Native American | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian/Pacific Islander | 19 | 4.7% | 279 | - | - | - | - | - | - | 21 | 4.3% | 309 |
| Other | - | - | - | - | - | - | - | - | - | - | - | - |
| Unknown | 64 | 15.8% | - | 12 | 16.4% | - | - | - | - | 76 | 15.7% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | 0 | 0.0% | 0 |
| 5-9 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | 0 | 0.0% | 0 |
| 10-14 | 3 | 0.7% | 40 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | 3 | 0.6% | 40 |
| 15-19 | 96 | 23.6% | 1,315 | 10 | 13.7% | 137 | 0 | 0.0% | 0 | 106 | 21.9% | 1,452 |
| 20-24 | 155 | 38.2% | 2,473 | 23 | 31.5% | 367 | 0 | 0.0% | 0 | 178 | 36.8% | 2,840 |
| 25-29 | 90 | 22.2% | 1,322 | 10 | 13.7% | 147 | 0 | 0.0% | 0 | 100 | 20.7% | 1,468 |
| 30-34 | 37 | 9.1% | 540 | 16 | 21.9% | 234 | 2 | 40.0% | 29 | 55 | 11.4% | 803 |
| 35-39 | 15 | 3.7% | 206 | 8 | 11.0% | 110 | 0 | 0.0% | 0 | 23 | 4.8% | 316 |
| 40-44 | 6 | 1.5% | 88 | 1 | 1.4% | 15 | 1 | 20.0% | 15 | 8 | 1.7% | 117 |
| 45-49 | 0 | 0.0% | 0 | 2 | 2.7% | 28 | 0 | 0.0% | 0 | 2 | 0.4% | 28 |
| 50+ | 4 | 1.0% | 9 | 3 | 4.1% | 6 | 2 | 40.0% | 4 | 9 | 1.9% | 19 |
| Region of residence | | | | | | | | | | | | |
| Northeastern | 406 | 100.0% | 0 | 73 | 100.0% | 63 | 5 | 100.0% | 4 | 484 | 100.0% | 416 |
| Northern | - | - | - | - | - | - | - | - | - | - | - | - |
| Southeastern | - | - | - | - | - | - | - | - | - | - | - | - |
| Southern | - | - | - | - | - | - | - | - | - | - | - | - |
| Western | - | - | - | - | - | - | - | - | - | - | - | - |

*Demographic breakdown not available for diseases with less than 5 cases reported.

**Cases per 100,000 population.

*** Race/ethnicity breakdowns are not shown if the cell in the subgroup has either a value of <5 or an estimated population size (denominator) <100.

