

Wisconsin Sexually Transmitted Infections Surveillance Report
OZAUKEE COUNTY, 2021

| | Chlamydia* | | | Gonorrhea* | | | Syphilis* | | | Total* | | |
|----------------------------|------------|---------|--------|------------|---------|--------|-----------|---------|--------|--------|---------|--------|
| | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** | Cases | Percent | Rate** |
| Total cases | 137 | 100.0% | 153 | 25 | 100.0% | 28 | 4 | 100.0% | 4 | 166 | 100.0% | 185 |
| Gender | | | | | | | | | | | | |
| Male | 45 | 32.8% | 103 | 11 | 44.0% | 25 | - | - | - | 57 | 34.3% | 130 |
| Female | 92 | 67.2% | 201 | 14 | 56.0% | 31 | - | - | - | 109 | 65.7% | 238 |
| Transgender Male | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Transgender Female | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Unknown | 0 | 0.0% | - | 0 | 0.0% | - | - | - | - | 0 | 0.0% | - |
| Race/ethnicity*** | | | | | | | | | | | | |
| White | 101 | 73.7% | 123 | 12 | 48.0% | 15 | - | - | - | 113 | 68.1% | 138 |
| Black | 15 | 10.9% | 812 | 8 | 32.0% | 433 | - | - | - | 24 | 14.5% | 1,299 |
| Hispanic | 6 | 4.4% | 201 | - | - | - | - | - | - | 7 | 4.2% | 234 |
| Native American | - | - | - | - | - | - | - | - | - | - | - | - |
| Asian/Pacific Islander | - | - | - | - | - | - | - | - | - | - | - | - |
| Other | - | - | - | - | - | - | - | - | - | - | - | - |
| Unknown | 12 | 8.8% | - | - | - | - | - | - | - | 13 | 7.8% | - |
| Age | | | | | | | | | | | | |
| 0-4 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 5-9 | 0 | 0.0% | 0 | 0 | 0.0% | 0 | - | - | - | 0 | 0.0% | 0 |
| 10-14 | 0 | 0.0% | 0 | 1 | 4.0% | 17 | - | - | - | 1 | 0.6% | 17 |
| 15-19 | 29 | 21.2% | 487 | 4 | 16.0% | 67 | - | - | - | 33 | 19.9% | 554 |
| 20-24 | 59 | 43.1% | 1,228 | 6 | 24.0% | 125 | - | - | - | 65 | 39.2% | 1,352 |
| 25-29 | 23 | 16.8% | 466 | 7 | 28.0% | 142 | - | - | - | 31 | 18.7% | 628 |
| 30-34 | 11 | 8.0% | 224 | 2 | 8.0% | 41 | - | - | - | 14 | 8.4% | 285 |
| 35-39 | 7 | 5.1% | 133 | 1 | 4.0% | 19 | - | - | - | 8 | 4.8% | 152 |
| 40-44 | 3 | 2.2% | 62 | 1 | 4.0% | 21 | - | - | - | 4 | 2.4% | 82 |
| 45-49 | 0 | 0.0% | 0 | 2 | 8.0% | 37 | - | - | - | 3 | 1.8% | 56 |
| 50+ | 5 | 3.6% | 13 | 1 | 4.0% | 3 | - | - | - | 7 | 4.2% | 18 |
| Region of residence | | | | | | | | | | | | |
| Northeastern | - | - | - | - | - | - | - | - | - | - | - | - |
| Northern | - | - | - | - | - | - | - | - | - | - | - | - |
| Southeastern | 614 | 100.0% | 685 | 25 | 100.0% | 28 | 4 | 100.0% | 4 | 643 | 100.0% | 717 |
| Southern | - | - | - | - | - | - | - | - | - | - | - | - |
| Western | - | - | - | - | - | - | - | - | - | - | - | - |

*Demographic breakdown not available for diseases with less than 5 cases reported.

**Cases per 100,000 population.

*** Race/ethnicity breakdowns are not shown if the cell in the subgroup has either a value of <5 or an estimated population size (denominator) <100.

