

**HOW MUCH
LEAD DUST
DOES IT TAKE
TO POISON A
CHILD?**



**LESS THAN THE
SIZE OF A SUGAR
PACKET SPREAD
AROUND A
TWO-BEDROOM HOME**

**HOW MUCH
LEAD DUST
DOES IT TAKE
TO POISON A
CHILD?**



**LESS THAN THE
SIZE OF A SUGAR
PACKET SPREAD
AROUND A
TWO-BEDROOM HOME**

**HOW MUCH
LEAD DUST
DOES IT TAKE
TO POISON A
CHILD?**



**LESS THAN THE
SIZE OF A SUGAR
PACKET SPREAD
AROUND A
TWO-BEDROOM HOME**

**HOW MUCH
LEAD DUST
DOES IT TAKE
TO POISON A
CHILD?**



**LESS THAN THE
SIZE OF A SUGAR
PACKET SPREAD
AROUND A
TWO-BEDROOM HOME**

**HOW MUCH
LEAD DUST
DOES IT TAKE
TO POISON A
CHILD?**



**LESS THAN THE
SIZE OF A SUGAR
PACKET SPREAD
AROUND A
TWO-BEDROOM HOME**

**HOW MUCH
LEAD DUST
DOES IT TAKE
TO POISON A
CHILD?**



**LESS THAN THE
SIZE OF A SUGAR
PACKET SPREAD
AROUND A
TWO-BEDROOM HOME**

Lead Poisoning is

100%

Preventable!

Lead poisoning is most common in children under age six.



Call your health care provider to get your child tested for lead.

Houses built before 1978 are more likely than newer houses to have lead paint hazard that can poison a child.



Look for chipping paint in your home.

For information on how lead can affect a child's ability to learn in school, visit the Wisconsin Department of Health Services' website.



For more information, search "Wisconsin CLPPP info."

Lead Poisoning is

100%

Preventable!

Lead poisoning is most common in children under age six.



Call your health care provider to get your child tested for lead.

Houses built before 1978 are more likely than newer houses to have lead paint hazard that can poison a child.



Look for chipping paint in your home.

For information on how lead can affect a child's ability to learn in school, visit the Wisconsin Department of Health Services' website.



For more information, search "Wisconsin CLPPP info."

Lead Poisoning is

100%

Preventable!

Lead poisoning is most common in children under age six.



Call your health care provider to get your child tested for lead.

Houses built before 1978 are more likely than newer houses to have lead paint hazard that can poison a child.



Look for chipping paint in your home.

For information on how lead can affect a child's ability to learn in school, visit the Wisconsin Department of Health Services' website.



For more information, search "Wisconsin CLPPP info."

Lead Poisoning is

100%

Preventable!

Lead poisoning is most common in children under age six.



Call your health care provider to get your child tested for lead.

Houses built before 1978 are more likely than newer houses to have lead paint hazard that can poison a child.



Look for chipping paint in your home.

For information on how lead can affect a child's ability to learn in school, visit the Wisconsin Department of Health Services' website.



For more information, search "Wisconsin CLPPP info."

Lead Poisoning is

100%

Preventable!

Lead poisoning is most common in children under age six.



Call your health care provider to get your child tested for lead.

Houses built before 1978 are more likely than newer houses to have lead paint hazard that can poison a child.



Look for chipping paint in your home.

For information on how lead can affect a child's ability to learn in school, visit the Wisconsin Department of Health Services' website.



For more information, search "Wisconsin CLPPP info."

Lead Poisoning is

100%

Preventable!

Lead poisoning is most common in children under age six.



Call your health care provider to get your child tested for lead.

Houses built before 1978 are more likely than newer houses to have lead paint hazard that can poison a child.



Look for chipping paint in your home.

For information on how lead can affect a child's ability to learn in school, visit the Wisconsin Department of Health Services' website.



For more information, search "Wisconsin CLPPP info."