

Wisconsin Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE	
	State
MONTH*	
January	301
January Rate per 100,000	5.8
YEAR TO DATE (YTD)	
Count	301
Rate (per 100,000)	5.8
% of total ambulance runs	0.5
Naloxone doses administered	367

*The most recent month available

Figure 1. Wisconsin Suspected Opioid Overdose by Age and Gender, January 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Wisconsin Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (1/2026)

Southeastern Region Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE		
	Region	State
MONTH*		
January	176	301
January Rate per 100,000	9.5	5.8
YEAR TO DATE (YTD)		
Count	176	301
Rate (per 100,000)	9.5	5.8
% of total ambulance runs	0.6	0.5
Naloxone doses administered	200	367

*The most recent month available


Figure 2. Southeastern Region Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Figure 1. Southeastern Region Suspected Opioid Overdose by Age and Gender, January 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)



For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (1/2026)

Jefferson County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
January	1	176	301
January Rate per 100,000	1.3	9.5	5.8
YEAR TO DATE (YTD)			
Count	1	176	301
Rate (per 100,000)	1.3	9.5	5.8
% of total ambulance runs	0.2	0.6	0.5
Naloxone doses administered	1	200	367


*The most recent month available

Figure 1. Jefferson County Suspected Opioid Overdose by Age and Gender, January 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Jefferson County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (1/2026)

Kenosha County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
January	3	176	301
January Rate per 100,000	2.0	9.5	5.8
YEAR TO DATE (YTD)			
Count	3	176	301
Rate (per 100,000)	2.0	9.5	5.8
% of total ambulance runs	0.2	0.6	0.5
Naloxone doses administered	4	200	367

*The most recent month available

Figure 1. Kenosha County Suspected Opioid Overdose by Age and Gender, January 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Kenosha County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Milwaukee County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
January	150	176	301
January Rate per 100,000	19.1	9.5	5.8
YEAR TO DATE (YTD)			
Count	150	176	301
Rate (per 100,000)	19.1	9.5	5.8
% of total ambulance runs	0.9	0.6	0.5
Naloxone doses administered	149	200	367

*The most recent month available

Figure 1. Milwaukee County Suspected Opioid Overdose by Age and Gender, January 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Milwaukee County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Ozaukee County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
January	1	176	301
January Rate per 100,000	1.2	9.5	5.8
YEAR TO DATE (YTD)			
Count	1	176	301
Rate (per 100,000)	1.2	9.5	5.8
% of total ambulance runs	0.1	0.6	0.5
Naloxone doses administered	1	200	367

*The most recent month available

Figure 1. Ozaukee County Suspected Opioid Overdose by Age and Gender, January 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Ozaukee County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (1/2026)

Racine County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
January	6	176	301
January Rate per 100,000	3.5	9.5	5.8
YEAR TO DATE (YTD)			
Count	6	176	301
Rate (per 100,000)	3.5	9.5	5.8
% of total ambulance runs	0.3	0.6	0.5
Naloxone doses administered	23	200	367


*The most recent month available

Figure 1. Racine County Suspected Opioid Overdose by Age and Gender, January 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Racine County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



For additional Wisconsin opioid resources: www.dhs.wisconsin.gov/opioids
For additional data requests, email: dhshealthstats@wisconsin.gov
P02339C (1/2026)

Walworth County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
January	1	176	301
January Rate per 100,000	1.1	9.5	5.8
YEAR TO DATE (YTD)			
Count	1	176	301
Rate (per 100,000)	1.1	9.5	5.8
% of total ambulance runs	0.1	0.6	0.5
Naloxone doses administered	3	200	367


*The most recent month available

Figure 1. Walworth County Suspected Opioid Overdose by Age and Gender, January 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Walworth County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Washington County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
January	2	176	301
January Rate per 100,000	1.6	9.5	5.8
YEAR TO DATE (YTD)			
Count	2	176	301
Rate (per 100,000)	1.6	9.5	5.8
% of total ambulance runs	0.2	0.6	0.5
Naloxone doses administered	7	200	367


*The most recent month available

Figure 1. Washington County Suspected Opioid Overdose by Age and Gender, January 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Washington County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

Waukesha County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.
These data are provisional and subject to change.

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
MONTH*			
January	12	176	301
January Rate per 100,000	3.3	9.5	5.8
YEAR TO DATE (YTD)			
Count	12	176	301
Rate (per 100,000)	3.3	9.5	5.8
% of total ambulance runs	0.3	0.6	0.5
Naloxone doses administered	12	200	367


*The most recent month available

Figure 1. Waukesha County Suspected Opioid Overdose by Age and Gender, January 2026



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

Figure 2. Waukesha County Suspected Opioid Overdose by Month, YTD



Source: Office of Health Informatics, Wisconsin Department of Health Services
Data: Wisconsin Ambulance Run Data System (WARDS)

*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

