

# Wisconsin Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE	
	State
MONTH*	
January	301
January Rate per 100,000	5.8
YEAR TO DATE (YTD)	
Count	301
Rate (per 100,000)	5.8
% of total ambulance runs	0.5
Naloxone doses administered	367


\*The most recent month available

**Figure 1. Wisconsin Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Wisconsin Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Southern Region Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE		
	Region	State
<b>MONTH*</b>		
January	38	301
January Rate per 100,000	3.6	5.8
<b>YEAR TO DATE (YTD)</b>		
Count	38	301
Rate (per 100,000)	3.6	5.8
% of total ambulance runs	0.4	0.5
Naloxone doses administered	59	367


\*The most recent month available

**Figure 1. Southern Region Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Southern Region Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Adams County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	0	38	301
January Rate per 100,000	0.0	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	0	38	301
Rate (per 100,000)	0.0	3.6	5.8
% of total ambulance runs	0.0	0.4	0.5
Naloxone doses administered	0	59	367


\*The most recent month available

**Figure 1. Adams County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Adams County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)

# Columbia County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	2	38	301
January Rate per 100,000	3.9	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	2	38	301
Rate (per 100,000)	3.9	3.6	5.8
% of total ambulance runs	0.4	0.4	0.5
Naloxone doses administered	4	59	367

\*The most recent month available


**Figure 2. Columbia County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

**Figure 1. Columbia County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)

# Crawford County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	0	38	301
January Rate per 100,000	0.0	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	0	38	301
Rate (per 100,000)	0.0	3.6	5.8
% of total ambulance runs	0.0	0.4	0.5
Naloxone doses administered	1	59	367

\*The most recent month available

**Figure 1. Crawford County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Crawford County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)

# Dane County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	27	38	301
January Rate per 100,000	5.3	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	27	38	301
Rate (per 100,000)	5.3	3.6	5.8
% of total ambulance runs	0.6	0.4	0.5
Naloxone doses administered	35	59	367


\*The most recent month available

**Figure 1. Dane County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Dane County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

# Dodge County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	3	38	301
January Rate per 100,000	3.8	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	3	38	301
Rate (per 100,000)	3.8	3.6	5.8
% of total ambulance runs	0.5	0.4	0.5
Naloxone doses administered	13	59	367

\*The most recent month available


**Figure 2. Dodge County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

**Figure 1. Dodge County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)

# Grant County Suspected Opioid Overdose Report

Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	1	38	301
January Rate per 100,000	2.2	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	1	38	301
Rate (per 100,000)	2.2	3.6	5.8
% of total ambulance runs	0.3	0.4	0.5
Naloxone doses administered	0	59	367

\*The most recent month available


**Figure 2. Grant County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

**Figure 1. Grant County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)

# Green County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	0	38	301
January Rate per 100,000	0.0	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	0	38	301
Rate (per 100,000)	0.0	3.6	5.8
% of total ambulance runs	0.0	0.4	0.5
Naloxone doses administered	0	59	367

\*The most recent month available

**Figure 1. Green County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Green County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)

# Iowa County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	0	38	301
January Rate per 100,000	0.0	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	0	38	301
Rate (per 100,000)	0.0	3.6	5.8
% of total ambulance runs	0.0	0.4	0.5
Naloxone doses administered	1	59	367

\*The most recent month available


**Figure 2. Iowa County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

**Figure 1. Iowa County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)

# Juneau County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	2	38	301
January Rate per 100,000	8.4	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	2	38	301
Rate (per 100,000)	8.4	3.6	5.8
% of total ambulance runs	0.8	0.4	0.5
Naloxone doses administered	1	59	367


\*The most recent month available

**Figure 2. Juneau County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 1. Juneau County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)

# Lafayette County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	0	38	301
January Rate per 100,000	0.0	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	0	38	301
Rate (per 100,000)	0.0	3.6	5.8
% of total ambulance runs	0.0	0.4	0.5
Naloxone doses administered	0	59	367

\*The most recent month available


**Figure 2. Lafayette County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

**Figure 1. Lafayette County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)

# Richland County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	0	38	301
January Rate per 100,000	0.0	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	0	38	301
Rate (per 100,000)	0.0	3.6	5.8
% of total ambulance runs	0.0	0.4	0.5
Naloxone doses administered	0	59	367


\*The most recent month available

**Figure 1. Richland County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Richland County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)

# Rock County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	2	38	301
January Rate per 100,000	1.4	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	2	38	301
Rate (per 100,000)	1.4	3.6	5.8
% of total ambulance runs	0.1	0.4	0.5
Naloxone doses administered	3	59	367

\*The most recent month available


**Figure 2. Rock County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

**Figure 1. Rock County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)

# Sauk County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	1	38	301
January Rate per 100,000	1.7	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	1	38	301
Rate (per 100,000)	1.7	3.6	5.8
% of total ambulance runs	0.2	0.4	0.5
Naloxone doses administered	1	59	367

\*The most recent month available


**Figure 2. Sauk County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.

**Figure 1. Sauk County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)

# Vernon County Suspected Opioid Overdose Report


Wisconsin Department of Health Services, Division of Public Health  
Office of Health Informatics and Office of Preparedness and Emergency Health Care

The following data are based on suspected\* opioid overdose cases in Wisconsin as determined by Wisconsin ambulance run reports.  
**These data are provisional and subject to change.**

OPIOID OVERDOSE AMBULANCE RUNS AT-A-GLANCE			
	County	Region	State
<b>MONTH*</b>			
January	0	38	301
January Rate per 100,000	0.0	3.6	5.8
<b>YEAR TO DATE (YTD)</b>			
Count	0	38	301
Rate (per 100,000)	0.0	3.6	5.8
% of total ambulance runs	0.0	0.4	0.5
Naloxone doses administered	0	59	367


\*The most recent month available

**Figure 1. Vernon County Suspected Opioid Overdose by Age and Gender, January 2026**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

**Figure 2. Vernon County Suspected Opioid Overdose by Month, YTD**



Source: Office of Health Informatics, Wisconsin Department of Health Services  
Data: Wisconsin Ambulance Run Data System (WARDS)

\*These data include all ambulance runs within Wisconsin coded as 911 responses for individuals aged 11 years and older; medical transports and other non-emergency transports have been excluded. Data are determined from free-text fields via key words of interest and exclude visits that appear to be related to withdrawal, detox, or intentional overdose. These cases have not been confirmed by clinicians.



For additional Wisconsin opioid resources: [www.dhs.wisconsin.gov/opioids](http://www.dhs.wisconsin.gov/opioids)  
For additional data requests, email: [dhshealthstats@wisconsin.gov](mailto:dhshealthstats@wisconsin.gov)  
P02339D (1/2026)