







RESPIRATORY VIRUS SURVEILLANCE REPORT

Week 47, Ending November 27, 2021

Wisconsin Department of Health Services | Division of Public Health

Bureau of Communicable Diseases | Communicable Diseases Epidemiology Section

www.dhs.wisconsin.gov/dph/bcd.htm | dhsdphbcd@dhs.wi.gov



INFLUENZA LIKE ILLNESS (ILI) ACTIVITY






REGION V OF US (WI, MN, IL, MI, OH, IN)



UNITED STATES



ILI: HIGH LEVELS O ILI: MODERATE LEVELS ILI: BELOW BASELINE

ILI: INSUFFICIENT DATA

AT-A-GLANCE:

Predominant Viruses of the Week:

RSV and Rhino/enterovirus are the predominant viruses this week.

Current Alerts:

Influenza activity is increasing rapidly statewide. 272 confirmed cases of influenza were reported last week. Influenza A/H3 is the predominant influenza virus.

Additional data on SARS-CoV-2 (the virus causing COVID-19) trends in Wisconsin can be found at:

https://www.dhs.wisconsin.gov/covid-19/data.htm

INFLUENZA-ASSOCIATED PEDIATRIC DEATHS REPORTED:

	Week 47, 2021	October 1, 202 to present			
Wisconsin	0	0			
Nationwide	0	0			


For National US influenza surveillance statistics visit: www.cdc.gov/flu/weekly/



INFLUENZA AND PNEUMONIA-ASSOCIATED MORTALITY

Influenza and Pneumonia Deaths, Wisconsin

Influenza- and pneumonia-associated deaths by influenza season year and week, Wisconsin



Influenza- and pneumonia-associated deaths by most recent 3 week period.


Influenza season week	Influenza- associated deaths (I)	Pneumonia- associated deaths (P)	Percent I+P of all deaths	Baseline I+P of all deaths	Threshold I+P of all deaths
45	0	131	10.6%	4.5%	5.5%
46	0	138	11.0%	4.6%	5.6%
47 Preliminary Data	0	107	11.2%	4.7%	5.7%

Data source: <u>DPH, Office of Health Informatics</u>



WISCONSIN LABORATORY SURVEILLANCE FOR RESPIRATORY VIRUSES BY PCR

Wisconsin positive influenza results and subtypes by PCR



Cumulative number of positive influenza PCR tests by subtype October 9, 2021 to present

	A (2009 H1N1)	Influenza A: A (H3N2)	93% A (Unknown)	B (Victoria)	Influenza B: B (Yamagata)	7% B (Unknown)	Total
Total positive (n)	3	120	311	1	0	31	466
% of total positive	1%	26%	67%	0%	0%	7%	100%


1.5%

17.1%

0.6%

WISCONSIN LABORATORY SURVEILLANCE FOR RESPIRATORY VIRUSES BY PCR

Trends in respiratory virus activity by PCR



Week 47 Ending on November 27, 2021

Week 47 Ending on November 21, 2021																
Respiratory virus	Tested	Posi	tive	Positi	Influenza A						Influenza B					
	resteu	(r	1)	(%)		нзм	2	2009	Unkn	own	Vic	toria	Yamagat	a	Unknown	
Influenza	7763	27	'2	3.5%	ó	67		3	198		0		0		4	
Respiratory viru	Respiratory virus Tested			sitive (n)		ositive (%)		fluenza 1	Parainfluenza		za 2	2 Parainfluenza 3		Parainfluenza 4		
Parainfluenza	1	092		50	4.6	4.6%		0		14			8		28	
Respiratory virus Tes		ted	Positive (n)		n) Positive (%)		CoV 22	29E	CoV	OC43		CoV NL63		CoV HKU1		
Coronavirus (seasonal) 17		'9	6		3.4%		1	1		5		0		0		
Respiratory virus				Tested				Positive (n)				Positive (%)				
RSV			4563					326				7.1%				

Human metapneumovirus

Rhino-enterovirus

Adenovirus

17

191

1


1115

1114

179

WISCONSIN STATE SUMMARY


ILI activity trend analysis by influenza season, Wisconsin



Influenza-associated hospitalizations, Wisconsin Electronic Disease Surveillance System October 1, 2021 to present

Ago group	Total		lr	ıfluenza subt	уре		Admitted	Required		Postpartum
Age group (years)	reported (n)	A (2009 H1N1)	A (H3N2)	A (Unknown)	В	Not reported	to ICU	mechanical ventilation	Pregnant	(≤6 weeks)
<1	0	0	0	0	0	0	0	0		
1-4	0	0	0	0	0	0	0	0		
5-17	0	0	0	0	0	0	0	0		
18-49	2	0	1	0	1	0	0	0	0	0
50-64	1	0	0	1	0	0	0	0		
65+	7	0	0	7	0	0	2	0		
Total	10	0	1	8	1	0	2	0	0	0


Reported cumulative influenza-associated hospitalizations by influenza season, Wisconsin




The 2020 - 2021 influenza season was unusually low due much in part to the ongoing COVID-19 pandemic. As such, numbers for that season are substantially different than previous seasons and should be considered an anomaly.

ILI ACTIVITY TREND ANALYSIS






Northeastern Region




Northern Region





ILI ACTIVITY TREND ANALYSIS






Southern Region






Western Region







Cumulative percentage of Wisconsin residents who received 1 or more doses of influenza vaccine, 2021-2022 influenza season



Data source: All influenza vaccination rates presented were calculated using data from the Wisconsin Immunization Registry (numerator) and Wisconsin population estimates (denominator).

Influenza vaccine composition 2021-2022:

Egg-based vaccines are recommended to contain:

- A/Victoria/2570/2019 (H1N1) pdm09-like virus
- A/Cambodia/e0826360/2020 (H3N2)-like virus
- B/Washington/02/2019- like virus (B/Victoria lineage)
- B/Phuket/3073/2013-like virus (B/Yamagata lineage)


Cell- or recombinant-based vaccines are recommended to contain:

- A/Wisconsin/588/2019 (H1N1) pdm09-like virus
- A/Cambodia/e0826360/2020 (H3N2)-like virus
- B/Washington/02/2019- like virus (B/Victoria lineage)
- B/Phuket/3073/2013-like virus (B/Yamagata lineage)



SEASONAL INFLUENZA VACCINATION

Percentage of Wisconsin residents who received one or more doses of influenza vaccine, by age group and influenza season



Each season includes doses administered during the same time period (August 1 through May 3).

Percentage of Wisconsin residents who received one or more doses of influenza vaccine, by race and ethnicity and region, 2021-2022 influenza season

