



CHILDREN NUTRITIONALS: Medical Request Required
Provided by the Wisconsin WIC Program to Children (1 through 4 Years of Age)

A qualifying medical condition, is required using the Wisconsin WIC Request for Medical Formula/Food – Infants and Children form and is subject to WIC RD approval.

| Formula/Medical Food | Use: Information provided is from manufacturers' website and materials. Manufacturers frequently alter the ingredients in the formula products, which may affect the nutrient content. For the most current and accurate information, refer to the product label and/or manufacturer website. | Protein Sources | CHO Sources | Fat Sources | Product Form, Size, Reconstituted Amount | Maximum Number Containers Per Month | Maximum Prepared Ounces Per Day |
|--|---|---|--|---|--|-------------------------------------|---------------------------------|
| Similac Advance Abbott Nutrition | Use: Nutritionally complete cow's milk-based, iron fortified infant formula for routine feeding in infants with normal GI tracts. Contains OptiGRO™, an exclusive blend of DHA, lutein and vitamin E. Kosher, Halal. Standard Dilution: 20 kcal/fl oz, 1 scoop to 2 oz. water | (8% kcals) Intact cow's milk protein Whey to casein ratio: 48:52 | (42% kcals) Lactose, Prebiotic: galactooligosaccharides | (50% kcals) High oleic safflower, soy, and coconut oils (0.15% DHA; 0.40% ARA) Oil ratio: 40:30:29 | Powder 12.4 oz. can 90 fl. oz. | 10 | 30 |
| | | | | | Concentrate 13 fl. oz. carton 26 fl. oz. | 34 | 29 |
| | | | | | Ready to Feed 32 fl. oz. | 28 | 29 |
| Similac Soy Isomil Abbott Nutrition | Use: Nutritionally complete soy-based infant formula for infants with feeding problems such as fussiness and gas; for infants whose parents choose a milk-free formula as a first feeding or as a supplement to breastfeeding; and for infants of vegetarian families. A lactose-free feeding for infants with disorders for which lactose should be avoided, including lactase deficiency, lactose intolerance, and galactosemia. Contains OptiGRO™, an exclusive blend of DHA, lutein and vitamin E. Kosher, Halal. Standard Dilution: 20 kcal/fl oz, 1 scoop to 2 oz. water | (10% kcals) Soy protein isolate, L-methionine | (41% kcals) Corn syrup, sugar, (Ratio: 80:20) Prebiotic: fructooligosaccharides | (49% kcals) High oleic safflower, soy, and coconut oils (0.15% DHA, 0.40% ARA) Oil ratio: 40:30:29 | Powder 12.4 oz. can 90 fl. oz. | 10 | 30 |
| | | | | | Concentrate 13 fl. oz. carton 26 fl. oz. | 34 | 29 |
| | | | | | Ready to Feed 32 fl. oz. | 28 | 29 |
| Similac Total Comfort Abbott Nutrition | Use: Nutritionally complete infant formula that is an alternative to standard intact protein, milk-based formulas. For mild tolerance symptoms such as fussiness and gas due to lactose sensitivity. Contains OptiGRO™, an exclusive blend of DHA, Lutein, and Vitamin E. Kosher, Halal. Standard Dilution: 20 kcal/fl oz., 1 scoop to 2 oz. water | (9% kcals) Whey protein hydrolysate | (42% kcals) Maltodextrin, sugar, (Ratio: 80:20) Prebiotic: galactooligosaccharides | (49% kcals) High oleic safflower, soy and coconut oils (0.15% DHA, 0.40% ARA) Oil ratios: 40:30:29 | Powder 12.6 oz. can 90 fl. oz. | 10 | 30 |
| Similac Sensitive Abbott Nutrition | Use: Nutritionally complete infant feeding that is an alternative to standard milk-based formulas. For mild tolerance symptoms such as fussiness and gas due to lactose sensitivity. Suitable for infants with lactose sensitivity. Contains OptiGRO™, an exclusive blend of DHA, lutein, and vitamin E. Kosher, Halal. Standard Dilution: 20 kcal/fl oz., 1 scoop to 2 oz. water | (9% kcals) Milk protein isolate | (42% kcals) Maltodextrin, sugar(Ratio: 80:20) Prebiotic: | (49% kcals) High oleic safflower, soy, and coconut oils | Powder 12.5 oz. can 90 fl. oz. | 10 | 30 |

| | | | | | | | |
|---|---|--|---|--|---|--|--|
| | | | galactooligosaccharides | (0.15% DHA, 0.40% ARA) Oil ratio: 40:30:29 | Ready to Feed 32 fl. oz. | 28 | 29 |
| Formula/Medical Food | <i>Use: Information provided is from manufacturers' website and materials. Manufacturers frequently alter the ingredients in the formula products, which may affect the nutrient content. For the most current and accurate information, refer to the product label and/or manufacturer website.</i> | Protein Sources | CHO Sources | Fat Sources | Product Form, Size, Reconstituted Amount | Maximum Number Containers Per Month | Maximum Prepared Ounces Per Day |
| Similac NeoSure Abbott Nutrition | Use: A high-calorie, infant formula for premature infants in need of extra calories and nutrients. For use as a preterm, post discharge formula. Contains higher levels of protein, vitamins, and minerals than standard term formulas to promote greater weight gain and growth. Kosher, Halal. Standard Dilution: 22 kcal/fl oz 1 scoop to 2 oz water Caution: For use only under medical supervision. | (11% kcals) 50:50 ² Nonfat milk, whey protein concentrate | (40% kcal) Corn syrup solids, lactose | (50% kcals) Soy oil, high oleic safflower oil, coconut oil, 25% MCT, DHA | Powder ¹ 13.1 oz can 87 fl oz Ready to Feed ¹ 32 fl oz bottle | 10 28 | 30 30 |
| Enfamil NeuroPro EnfaCare (powder) Mead Johnson | Use: A milk-based 22 kcal discharge formula designed for premature infants who have left the hospital but still require the extra calories, nutrients, and minerals of a specialized infant formula. Can be used through the first year of life. Contains higher levels of vitamins and minerals than standard term formulas. Standard Dilution: 22 kcal/fl oz 1 scoop to 2 oz water Caution: For use only under medical supervision. | (11% kcals) 60:40 ² whey protein concentrate, nonfat milk | (42% kcals) Corn syrup solids, lactose; | (47% kcals) High oleic vegetable oil (sunflower and/or safflower oil) soy oil, 20% MCT, coconut oil, DHA, ARA | Powder ¹ 13.6oz can 87 fl oz | 10 | 30 |
| Enfamil AR Mead Johnson | Use: Term infant milk-based formula with rice starch (formula thickens in acid environment of stomach), Kosher. Standard Dilution: 20 kcal/fl oz 1 scoop to 2 oz water Caution: Not for infants born prematurely. | (10% kcals) 20:80 ² Nonfat milk | (44% kcals) Rice starch, lactose, maltodextrin | (46% kcals) Vegetable oil (palm olein, soy, coconut, and high oleic sunflower), DHA, ARA | Powder ¹ 12.9 oz can 91 fl oz | 10 | 30 |
| Extensive HA Nestle Health Science | Use: Extensively hydrolyzed hypoallergenic infant formula for the dietary management of cow's milk protein allergy. With probiotic <i>B. lactis</i> , lactose-free. Standard dilution: 20 kcal/fl oz 1 scoop to 1 oz water Caution: For use only under medical supervision. When used as a milk substitute for children, total calcium content of diet should be assessed. | (10% kcals) Hydrolyzed whey protein isolate | (44% kcals) corn maltodextrin, potato starch | (46% kcals) 49% MCT, Vegetable oils (soy, high oleic sunflower and high 2-palmitic vegetable oil), DHA, ARA | Powder ¹ 14.1 oz can 96 fl oz | 9 | 28 |

| Formula/Medical Food | Use: Information provided is from manufacturers' website and materials. Manufacturers frequently alter the ingredients in the formula products, which may affect the nutrient content. For the most current and accurate information, refer to the product label and/or manufacturer website. | Protein Sources | CHO Sources | Fat Sources | Product Form, Size, Reconstituted Amount | Maximum Number Containers Per Month | Maximum Prepared Ounces Per Day |
|---|---|--|---|--|--|-------------------------------------|---------------------------------|
| Nutramigen w/Probiotic LGG (powder) Mead Johnson | Use: Hypoallergenic infant formula designed for infants who are allergic to the intact protein in cow's milk and soy formulas. Contains extensively hydrolyzed casein protein to help avoid an immune system response by reducing allergen exposure, and the probiotic branded LGG to help support the strength of the intestinal barrier and support digestive health. Gluten-free, Lactose-free, galactose-free, sucrose-free. Standard dilution: 20 kcal/fl oz 1 scoop to 2 oz water Caution: For use only under medical supervision. When used as a milk substitute for children, total calcium content of diet should be assessed. | (11% kcals) Casein hydrolysate ³ , amino acids | (41% kcals) Corn syrup solids, modified corn starch | (48% kcals) Vegetable oils (palm olein, coconut, soy, high oleic sunflower), DHA, ARA | Powder ¹ 12.6 oz can 87 fl oz | 10 | 30 |
| Nutramigen (liquids) Mead Johnson | Use: Hypoallergenic formula for infants who are allergic to intact proteins in cow's milk and soy formulas. Contains extensively hydrolyzed protein and is proven effective for managing colic due to cow's milk allergy. Lactose-free Standard dilution: 20 kcal/fl oz 1 scoop to 2 oz water Caution: For use only under medical supervision. When used as a milk substitute for children, total calcium content of diet should be assessed. | (11% kcals) Casein hydrolysate ³ , amino acids | (41% kcals) Corn syrup solids, modified corn starch | (48% kcals) Vegetable oils (palm olein, soy, coconut, high oleic sunflower), DHA, ARA | Concentrate 13 oz can 26 fl oz | 35 | 30 |
| | | | | | Ready to Feed ¹ 32 oz bottle | 28 | 30 |
| Similac Alimentum Abbott Nutrition | Use: Hypoallergenic formula for infants with severe food allergies, sensitivities to intact protein, protein maldigestion, or fat malabsorption. Contains Lutein and HMO 2'FL. Gluten-free, Lactose-free, corn-free (<i>Ready to Feed only</i>) Standard dilution: 20 kcal/fl oz 1 scoop to 2 oz water Caution: For use only under medical supervision. When used as a milk substitute for children, total calcium content of diet should be assessed. | (11% kcals) Casein hydrolysate ³ , amino acids | (41% kcals) Corn maltodextrin, sucrose (<i>Powder</i>) | (48% kcals) Safflower oil, 33% MCT, soy oil, DHA, ARA | Powder ¹ 12.1 oz can 87 fl oz | 10 | 30 |
| | | | Sucrose, modified tapioca starch (<i>RTF</i>) | | Ready to Feed ¹ 32 fl oz can | 28 | 30 |
| Neocate Infant DHA & ARA Nutricia | Use: An elemental, hypoallergenic formula for infants with cow and soy milk allergy, multiple food protein intolerance, short bowel syndrome, eosinophilic esophagitis, gastroesophageal reflux, and other medical conditions that require an amino-acid based diet. Dairy-free, soy oil-free, sucrose-free. Kosher Pareve, Halal. Standard dilution: 20 kcal/fl oz 1 scoop to 1 oz water Contraindications: For use only under medical supervision. | (11.2% kcals) Free amino acids | (43.1% kcals) Corn syrup solids | (45.7% kcals) Refined vegetable oil (33% MCT, high oleic sunflower oil, sunflower oil, canola oil) DHA, ARA | Powder ¹ 14.1 oz can 97 fl oz | 9 | 29 |

| Formula/Medical Food | Use: Information provided is from manufacturers' website and materials. Manufacturers frequently alter the ingredients in the formula products, which may affect the nutrient content. For the most current and accurate information, refer to the product label and/or manufacturer website. | Protein Sources | CHO Sources | Fat Sources | Product Form, Size, Reconstituted Amount | Maximum Number Containers Per Month | Maximum Prepared Ounces Per Day |
|---|---|---|---|---|---|-------------------------------------|---------------------------------|
| EleCare DHA & ARA Infant Abbott | Use: An amino acid-based formula for infants who cannot tolerate intact or hydrolyzed protein. It is indicated for the dietary management of protein maldigestion, malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI disorders, GI-tract impairment, or other conditions in which an amino acid-based diet is required. Lactose-free, galactose-free, fructose-free, milk protein-free, soy protein-free, gluten-free. Halal. Standard dilution: 20 kcal/fl oz 1 scoop to 2 oz water Caution: For use only under medical supervision. | (15% kcals) 100% free amino acids | (42% kcals) Corn syrup solids | (43% kcals) High oleic safflower oil, 33% MCT, soy oil, DHA, ARA | Powder ¹ 14.1 oz can 95 fl oz | 9 | 28 |
| Similac PM 60/40 Abbott | Description: Infant formula for infants and children with impaired renal function or who would benefit from lower mineral intake. Calcium-to-phosphorus ratio and content designed to treat serum calcium disorders (hypercalcemia and hypocalcemia due to hyperphosphatemia). Gluten-free. Kosher, Halal. Standard dilution: 20 kcal/fl oz 1 scoop to 2 oz water Caution: For use only under medical supervision. Additional iron should be supplied from other sources. In conditions where the infant is losing abnormal quantities of one or more electrolytes, it may be necessary to supply electrolytes from sources other than the formula. | (9% kcals) 60:40 ² Whey protein concentrate and sodium caseinate | (41% kcal) Lactose | (50% kcal) High oleic safflower, soy, and coconut oils | Powder ¹ 14.1 oz can 102 fl oz | 8 | 30 |
| Neocate Jr. Nutricia | Use: Hypoallergenic formula designed for the dietary management of children with cow milk allergy, multiple food allergies and related GI and allergic conditions, including eosinophilic esophagitis (EoE), food protein-induced enterocolitis syndrome (FPIES), short bowel syndrome (SBS), malabsorption, and gastroesophageal reflux (GER). Dairy-free, soy-free. For oral or tube feeding. Kosher Pareve (unflavored) Standard Dilution: 30 kcal/fl oz 1 scoop to 1 oz water Flavors: <i>without prebiotics:</i> Unflavored <i>with prebiotics:</i> Unflavored, Vanilla, Strawberry, Chocolate, Tropical Caution: For use only under medical supervision. | (12.3 - 12.6% kcals) 100% free amino acids | (42.6-45.5% kcals) Corn syrup solids | (41.9–45% kcals) (65% LCT, 35% MCT) Refined vegetable oils (palm kernel and/or coconut oil, canola oil, high oleic safflower) | Powder ¹ 14.1 oz can 61 fl oz @ 30 kcal dilution | 14 @30 kcal dilution | 30 |

| Formula/Medical Food | Use: Information provided is from manufacturers' website and materials. Manufacturers frequently alter the ingredients in the formula products, which may affect the nutrient content. For the most current and accurate information, refer to the product label and/or manufacturer website. | Protein Sources | CHO Sources | Fat Sources | Product Form, Size, Reconstituted Amount | Maximum Number Containers Per Month | Maximum Prepared Ounces Per Day |
|--|---|--|--|---|---|-------------------------------------|---------------------------------|
| Neocate Splash Nutricia | Use: Hypoallergenic, amino acid-based, ready-to-feed formula designed for children over the age of one for the dietary management of cow milk allergy, multiple food allergies and related GI and allergic conditions, including eosinophilic esophagitis (EoE), food protein-induced enterocolitis syndrome (FPIES), short bowel syndrome (SBS), malabsorption, and gastroesophageal reflux (GER). Casein-free, soy-free. Sucralose (Orange-Pineapple, Grape, Vanilla) Acesulfame Potassium (Tropical Fruit). For oral or tube feeding. Per 8 oz: 237 kcal, 7.1g pro, 12.1g fat, 24.9g CHO Flavors: Unflavored, Tropical Fruit, Orange Pineapple, Grape, Vanilla Caution: For use only under medical supervision. | (12% kcals) 100% free amino acids | (42% kcals) Maltodextrin, Sucralose | (46% kcals) (65% LCT, 35% MCT) Refined vegetable oils (high oleic sunflower, MCT (modified palm kernel and/or coconut oil), Canola oil) | Ready to Feed Case (27-8 oz bottle) 216 oz | 108 (4 cases) | 29 |
| EleCare Jr. Abbott Nutrition | Use: Nutritionally complete amino acid-based medical food for children age 1 and older who cannot tolerate intact or hydrolyzed protein. For the dietary management of protein maldigestion, malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI disorders, GI-tract impairment, or other conditions in which an amino acid-based diet is required. For oral or tube feeding. Milk protein-free, soy protein-free, fructose-free, galactose-free, lactose-free, gluten-free. Halal Standard Dilution: 30 kcal/fl oz 4 scoops to 5 oz water Flavors: Unflavored, Vanilla, Chocolate, Banana Caution: For use only under medical supervision. Vanilla contains phenylalanine. Not for parenteral use. | (15% kcals) 100% free amino acids | (42% kcals) Corn syrup solids | (43% kcals) High oleic safflower oil, 33% MCT oil, soy oil, DHA, ARA | Powder ¹ 14.1 oz can 64 fl oz @ 30 kcal dilution | 14 @30 kcal dilution | 30 |
| PediaSure Grow & Gain with or without fiber Abbott Nutrition (Not allowed: PediaSure Enteral or PediaSure Sidekicks) | Use: Milk-based medical food for children over the age of one who are undernourished due to an illness or medical condition. For oral or tube feeding. Gluten-free. Suitable for lactose intolerance. Kosher, Halal. Per 8 oz: 240 kcal, 7g pro, 9g fat, 33g CHO 3g fiber (PediaSure with fiber only, <1g in standard formula) Flavors: with fiber: Vanilla, Strawberry without fiber: Vanilla, Strawberry, Chocolate, Banana, Berry, S'mores Caution: For use only under medical supervision. Not for children with galactosemia. Unallowable reasons: Manage body weight without an underlying medical condition. | (12% kcals) Milk protein concentrate, whey protein concentrate, soy protein isolate | (53% kcals) Sucrose, corn maltodextrin, dextrose, short chain fructooligosaccharides, Soy fiber | (35% kcals) High oleic safflower oil, soy oil, canola oil, MCT, DHA | Ready to Feed 6-pack of 8 oz bottles | 108 (18 6-packs) | 30 |

| Formula/Medical Food | Use: Information provided is from manufacturers' website and materials. Manufacturers frequently alter the ingredients in the formula products, which may affect the nutrient content. For the most current and accurate information, refer to the product label and/or manufacturer website. | Protein Sources | CHO Sources | Fat Sources | Product Form, Size, Reconstituted Amount | Maximum Number Containers Per Month | Maximum Prepared Ounces Per Day |
|--|--|---|---|---|--|-------------------------------------|---------------------------------|
| PediaSure 1.5 Cal. with or without fiber Abbott Nutrition | Use: Milk-based medical food designed for children age one year or older who need more calories in less volume who are at risk for malnutrition, require a higher caloric density, or have fluid restrictions. For oral or tube feeding. Gluten-free. Suitable for lactose intolerance. Kosher, Halal. Per 8 oz: 350 kcal, 14g pro, 16g fat, 38-39g CHO 3g fiber (PediaSure with fiber only, <1g in standard formula) Flavors: with fiber: Vanilla, without fiber: Vanilla Caution: For use only under medical supervision. Not for children with galactosemia. Unallowable reasons: Manage body weight without an underlying medical condition. | (16% kcals) Milk protein concentrate, | (43% kcals) Corn maltodextrin, short chain fructooligosaccharides, Soy fiber | (41% kcals) High oleic safflower oil, soy oil, MCT, DHA | Ready to Feed Case (24-8 oz cans) | 4 cases (96 cans) | 25.6 |
| PediaSure Peptide 1.0 Cal. Abbott Nutrition (Not allowed: PediaSure Peptide 1.5 Cal.) | Use: Peptide-based medical food designed for children age one year or older with malabsorption, maldigestion, and other GI conditions. For oral or tube feeding. Gluten-free. Suitable for lactose intolerance. Kosher, Halal. Per 8 oz: 237 kcal, 7.1g pro, 9.6g fat, 31.7g CHO Flavors: unflavored, vanilla, strawberry Caution: For use only under medical supervision. Not for children with galactosemia. Unallowable reasons: Manage body weight without an underlying medical condition. | (12% kcals) Whey protein hydrolysate, hydrolyzed sodium caseinate, | (53% kcals) Corn maltodextrin, sugar, short chain fructooligosaccharides | (35% kcals) 60% MCT and "structured lipids", canola oil, | Ready to Feed Case (24-8 oz bottles) | 4 cases (96 cans) | 25.6 |

¹ Reported infant cases with serious infections secondary to *Enterobacter sakazakii* have been reported in the literature that were traced back to powdered infant formulas contaminated with this organism. Preterm infants and those with underlying medical conditions may be at higher risk of developing infection. FDA recommends sterile, commercial Ready-To-Feed formulas (RTF) for immunocompromised infants including preterm infants. WIC routinely provides cans of powdered formula. However, RTF formula may be provided when the local WIC Project RD verifies that the water supply is unsafe to drink, if the caregiver has difficulty mixing powder or concentrate properly, if RTF better accommodates the participant's condition (e.g., immunocompromised), or if RTF improves the participant's compliance in consuming the prescribed formula.

² Human milk is estimated to be 40:60, but since cow's milk whey is primarily lactoglobulin and human milk whey is primarily lactalbumin, an advantage of a particular casein: whey ratio has not been established.

³ Not Kosher/Halal since pork enzyme used to hydrolyze protein.