



CHILDREN NUTRITIONALS: Medical Request Required
Provided by the Wisconsin WIC Program to Children (1 through 4 Years of Age)

A qualifying medical condition, is required using the Wisconsin WIC Request for Medical Formula/Food – Infants and Children form and is subject to WIC RD approval.

Formula/Medical Food	Use: Information provided is from manufacturers' website and materials. Manufacturers frequently alter the ingredients in the formula products, which may affect the nutrient content. For the most current and accurate information, refer to the product label and/or manufacturer website.	Protein Sources	CHO Sources	Fat Sources	Product Form, Size, Reconstituted Amount	Maximum Number Containers Per Month	Maximum Prepared Ounces Per Day
GOOD START® GENTLE Gerber	Use: Partially hydrolyzed cow's milk-based infant formula for routine feeding in infants with normal GI tracts. Contains probiotic: <i>B. lactis</i> cultures. Powder contains 2'-FL Human Milk Oligosaccharide (HMO) Standard Dilution: 20 kcal/fl oz 1 scoop to 2 oz water	(9% kcals) 100% whey, hydrolyzed whey protein concentrate ³	(45% kcals) Lactose, corn maltodextrin	(46% kcals) Vegetable oils (palm olein, soy, coconut, high oleic sunflower or safflower); DHA, ARA	Powder ¹ 12.7 oz can 90 fl oz	10	30
					Concentrate 12.1 oz carton 24.2 fl oz	37	30
					Ready to Feed ¹ 4-pack of 8.45 oz cartons 33.8 fl oz	27	30
GOOD START® SOOTHE Gerber	Use: Partially hydrolyzed cow's milk-based infant formula; low-lactose. For routine feeding in infants with normal GI tracts; for infants with excessive crying, colic, fussiness, and frequent spit-ups. Contains probiotic <i>L.reuteri</i> cultures. Powder contains 2'-FL Human Milk Oligosaccharide (HMO) Standard Dilution: 20 kcal/fl oz 1 scoop to 2 oz water	(9% kcals) 100% whey, hydrolyzed whey protein concentrate ³	(45% kcals) Lactose, corn maltodextrin	(46% kcals) Vegetable oils (palm olein, soy, coconut, high oleic sunflower or safflower); DHA, ARA	Powder ¹ 12.4 oz can 90 fl oz	10	30
GOOD START® SOY Gerber	Use: Partially hydrolyzed soy-based infant formula for babies with milk or lactose intolerance, fussiness, and gas. Milk-free, lactose-free; Kosher Pareve, Halal. Standard Dilution: 20 kcal/fl oz 1 scoop to 2 oz water Caution: Documented cow's milk protein-induced enteropathy or enterocolitis, preterms who weigh <1800 gm. No proven value in prevention of atopic disease or colic.	(10% kcals) Partially hydrolyzed soy protein isolate	(44% kcals) corn maltodextrin, sucrose	(46% kcals) Vegetable oils (palm olein, soy, coconut, high oleic sunflower or safflower); DHA, ARA	Powder ¹ 12.9 oz can 91 fl oz	10	30
					Concentrate 12.1 oz carton 24.2 fl oz	37	30
					Ready to Feed ¹ 4-pack of 8.45 oz cartons 33.8 fl oz	27	30
Similac NeoSure Abbott Nutrition	Use: A high-calorie, infant formula for premature infants in need of extra calories and nutrients. For use as a preterm, post discharge formula. Contains higher levels of protein, vitamins, and minerals than standard term formulas to promote greater weight gain and growth. Kosher, Halal. Standard Dilution: 22 kcal/fl oz 1 scoop to 2 oz water Caution: For use only under medical supervision.	(11% kcals) 50:50 ² Nonfat milk, whey protein concentrate	(40% kcal) Corn syrup solids, lactose	(50% kcals) Soy oil, high oleic safflower oil, coconut oil, 25% MCT, DHA	Powder ¹ 13.1 oz can 87 fl oz	10	30
					Ready to Feed ¹ 32 fl oz can	28	30

Formula/Medical Food	Use: Information provided is from manufacturers' website and materials. Manufacturers frequently alter the ingredients in the formula products, which may affect the nutrient content. For the most current and accurate information, refer to the product label and/or manufacturer website.	Protein Sources	CHO Sources	Fat Sources	Product Form, Size, Reconstituted Amount	Maximum Number Containers Per Month	Maximum Prepared Ounces Per Day
Enfamil NeuroPro EnfaCare (powder) Enfamil EnfaCare (Ready to Feed) Mead Johnson	Use: A milk-based 22 kcal discharge formula designed for premature infants who have left the hospital but still require the extra calories, nutrients, and minerals of a specialized infant formula. Can be used through the first year of life. Contains higher levels of vitamins and minerals than standard term formulas. Standard Dilution: 22 kcal/fl oz 1 scoop to 2 oz water Caution: For use only under medical supervision.	(11% kcals) 60:40 ² whey protein concentrate, nonfat milk	(42% kcals) Corn syrup solids, lactose; <i>Ready to Feed: contains maltodextrin</i>	(47% kcals) High oleic vegetable oil (sunflower and/or safflower oil) soy oil, 20% MCT, coconut oil, DHA, ARA	Powder ¹ 12.8 oz can 82 fl oz Ready to Feed ¹ 6 pack of 8 oz containers 48 fl oz	11 18 6-pks	30 30
Enfamil AR Mead Johnson	Use: Term infant milk-based formula with rice starch (formula thickens in acid environment of stomach), Kosher. Standard Dilution: 20 kcal/fl oz 1 scoop to 2 oz water Caution: Not for infants born prematurely.	(10% kcals) 20:80 ² Nonfat milk	(44% kcals) Rice starch, lactose, maltodextrin	(46% kcals) Vegetable oil (palm olein, soy, coconut, and high oleic sunflower), DHA, ARA	Powder ¹ 12.9 oz can 91 fl oz Ready to Feed ¹ 6 pack of 8 oz containers 48 fl oz	10 18 6-pks	30 30
Extensive HA Gerber	Use: Extensively hydrolyzed hypoallergenic infant formula for the dietary management of cow's milk protein allergy. With probiotic <i>B. lactis</i> , lactose-free. Standard dilution: 20 kcal/fl oz 1 scoop to 1 oz water Caution: For use only under medical supervision. When used as a milk substitute for children, total calcium content of diet should be assessed.	(10% kcals) Hydrolyzed whey protein isolate	(44% kcals) corn maltodextrin, potato starch	(46% kcals) 49% MCT, Vegetable oils (soy, high oleic sunflower and high 2-palmitic vegetable oil), DHA, ARA	Powder ¹ 14.1 oz can 96 fl oz	9	28
Nutramigen w/Enflora LGG (powder) Mead Johnson	Use: Hypoallergenic infant formula designed for infants who are allergic to the intact protein in cow's milk and soy formulas. Contains extensively hydrolyzed casein protein to help avoid an immune system response by reducing allergen exposure, and the probiotic branded LGG to help support the strength of the intestinal barrier and support digestive health. Gluten-free, Lactose-free, galactose-free, sucrose-free. Standard dilution: 20 kcal/fl oz 1 scoop to 2 oz water Caution: For use only under medical supervision. When used as a milk substitute for children, total calcium content of diet should be assessed.	(11% kcals) Casein hydrolysate ³ , amino acids	(41% kcals) Corn syrup solids, modified corn starch	(48% kcals) Vegetable oils (palm olein, coconut, soy, high oleic sunflower), DHA, ARA	Powder ¹ 12.6 oz can 87 fl oz	10	30
Nutramigen (liquids) Mead Johnson	Use: Hypoallergenic formula for infants who are allergic to intact proteins in cow's milk and soy formulas. Contains extensively hydrolyzed protein and is proven effective for managing colic due to cow's milk allergy. Lactose-free Standard dilution: 20 kcal/fl oz 1 scoop to 2 oz water Caution: For use only under medical supervision. When used as a milk substitute for children, total calcium content of diet should be assessed.	(11% kcals) Casein hydrolysate ³ , amino acids	(41% kcals) Corn syrup solids, modified corn starch	(48% kcals) Vegetable oils (palm olein, soy, coconut, high oleic sunflower), DHA, ARA	Concentrate 13 oz can 26 fl oz Ready to Feed ¹ 6 pack of 8 oz Containers 48 fl oz 32 oz bottle	35 18 6-pks 28	30 30 30

Formula/Medical Food	Use: Information provided is from manufacturers' website and materials. Manufacturers frequently alter the ingredients in the formula products, which may affect the nutrient content. For the most current and accurate information, refer to the product label and/or manufacturer website.	Protein Sources	CHO Sources	Fat Sources	Product Form, Size, Reconstituted Amount	Maximum Number Containers Per Month	Maximum Prepared Ounces Per Day
Similac Alimentum Abbott Nutrition	<p>Use: Hypoallergenic formula for infants with severe food allergies, sensitivities to intact protein, protein maldigestion, or fat malabsorption. Gluten-free, Lactose-free, corn-free (<i>Ready to Feed only</i>)</p> <p>Standard dilution: 20 kcal/fl oz 1 scoop to 2 oz water</p> <p>Caution: For use only under medical supervision. When used as a milk substitute for children, total calcium content of diet should be assessed.</p>	(11% kcals) Casein hydrolysate ³ , amino acids	(41% kcals) Corn maltodextrin, sucrose (<i>Powder</i>) Sucrose, modified tapioca starch (<i>RTF</i>)	(48% kcals) Safflower oil, 33% MCT, soy oil, DHA, ARA	Powder ¹ 12.1 oz can 87 fl oz Ready to Feed ¹ 32 fl oz can	10 28	30 30
Pregestimil Mead Johnson	<p>Use: Hypoallergenic infant formula designed for infants who experience fat malabsorption and who may also be sensitive to intact proteins. Fat malabsorption or steatorrhea may be associated with cystic fibrosis, short bowel syndrome, intractable diarrhea, and severe protein calorie malnutrition. Gluten-free, lactose-free, galactose-free, sucrose-free.</p> <p>Standard dilution: 20 kcal/fl oz 1 scoop to 2 oz water</p> <p>Caution: For use only under medical supervision. When used as milk substitute, total calcium content of diet should be assessed.</p>	(11% kcals) Casein hydrolysate ³ , amino acids	(41% kcals) Corn syrup solids, dextrose, modified corn starch	(48% kcals) 55% MCT oil, soy oil, corn oil, high oleic safflower or sunflower, DHA, ARA	Powder ¹ 16 oz can 112 fl oz	8	30
Neocate Infant DHA & ARA Nutricia	<p>Use: An elemental, hypoallergenic formula for infants with cow and soy milk allergy, multiple food protein intolerance, short bowel syndrome, eosinophilic esophagitis, gastroesophageal reflux, and other medical conditions that require an amino-acid based diet. Dairy-free, soy oil-free, sucrose-free. Kosher Pareve, Halal.</p> <p>Standard dilution: 20 kcal/fl oz 1 scoop to 1 oz water</p> <p>Contraindications: For use only under medical supervision.</p>	(11.2% kcals) Free amino acids	(43.1% kcals) Corn syrup solids	(45.7% kcals) Refined vegetable oil (33% MCT, high oleic sunflower oil, sunflower oil, canola oil) DHA, ARA	Powder ¹ 14.1 oz can 97 fl oz	9	29
EleCare DHA & ARA Infant Abbott	<p>Use: An amino acid-based formula for infants who cannot tolerate intact or hydrolyzed protein. It is indicated for the dietary management of protein maldigestion, malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI disorders, GI-tract impairment, or other conditions in which an amino acid-based diet is required. Lactose-free, galactose-free, fructose-free, milk protein-free, soy protein-free, gluten-free. Halal.</p> <p>Standard dilution: 20 kcal/fl oz 1 scoop to 2 oz water</p> <p>Caution: For use only under medical supervision.</p>	(15% kcals) 100% free amino acids	(42% kcals) Corn syrup solids	(43% kcals) High oleic safflower oil, 33% MCT, soy oil, DHA, ARA	Powder ¹ 14.1 oz can 95 fl oz	9	28
Similac PM 60/40 Abbott	<p>Description: Infant formula for infants and children with impaired renal function or who would benefit from lower mineral intake. Calcium-to-phosphorus ration and content designed to treat serum calcium disorders (hypercalcemia and hypocalcemia due to hyperphosphatemia). Gluten-free. Kosher, Halal.</p> <p>Standard dilution: 20 kcal/fl oz 1 scoop to 2 oz water</p> <p>Caution: For use only under medical supervision. Additional iron should be supplied from other sources. In conditions where the infant is losing abnormal quantities of one or more electrolytes, it may be necessary to supply electrolytes from sources other than the formula.</p>	(9% kcals) 60:40 ² Whey protein concentrate and sodium caseinate	(41% kcal) Lactose	(50% kcal) High oleic safflower, soy, and coconut oils	Powder ¹ 14.1 oz can 102 fl oz	8	30

Formula/Medical Food	Use: Information provided is from manufacturers' website and materials. Manufacturers frequently alter the ingredients in the formula products, which may affect the nutrient content. For the most current and accurate information, refer to the product label and/or manufacturer website.	Protein Sources	CHO Sources	Fat Sources	Product Form, Size, Reconstituted Amount	Maximum Number Containers Per Month	Maximum Prepared Ounces Per Day
Neocate Jr. Nutricia	Use: Hypoallergenic formula designed for the dietary management of children with cow milk allergy, multiple food allergies and related GI and allergic conditions, including eosinophilic esophagitis (EoE), food protein-induced enterocolitis syndrome (FPIES), short bowel syndrome (SBS), malabsorption, and gastroesophageal reflux (GER). Dairy-free, soy-free. For oral or tube feeding. Kosher Pareve (unflavored) Standard Dilution: 30 kcal/fl oz 1 scoop to 1 oz water Flavors: <i>without prebiotics:</i> Unflavored <i>with prebiotics:</i> Unflavored, Vanilla, Strawberry, Chocolate, Tropical Caution: For use only under medical supervision.	(12.3 - 12.6% kcals) 100% free amino acids	(42.6-45.5% kcals) Corn syrup solids	(41.9–45% kcals) (65% LCT, 35% MCT) Refined vegetable oils (palm kernel and/or coconut oil, canola oil, high oleic safflower)	Powder ¹ 14.1 oz can 61 fl oz @ 30 kcal dilution	14 @30 kcal dilution	30
Neocate Splash Nutricia	Use: Hypoallergenic, amino acid-based, ready-to-feed formula designed for children over the age of one for the dietary management of cow milk allergy, multiple food allergies and related GI and allergic conditions, including eosinophilic esophagitis (EoE), food protein-induced enterocolitis syndrome (FPIES), short bowel syndrome (SBS), malabsorption, and gastroesophageal reflux (GER). Casein-free, soy-free. Sucralose (Orange-Pineapple and Grape) Acesulfame Potassium (Tropical Fruit). For oral or tube feeding. Per 8 oz: 237 kcal, 7.1g pro, 12.1g fat, 24.9g CHO Flavors: Unflavored, Tropical Fruit, Orange Pineapple, Grape Caution: For use only under medical supervision.	(12% kcals) 100% free amino acids	(42% kcals) Maltodextrin, Sucralose	(46% kcals) (65% LCT, 35% MCT) Refined vegetable oils (high oleic sunflower, MCT (modified palm kernel and/or coconut oil), Canola oil)	Ready to Feed Case (27-8 oz bottle) 216 oz	108 (4 cases)	29
EleCare Jr. Abbott Nutrition	Use: Nutritionally complete amino acid-based medical food for children age 1 and older who cannot tolerate intact or hydrolyzed protein. For the dietary management of protein maldigestion, malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI disorders, GI-tract impairment, or other conditions in which an amino acid-based diet is required. For oral or tube feeding. Milk protein-free, soy protein-free, fructose-free, galactose-free, lactose-free, gluten-free. Halal Standard Dilution: 30 kcal/fl oz 4 scoops to 5 oz water Flavors: Unflavored, Vanilla Caution: For use only under medical supervision. Vanilla contains phenylalanine. Not for parenteral use.	(15% kcals) 100% free amino acids	(42% kcals) Corn syrup solids	(43% kcals) High oleic safflower oil, 33% MCT oil, soy oil, DHA, ARA	Powder ¹ 14.1 oz can 64 fl oz @ 30 kcal dilution	14 @30 kcal dilution	30
PediaSure Grow & Gain <i>with or without fiber</i> Abbott Nutrition (Not allowed: PediaSure Enteral or PediaSure Sidekicks)	Use: Milk-based medical food for children over the age of one who are undernourished due to an illness or medical condition. For oral or tube feeding. Gluten-free. Suitable for lactose intolerance. Kosher, Halal. Per 8 oz: 240 kcal, 7g pro, 9g fat, 33g CHO <i>3g fiber (PediaSure with fiber only, <1g in standard formula)</i> Flavors: <i>with fiber:</i> Vanilla, Strawberry <i>without fiber:</i> Vanilla, Strawberry, Chocolate, Banana, Berry, S'mores Caution: For use only under medical supervision. Not for children with galactosemia. Unallowable reasons: Manage body weight without an underlying medical condition.	(12% kcals) Milk protein concentrate, whey protein concentrate, soy protein isolate	(53% kcals) Sucrose, corn maltodextrin, dextrose, short chain fructooligosaccharides, Soy fiber	(35% kcals) High oleic safflower oil, soy oil, canola oil, MCT, DHA	Ready to Feed 6-pack of 8 oz bottles	108 (18 6-packs)	30

Formula/Medical Food	<p>Use: Information provided is from manufacturers' website and materials. Manufacturers frequently alter the ingredients in the formula products, which may affect the nutrient content. For the most current and accurate information, refer to the product label and/or manufacturer website.</p>	Protein Sources	CHO Sources	Fat Sources	Product Form, Size, Reconstituted Amount	Maximum Number Containers Per Month	Maximum Prepared Ounces Per Day
<p>PediaSure 1.5 Cal. with or without fiber Abbott Nutrition</p>	<p>Use: Milk-based medical food designed for children age one year or older who need more calories in less volume who are at risk for malnutrition, require a higher caloric density, or have fluid restrictions. For oral or tube feeding. Gluten-free. Suitable for lactose intolerance. Kosher, Halal.</p> <p>Per 8 oz: 350 kcal, 14g pro, 16g fat, 38-39g CHO 3g fiber (PediaSure with fiber only, <1g in standard formula)</p> <p>Flavors: with fiber: Vanilla, without fiber: Vanilla</p> <p>Caution: For use only under medical supervision. Not for children with galactosemia.</p> <p>Unallowable reasons: Manage body weight without an underlying medical condition.</p>	<p>(16% kcals) Milk protein concentrate,</p>	<p>(43% kcals) Corn maltodextrin, short chain fructooligosaccharides, Soy fiber</p>	<p>(41% kcals) High oleic safflower oil, soy oil, MCT, DHA</p>	<p>Ready to Feed Case (24-8 oz cans)</p>	<p>4 cases (96 cans)</p>	<p>25.6</p>
<p>PediaSure Peptide 1.0 Cal. Abbott Nutrition (Not allowed: PediaSure Peptide 1.5 Cal.)</p>	<p>Use: Peptide-based medical food designed for children age one year or older with malabsorption, maldigestion, and other GI conditions. For oral or tube feeding. Gluten-free. Suitable for lactose intolerance. Kosher, Halal.</p> <p>Per 8 oz: 237 kcal, 7.1g pro, 9.6g fat, 31.7g CHO</p> <p>Flavors: unflavored, vanilla, strawberry</p> <p>Caution: For use only under medical supervision. Not for children with galactosemia.</p> <p>Unallowable reasons: Manage body weight without an underlying medical condition.</p>	<p>(12% kcals) Whey protein hydrolysate, hydrolyzed sodium caseinate,</p>	<p>(53% kcals) Corn maltodextrin, sugar, short chain fructooligosaccharides</p>	<p>(35% kcals) 60% MCT and "structured lipids", canola oil,</p>	<p>Ready to Feed Case (24-8 oz bottles)</p>	<p>4 cases (96 cans)</p>	<p>25.6</p>
<p>Whole Milk Unflavored cow's milk (Kosher allowed)</p> <p>(Note: Whole milk is standard for 1 year olds. For 2-4 year olds, a prescription documenting medical need is required.)</p>	<p>Allowable medical conditions for WIC provision: Medical conditions resulting in decreased food intake, fluid restriction, or increased nutrient requirements, for example:</p> <ul style="list-style-type: none"> - Prematurity without any other medical condition though weight for length is a concern, whole milk may be indicated until adjusted age 2 - Children with special needs for whom the most realistic option for assuring increased calorie intake is whole milk (e.g., failure to thrive, bronchopulmonary dysplasia, cerebral palsy) - If PediaSure is to be provided for a medical condition requiring additional calories, it is logical to provide it in combination with whole milk instead of 1% or fat free. - Medical conditions for which additional fat is needed to slow transit time in the gut (e.g., Short Gut Syndrome, Dumping Syndrome) or to compensate for fat malabsorption (e.g., Cystic Fibrosis). <p>Unallowable reasons: Manage body weight without an underlying medical condition as listed above.</p>	<p>Cow milk protein</p>	<p>Lactose</p>	<p>Animal fat</p>	<p>Gallons (with some exceptions for half gallons)</p>	<p>4 Gallons</p>	<p>17</p>

¹ Reported infant cases with serious infections secondary to *Enterobacter sakazakii* have been reported in the literature that were traced back to powdered infant formulas contaminated with this organism. Preterm infants and those with underlying medical conditions may be at higher risk of developing infection. FDA recommends sterile, commercial Ready-To-Feed formulas (RTF) for immunocompromised infants including preterm infants. WIC routinely provides cans of powdered formula. However, RTF formula may be provided when the local WIC Project RD verifies that the water supply is unsafe to drink, if the caregiver has difficulty mixing powder or concentrate properly, if RTF better accommodates the participant's condition (e.g., immunocompromised), or if RTF improves the participant's compliance in consuming the prescribed formula.

² Human milk is estimated to be 40:60, but since cow's milk whey is primarily lactoglobulin and human milk whey is primarily lactalbumin, an advantage of a particular casein: whey ratio has not been established.

³ Not Kosher/Halal since pork enzyme used to hydrolyze protein.