

# Wisconsin Public Health Profiles 2016 | JEFFERSON COUNTY









Office of Health Informatics Division of Public Health Wisconsin Department of Health Services

August 2016 | p-45358-16

### **Table of Contents**



**Births** 



**Deaths** 



Hospitalizations



Long-Term Care



Local Health Departments, Programs & Licenses



Population, Employment & Poverty Estimates



Cancer



**Communicable Disease** 



Motor Vehicle Crashes

**Technical Notes** 

### **BIRTH OUTCOMES**

Normal birthweight babies: 92.7% of live births

(2,500+ grams)

Wisconsin: 92.6% of live births

## **ACCESS TO HIGH QUALITY HEALTH SERVICES**

Preventable hospitalizations: 9.8 per 1,000 population

(For conditions where timely and effective ambulatory care can reduce likelihood of hospitalization)

Wisconsin: 13.2 per 1,000 population

### SUBSTANCE ABUSE

Deaths related to alcohol and other drugs: 141.3 per 100,000 population

(Alcohol, tobacco, or other drugs listed on death certificate as underlying or contributing cause. May reflect mention of multiple substances.)

Wisconsin: 179.3 per 100,000 population



Natality data are drawn from birth certificates maintained by the Vital Records Section, Division of Public Health. This report presents data from the calendar year 2014.

#### **DATA DETAILS**

These data include characteristics of the infant and pregnancy (birthweight, delivery method, birth order, trimester of first prenatal care visit, and number of prenatal care visits) and attributes of the mother (age, marital status, education, race/ethnicity, and smoking status).

Data include records on all births to state residents, including those that occur outside Wisconsin. Out-of-state records are obtained from the state of occurrence. Thus, county birth data include all births to county residents regardless of where the births occurred.

TOTAL BIRTHS	
Total live births	881
Crude live birth rate (per 1,000)	10.5
General fertility rate (per 1,000)	54.5

PREGNANCY CHARACTERISTIC	cs	
Delivery Type	Births	%
Vaginal after prev. cesarean	6	1.0
Other vaginal	571	65.0
Primary cesarean	135	15.0
Repeat cesarean	112	13.0
Cesarean (unk. repeat/primary)	0	0.0
Vaginal vacuum	45	5.0
Forceps	12	1.0
Other/Unknown	0	0.0
Prenatal Care Visits		
No visits	1	0.1
1-4	12	1.0
5-9	90	10.0
10-12	330	37.0
13+	418	47.0
Unknown	30	3.0
First Prenatal Care Visit		
1st trimester	735	83.0
2nd trimester	98	11.0
3rd trimester	21	2.0
No visits	1	0.1
Unknown	26	3.0

MATERNAL CHARACTERISTICS		
Marital	Births	%
Married	619	70.0
Not	262	30.0
Unknown	0	0.0
Education		
Elementary or less	14	2.0
Some high school	44	5.0
High school graduate	241	27.0
Some college	279	32.0
College graduate	302	34.0
Unknown	1	0.1
Smoking		
Smoker	162	18.0
Nonsmoker	716	81.0
Unknown	3	0.0

IFANT CHARACTERISTICS		
Birthweight	Births	%
< 1,500 gm	13	1.5
1,500-2,499 gm	50	5.7
2,500+ gm	817	92.7
Unknown	1	0.1
Birth Order		
First	344	39.0
Second	278	32.0
Third	166	19.0
Fourth or higher	91	10.0
Unknown	2	0.2
Reported congenital anomalies 1	10	1.1

MATERNAL CHARACTERISTICS AND E	SIRTH OUTCOMES					Trimeste	er of First P	renatal Vi	sit	
	All Bir	ths	LB\	N	1st		2nd		Other/L	Jnk.
Race/Ethnicity	Births	%	Births	%	Births	%	Births	%	Births	%
White	764	87.0	51	6.7	658	86.0	67	9.0	39	5.0
Black/African-American	10	1.0	2	20.0	5	50.0	4	40.0	1	10.0
American Indian	2	0.2	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic/Latino	85	10.0	5	5.9	54	64.0	26	31.0	5	6.0
Asian	10	1.0	1	10.0	8	80.0	1	10.0	1	10.0
Two or more races	9	1.0	4	44.4	7	78.0	0	0.0	2	22.0
Other/Unknown	1	0.1	0	0.0	0	0.0	0	0.0	0	0.0
		Fertility rate								
Age	Births	(per 1,000)	Births	%	Births	%	Births	%	Births	%
< 15	1		0	0.0	0	0.0	0	0.0	0	0.0
15-17	2		0	0.0	0	0.0	0	0.0	0	0.0
18-19	36	30.0	2	5.6	25	69	10	28.0	1	3.0
20-24	160	57.0	8	5.0	117	73	28	18.0	15	9.0
25-29	296	109.0	18	6.1	252	85	28	9.0	16	5.0
30-34	286	111.0	23	8.0	254	89	21	7.0	11	4.0
35-39	86	34.0	6	7.0	74	86	8	9.0	4	5.0
40+	14		4	28.6	11	79	2	14.0	1	7.0
Unknown	0		0	0.0	0	0.0	0	0.0	0	0.0
Teen Births	39	13.0								

#### DEFINITIONS

Birthweight - infant weight at time of delivery (reported here in grams).

**Live birth** - complete expulsion or extraction of an infant from its mother, irrespective of the duration of pregnancy, which after such separation breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Low birthweight (LBW) - birthweight of a liveborn infant of less than 2,500 gm (5lbs, 8oz) regardless of gestational age.

Smoking status - a mother is defined as a smoker if she reports smoking cigarettes at any time during or three months prior to the pregnancy. This is not comparable to Wisconsin data on maternal smoking for births prior to 2011.

**Teen birth** - births in which the mother was less than 20 years old.

#### MEASURES

Crude live birth rate - number of live births per 1,000 population.

General fertility rate - number of live births per 1,000 women of childbearing age (15-44).

Age-specific fertility rate - number of births to women in an age category, per 1,000 women of that age.

Teen fertility rate - number of live births to females under 20 years of age per 1,000 females age 15-19.

#### NOTES

<sup>1</sup> Live births with reported congenital anomalies. Due to the change in Wisconsin birth data collection beginning in 2011, the number of live births with reported congenital anomalies in 2011 and subsequent years cannot be compared with the number in 2010 and earlier years.



Mortality data are drawn from three sources maintained by the Vital Records Section, Division of Public Health: death certificates, infant death certificates matched with the corresponding birth certificates, and fetal death reports (deaths of fetuses of at least 20 weeks of gestation). This report presents data from the calendar year 2014.

#### **DATA DETAILS**

This report presents Wisconsin resident data (deaths of Wisconsin residents). The majority of these deaths occurred in Wisconsin, although death certificates of Wisconsin residents are received from other states and countries as well. Deaths have been assigned to the area where the person lived (usually legal residence), regardless of where the death occurred.

PERINATAL MORTALITY		Rate
	Deaths	(per 1,000)
Total perinatal mortality	6	
Neonatal	3	
Fetal	3	

INFANT MORTALITY		Rate
	Deaths	(per 1,000)
Total infant mortality	6	
Neonatal	3	
Postneonatal	3	
Birthweight		
< 1,500 gm	4	
1,500-2,499 gm	0	
2,500+ gm	2	
Unknown	0	
Race of Mother		
White	4	
Black	0	
Hispanic	0	
Asian	0	
Other/Unknown	2	

TOTAL DEATHS	
Total deaths	671
Crude death rate (per 100,000)	796.8

CHILD AND ADULT MORTALITY		Rate
Age	Deaths	(per 100,000)
1-4	0	
5-14	2	
15-19	1	
20-34	22	136.3
35-54	59	261.0
55-64	69	617.3
65-74	123	1,717.6
75-84	178	4,797.8
85+	211	14,541.7
Selected Underlying Causes		
Heart disease (total)	173	205.4
Ischemic heart disease	111	131.8
Cancer (total)	156	185.3
Trachea/Bronchus/Lung	30	35.6
Colorectal	9	
Female breast*	7	
Cerebrovascular disease	27	32.1
Lower respiratory disease	35	41.6
Pneumonia and influenza	5	
Accidents	37	43.9
Motor vehicle	12	
Diabetes	18	
Infectious/Parasitic diseases	15	
Suicide	11	
Alcohol and Drug Abuse as Underlying		
or Contributing Cause of Death		
Alcohol	5	
Tobacco use	98	116.4
Other drugs	16	

<sup>\*</sup> Based on female deaths from breast cancer and female population.

#### **DEFINITIONS**

Cause of death - reported underlying cause of death, as recorded on death certificates. The categories and ICD-10 codes are listed in the Technical Notes.

Fetal death - death occurring prior to the complete expulsion or extraction from its mother of a product of conception; the fetus shows no signs of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. Only deaths of fetuses of at least 20 weeks of gestation must be reported in Wisconsin. Fetal death reports do not include induced abortions.

Infant death - death of a live-born individual less than one year of age.

Neonatal death - death of a live-born infant less than four weeks (28 days) of age.

Perinatal deaths - neonatal deaths plus all reported fetal deaths of 20 or more weeks of gestation.

Postneonatal death - death of an infant between four weeks (28 days) and one year of age.

#### **MEASURES**

Crude death rate - number of deaths per 100,000 population.

Crude cause-specific death rate - number of deaths from a cause per 100,000 population.

Death rate by age - number of deaths in an age group per 100,000 population in that age group.

Neonatial, postneonatal, and infant death rates - number of deaths per 1,000 live births.

Fetal and perinatal death rates - number of deaths per 1,000 live births and fetal deaths.

Race-specific and age-specific infant death rates - deaths per 1,000 live births in that race or weight category.

#### **NOTES**

Alcohol and Drug Abuse as Underlying or Contributing Cause of Death provides a count of deaths with any mention of alcohol, tobacco use, or other drugs on the death certificate. A death with more than one of these causes mentioned is counted for each one. For instance, a death that mentions both alcohol and tobacco will be counted in both categories.



Hospitalization data are obtained from hospital inpatient discharge files prepared by the Health Analytics Section, Division of Public Health (DPH), from data collected by the Wisconsin Hospital Association Information Center. This report presents data from the calendar year 2014.

#### **DATA DETAILS**

Diagnostic definitions used for the categories are based on the principal diagnosis. Hospitalizations are measured as inpatient discharges. Hospitalizations for an individual can occur more than once due to multiple admissions and transferring between hospitals. The diagnoses most affected by transfers are malignant neoplasms, mental disorders, cerebrovascular disease, coronary heart disease, and injury-related diagnoses.

Prior to 2011, information was not reported on Wisconsin residents hospitalized out of state. As a result, the hospital data for border counties were incomplete, since residents of these counties may receive a significant amount of care from out-of-state facilities. Beginning in 2011, the Public Health Profiles include records for Wisconsin residents treated in Minnesota hospitals. Therefore, counts and rates of hospitalizations in the affected counties changed substantially and caution is advised when comparing across data years. Counts and rates remain underestimated for those counties whose residents receive a significant amount of care in lowa, Michigan, or Illinois hospitals.

TOTAL HOSPITALIZATION	ONS	Rate		Average	Charge						
	Cases	(per 1,000)	LOS	charge	per capita	Cause by selected age group		Rate		Average	Ch
Total	7,124	84.6	4.1	\$31,836	\$2,693	, , , ,	Cases	(per 1,000)	LOS	charge	per c
Age	ŕ			. ,	. ,	DIABETES		. , ,		ŭ	•
<18	1,215	62.2	4.0	\$16,528	\$1,028	Total	62	0.7	3.0	\$25,215	
18-44	1,702	58.5	3.6	\$22,855	\$1,338	65+	21	1.7	3.5	\$23,834	
45-64	1,747	75.1	4.6	\$42,878	\$3,219	CARDIOVASCULAR DISEA				<b>4</b> _0,00	
65+	2,460	199.6	4.3	\$37,768	\$7,540	Coronary Heart Disease	_				
	2,.00			ψο. ,. σσ	ψ.,σ.σ	Total	217	2.6	3.6	\$66,387	9
Cause by selected age group		Rate		Average	Charge	45-64	93	4.0	3.3	\$66,175	9
cauco zy colocica ago group	Cases	(per 1.000)	LOS	charge	per capita	65+	121	9.8	3.8	\$66,550	9
INJURY-RELATED	•	(рег. 1,000)		090	por oup.tu	Cerebrovascular Disease		0.0	0.0	400,000	,
Injury: All						Total	143	1.7	4.0	\$41.477	
Total	622	7.4	4.8	\$48.540	\$359	45-64	42	1.8	5.4	\$58,180	9
<18	35	1.8	3.6	\$34,156	\$61	65+	94	7.6	3.4	\$34,157	9
18-44	135	4.6	4.5	\$51.935	\$241	CHRONIC PULMONARY DI		7.0	3.4	ψ54,157	4
45-64	164	7.0	4.8	\$45.184	\$318	Asthma	JLAJL				
65+	288	23.4	5.0	\$50,608	\$1,183	Total	45	0.5	2.9	\$14,509	
	200	23.4	5.0	φ50,006	φ1,103	<18	12	0.5	2.9	\$14,509	
Injury: Hip Fracture	<b>-7</b>	0.7	4.4	<b>#20.004</b>	<b>#</b> 00		3	•			
Total	57 51	0.7	4.1	\$38,224	\$26	18-44					
65+	51	4.1	4.0	\$37,853	\$157	45-64	16 14				
Injury: Poisonings	45	0.5	0.0	004.044	<b>640</b>	65+		<b>D</b> !	_		
Total	45	0.5	2.6	\$24,814	\$13	Other Chronic Obstructiv		•		0.17.710	
18-44	24	8.0	2.2	\$20,641	\$17	Total	83	1.0	3.0	\$17,713	
DRUG & ALCOHOL USE						45-64	18	_ :			
Alcohol-Related						65+	63	5.1	3.3	\$19,202	
Total	94	1.1	4.2	\$17,007	\$19	PNEUMONIA & INFLUENZA					
18-44	44	1.5	3.7	\$15,067	\$23	Total	178	2.1	3.3	\$18,796	
45-64	47	2.0	4.6	\$18,464	\$37	<18	22	1.1	3.0	\$17,289	
Drug-related						45-64	47	2.0	3.3	\$18,857	
Total	61	0.7	3.9	\$11,616	\$8	65+	95	7.7	3.4	\$19,744	\$
18-44	47	1.6	3.8	\$9,827	\$16	NEOPLASMS					
MENTAL DISORDERS						Malignant Neoplasms (Can	cers): Al				
Total	458	5.4	8.5	\$17,901	\$97	Total	219	2.6	5.7	\$58,066	9
<18	157	8.0	8.7	\$22,246	\$179	18-44	18				
18-44	193	6.6	7.5	\$12,819	\$85	45-64	84	3.6	4.9	\$52,812	9
45-64	83	3.6	9.5	\$19,002	\$68	65+	115	9.3	5.6	\$54,425	9
65+	25	2.0	11.4	\$26,196	\$53	Neoplasms: Female Breast	(rates fo	r female por	oulation	)	
PREVENTABLE HOSPIT	ALIZATIO	NS				Total	` 5				
Total	822	9.8	4.5	\$30,637	\$299	Neoplasms: Colorectal					
<18	40	2.0	2.9	\$19,829	\$41	Total	37	0.4	6.2	\$47,749	
18-44	83	2.9	3.7	\$25,548	\$73	65+	24	1.9	6.2	\$47,753	
45-64	203	8.7	5.3	\$36,969	\$322	Neoplasms: Lung				,,. Jo	
65+	496	40.3	4.5	\$29,769	\$1,198	Total	4		6.0	\$59,114	

#### **DEFINITIONS**

Length of stay (LOS) - average duration, in days, of a single episode of hospitalization for an individual with the specified condition.

Preventable hospitalizations - Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization (see Technical Notes)

### **MEASURES**

Average charge - total charges within a particular diagnostic category and age group divided by the number of discharges with reported charges in that group.

Charge per capita - total charges divided by the estimated total population (within age groups: age-specific charges divided by the estimated age-specific population).

Rate of discharge - number of discharges in that diagnostic category and age group per 1,000 population in that age group.

Rate of discharge for female breast neoplasms - number of discharges in that diagnostic category per 1,000 women.

#### NOTES

Length of stay and charge outliers were defined as values below the 1st percentile or above the 99th percentile (i.e., the highest 1 percent and the lowest 1 percent). In these cases, the length of stay or charge was set to the 1st or 99th percentile value. Since reporting of charges is optional for lengths of stay over 100 days, the charges for those cases with a missing charge and length of stay over 100 days were also set to the 99th percentile value.



Data for the Community Options Program (COP) and Medicaid Waiver programs are maintained in the Human Services Reporting System (HSRS), managed by the Division of Long Term Care (DLTC). Nursing home data are drawn from the Division of Quality Assurance (DQA) Staffing Survey, as well as the federal MDS (minimum dataset) resident-based data collected from Medicare- and/or Medicaid-certified nursing homes, and were provided by the Division of Quality Assurance (DQA). The data do not include the five state-licensed-only nursing homes in Wisconsin. This report presents data from the calendar year 2014.

#### **DATA DETAILS**

In most counties, the COP and Medicaid Waiver programs are administered by a single county agency. For counties that have more than one agency serving different populations, the data were combined to produce the numbers in the county report. Data from the Oneida Tribe were included in Brown County data. Both the client counts and the costs are taken from the reporting system prior to any year-end contract adjustments with the provider agencies. COP and Medicaid Waiver counts represent unduplicated cases, as reported by DLTC. Waiver costs reported include federal funding.

COMMUNITY OPTIONS PROGRAM (COP)	Clients 7	<b>Costs</b> \$163,350
MEDICAID WAIVER*		
CIP1A Developmentally disabled	0	\$0
CIP1B Developmentally disabled	0	\$0
CIP2 Elderly/Physically disabled adults	0	\$0
COP-W Elderly/Physically disabled adults	0	\$0
CLTS Disabled children	142	\$1,414,837
Brain injury	0	\$0
Total COP/Waivers	7	\$163,350
Eligible and Waiting	131	N/A

\* Waiver costs reported here include federal funding.
\$0 of the above waiver costs were paid as local match/overmatch using COP funds.
This amount is not included in the above COP costs.

FAMILY CARE/PARTNERSHIP PROGRAM Family Care	<b>Clients</b> 1,149	<b>Costs</b> \$38,955,024
NURSING HOMES  Nursing homes Licensed beds  Nursing home residents on December 31	<b>Count</b> 3 264 219	
RESIDENTS AGE 65+ PER 1,000 POPULATION	16.3	

#### NOTES

Clients eligible and waiting for the COP/Medicaid Waiver programs are phased into care as appropriate based on DLTC policies.

Community Integration Program-1A (CIP1A) is authorized by Wis. Stat. § 46.275. It is a Medicaid-funded (state and federal) program designed to provide community services to persons who are relocated or diverted from the state centers for the developmentally disabled. Participants must be Medicaid eligible. The target group is developmentally disabled persons, of any age, who reside in or would enter a state center for the developmentally disabled without this program.

Community Integration Program-1B (CIP1B) is authorized by Wis. Stat. § 46.278. It is a Medicaid-funded (state and federal) program designed to provide long-term care assessments, care plans, and community services to persons who are relocated or diverted from ICFs-MR other than a state center for the developmentally disabled. Participants must be Medicaid eligible. The target group is developmentally disabled persons, of any age, who are diverted or relocated from an ICF-MR (not a state center) and certain nursing homes.

Community Options Program-Waiver (COP-W) is authorized by Wis. Stat. § 46.27 (11). It is a Medicaid-funded (state and federal) program designed to provide community services as an alternative to nursing home placement. Participants must be Medicaid eligible. The target group is frail elderly and physically disabled adults. COP-W is funded as an allocation to counties, based on the Community Aids formula or as designated by legislative intent. Counties manage these funds by serving eligible people within the total amount of COP-W funding.

Community Integration Program II (CIP2) targets the same group of frail elderly and physically disabled adults. This program is intended to increase the capacity of home-based and community-based care programs when nursing home resources are lost due to closing of facilities or reducing the number of licensed beds.

Children's Long-Term Support Waivers (CLTS) are authorized by Wisconsin Statute in 2001 Wisconsin Act 16, § 9123 (16rs); and 2003 Wisconsin Act 33, § 9124 (8c). This is a Medicaid-funded (county, state and federal) program designed to provide long-term care assessments, care plans, and community services to children who meet functional and financial eligibility criteria. Participants must be Medicaid eligible. The target group is children with developmental, mental health, or physical disabilities up to age 22. Beginning in 2012, CLTS claims for all counties are submitted for payment processing to the Third-Party Administrator (TPA), Wisconsin Physicians Service (WPS).

Family Care is a Medicaid long-term care program for adults with physical or intellectual/developmental disabilities and frail elders. The Department of Health Services (DHS) contracts with managed care organizations (MCOs) to operate Family Care. DHS provides the MCO with a monthly capitation payment for each member. The MCO uses these funds to provide individually planned services for all of its members. Care managers work with members to identify their needs, strengths, and preferences. Together, they identify the resources available and develop a care plan that may include help from family, friends, and neighbors. When this help is not available, the MCO will purchase necessary services from a contracted provider. The Partnership and PACE (Program of All-Inclusive Care for the Elderly) programs are similar to Family Care, but include primary and acute care services, and prescription drugs.



# Local Health Departments, Programs & Licenses

Local health department (LHD) statistics come from the 2013 Local Health Department Survey, which was conducted within the Wisconsin Department of Health Services (DHS) by the Office of Policy and Practice Alignment (OPPA), Division of Public Health (DPH).

#### DATA DETAILS

The percent of children compliant with immunization requirements is based on reports required from all public and private schools and compiled by the Immunization Section, Bureau of Communicable Diseases (BCD), DPH. Immunization data in this report are for the 2014-2015 school year.

The Food Safety and Recreational Licensing Section of the Bureau of Environmental and Occupational Health (BEOH), DPH, provided the licensed establishment data. This report includes licensed establishment data for State Fiscal Year 2014.

LOCAL HEALTH DEPARTMENTS		FTEs
Staffing - Full-Time Equivalent (FTE)	Count	per 10,000
Total FTEs	20.7	2.9
Administrative	2.0	0.3
Public health nurses	7.6	1.1
Oral health professionals	0.0	0.0
Environmental health professionals	0.0	0.0
Public health educators	0.0	0.0
Nutritionists	0.0	0.0
Other professional staff	1.0	0.1
Technical/Paraprofessionals	6.1	0.8
Support staff	4.0	0.6
Funding	Funds	per capita
Total funding	\$1,480,861	\$21
Local taxes	\$884,332	\$12
IMMUNIZATIONS	Count	%

LICENSED ESTABLISHMENTS	Count
Bed & Breakfast	10
Camps	30
Hotels/Motels	18
Tourist rooming	11
Pools	40
Restaurants	360
Body art	6

WIC PARTICIPANTS	Count
Total	2,097
Pregnant/Postpartum women	571
Infants	402
Children, age 1-4	1,124
Non-English-speaking	250
English-speaking	1,847

IMMUNIZATIONS	Count	%
Children in Grades K-12		
Compliant	14,956	99.3
Noncompliant	99	

#### **DEFINITIONS**

Environmental health professionals - includes registered sanitarians and other environmental professionals.

Other professional staffing - includes dietitians, physicians, epidemiologists, laboratory professionals, registered nurses, nurse practitioners, and other public health professionals.

**Technical and paraprofessionals** - includes computer specialists, diet technicians, interpreters, lab technicians, licensed practical nurses, and other paraprofessionals.

Lodging facilities - includes hotels, motels, tourist rooming houses, and bed and breakfast establishments.

Recreational facilities - includes water attractions, swimming pools, recreational educational camps, and campgrounds.

Body art establishments - includes both tattoo and body piercing establishments.

#### NOTES

**Local Health Departments** - The Office of Policy and Practice Alignment distributed the 2014 survey to local health officers via the online survey tool, which allowed the LHDs to submit their responses electronically. Some local health departments serve populations that do not coincide with county boundaries. For example, the city of Appleton is located in three counties. This report apportions staff and funding according to the percent of the health department's population in each county, using population estimates provided by the Wisconsin Department of Administration for January 1, 2014.

**Immunization** - The number of childen noncompliant with immunization requirements does not include those whose parents have filed waivers based on personal conviction, religious, or medical grounds.

**Licensed Establishments** - The facilities in this report are active establishments licensed and inspected by the Food Safety and Recreational Licensing Section, or by local health departments under contract with the Division of Public Health. Restaurants are categorized by the complexity or risk of their fare (prepackaged, simple, moderate, complex).

WIC - The number of participants in the Supplemental Nutrition Program for Women, Infants and Children (WIC) represents an unduplicated count of participants by county. The state and regional values were obtained by summing the county values, which introduced duplication, reflecting those participants who moved to another county during the year. The number of WIC participants in a county may seem high compared to the number of births. Once a participant enters the WIC program, that participant's status is not modified as it changes. For example, an infant may be 11 months old in January and change to a new status of "child" in the next month. For purposes of the unduplicated count, this participant is counted as an infant for the fiscal year report. Starting from 2008, the Profiles include the number of WIC participants who do not speak English and those who do. Totals may differ somewhat from totals for type of participants because the timeframes are slightly different. For 2009 and future WIC data, if a WIC participant lived in more than one county in the year and did not speak English, that participant is reported in each county of residence.



The population by age, sex, race, and ethnicity was estimated for July 1, 2014, by the Health Analytics Section, Division of Public Health. Estimates of poverty and median household income in Wisconsin were obtained from the U.S. Census Bureau's Small Area Income and Poverty Estimates (SAIPE) program website. Employment statistics (civilian labor force, unemployment rate, and average wage) were obtained from the Division of Workforce Solutions, Wisconsin Department of Workforce Development.

POPULATION ESTIMATES			
Total 2013			84,210
County population rank (1-72)			20
Population per square mile			151
County rank in population den	sity (1-72)		17
Population growth 2010-2014			521
County rank in 5-year populati	on growth (1-72	)	22
	Female	Male	Total
Total	42,350	41,850	84,210
Age			
0-14	7,840	8,180	16,020
15-17	1,710	1,810	3,520
18-19	1,210	1,230	2,430
20-24	2,800	2,860	5,650
25-44	10,450	10,550	20,990
45-64	11,650	11,620	23,270
65-84	5,760	5,110	10,870
85+	940	510	1,450
Race/Ethnicity			
White	38,480	37,810	76,290
African American	450	500	940
American Indian	140	150	290
Hispanic	2,850	3,060	5,910
Asian	440	340	780

Col. ±   All ages
Ages 0-17         13.7%         2.7%           EMPLOYMENT
### Average wage for jobs covered by unemployment compensation (place of work) \$36,660  #### Annual Average Civilian labor force 45,981 Unemployment rate 5.2%
Average wage for jobs covered by unemployment compensation (place of work) \$36,660  ABOR FORCE ESTIMATES Annual Average Civilian labor force 45,981 Unemployment rate 5.2%
Average wage for jobs covered by unemployment compensation (place of work) \$36,660  ABOR FORCE ESTIMATES Annual Average Civilian labor force 45,981 Unemployment rate 5.2%
by unemployment compensation (place of work) \$36,660  ABOR FORCE ESTIMATES Annual Average Civilian labor force 45,981 Unemployment rate 5.2%
ABOR FORCE ESTIMATES         Annual Average           Civilian labor force         45,981           Unemployment rate         5.2%
ABOR FORCE ESTIMATES         Annual Average           Civilian labor force         45,981           Unemployment rate         5.2%
Average           Civilian labor force         45,981           Unemployment rate         5.2%
Average           Civilian labor force         45,981           Unemployment rate         5.2%
Civilian labor force 45,981 Unemployment rate 5.2%
Unemployment rate 5.2%
5-year avg. unemployment rate (2010-2014) 7.38%
Median household income \$52,399
Rank in median household income (1-72)
,

#### **DEFINITIONS**

Civilian labor force - includes all persons 16 years of age or over who are either working or looking for work. This statistic does **not** include members of the armed forces; "discouraged workers" who are not actively seeking employment, about to start a new job, or waiting to be called back from a layoff; or other people (such as students or retired persons) not working or looking for work.

**Employed persons** - individuals 16 years or older who worked for pay anytime during the week that includes the 12th day of the month, or who worked unpaid for 15 hours or more in a family-owned business, or who were temporarily absent from their jobs due to illness, bad weather, vacation, labor dispute, or personal reasons.

**Unemployed persons** - individuals 16 years or older who had no employment, were available for work, and either actively seeking employment, about to start a new job, or waiting to be called back from a layoff.

#### **NOTES**

Estimated populations are reported rounded to the nearest 10.

The race/ethnicity categories are mutually exclusive (racial categories exclude Hispanics). Estimated populations are reported rounded to the nearest 10.

**Poverty Estimates** - A 90 percent confidence interval (C.I. ±) is printed in a column next to each estimated value; this means that 90 percent of similar surveys would obtain an estimated value within the confidence interval specified.



Cancer incidence data are compiled from reports submitted by Wisconsin hospitals, clinics, and physicians to the Wisconsin Cancer Reporting System (WCRS), Health Analytics Section, Division of Public Health, as mandated under Wis. Stat. § 255.04. This report presents cancer incidence data for cases diagnosed in the calendar year 2013 (the latest data available).

### **DATA DETAILS**

Hospitals report all cases seen with active cancers. Clinics and physicians report all treated cases and any non-treated cases that have not been referred to a Wisconsin hospital. Central cancer registries in 19 other states and several Minnesota hospitals that diagnose and/or treat Wisconsin resident cancer patients report voluntarily to WCRS.

All reports sent to WCRS include patient demographics, tumorspecific characteristics, and type of treatment. WCRS reportable cancers include all malignant invasive and noninvasive neoplasms (except basal cell and squamous cell carcinomas that arise in the skin and noninvasive cervical cancers) plus in situ (pre-malignant) bladder cancers and (since January 1, 2004) benign tumors of the brain and central nervous system.

PRIMARY SITE		Crude incidence rate
	Cases	(per 100,000)
Female breast*	71	167.9
Cervical <sup>*</sup>	2	4.7
Colorectal	33	39.2
Lung and bronchus	53	63.0
Prostate*	33	78.9
Other sites	209	248.4
Total	401	476.6

<sup>\*</sup>Rates include cases per 100,000 sex-specific population

#### MEASURES

Crude incidence rate - cases per 100,000 unadjusted population.

#### NOTES

Totals include only invasive cancers and are thus not comparable to any previous publications that included both invasive and noninvasive cancers.

Data for communicable diseases are shown for selected reportable diseases. Numbers of confirmed cases were obtained from the Bureau of Communicable Diseases, Division of Public Health. Wisconsin Stat. ch. 252 and Wis. Admin. Code ch. DHS 145 require the surveillance and control of certain communicable diseases. This report presents data from the calendar year 2014.

#### **DATA DETAILS**

Completeness of reporting varies by disease. The figures for a county or region refer to reported cases among residents of that county or region, regardless of where the disease was contracted.

Specific counts for a year are subject to some slight changes over time as medical tests reveal previously unidentified cases or change previous diagnoses.

#### **NOTES**

The symbol "<5" denotes that the number of reported cases is between 1 and 4. The exact number is suppressed to maintain confidentiality.

Cases
0
<5
21
14
<5
0
<5
0
0
<5
42
37
0
5
0
0
<5
0
<5
15
<5
9
20
<5
169
14
1

<sup>\*</sup>Includes all positive HBsAg test results.



Data on injuries and fatalities in motor vehicle crashes are obtained from the WisDOT-DMV Traffic Accident Database of the Wisconsin Department of Transportation (DOT). This report presents data from the calendar year 2014.

#### **DATA DETAILS**

These data are based on location of crash, not on residence.

Motor vehicle crash data are occurrence data from the county in which the crash took place. (Most other data in the Profiles are based on the county of residence.) County statistics on persons injured and killed therefore do not include county residents who were injured or killed outside the county, and may include persons who are residents of other counties or other states.

TYPE OF MOTOR VEHICLE CRASH All crashes	Persons Injured 450	Persons Killed 11
Alcohol-related	58	2
With citation for OWI	42	0
With citation for speeding	82	0
Motorcyclist	39	0
Bicyclist	7	0
Pedestrian	9	1

#### **DEFINITIONS**

Persons injured - persons who were physically harmed or complained of physical harm from injuries received in the crash, but did not die within 30 days of the crash.

Persons killed - were all persons who died within 30 days from injuries received in the crash.

Alcohol-related crash - a crash in which either a driver, bicyclist, or pedestrian is listed on a police or coroner report as drinking alcohol before the crash.

Crashes with a citation for OWI - crashes in which a law enforcement official has issued a citation for violation of Wis. Stat. § 346.63, "operating under influence of intoxicant or other drug."

#### NOTES

These data are reported by state and local law enforcement agencies. Because crash data are from a different source, the number of 'Persons Killed' in motor vehicle crashes will not match the number of deaths from 'Accidents, Motor Vehicle' in the profile's Child and Adult Mortality section.

### ABOUT THE DATA: DOCUMENTATION

Public Health Profiles, Wisconsin 2016, presents selected data on population characteristics, births, deaths, morbidity, local health departments, long-term care, and hospitalizations in Wisconsin for calendar year 2014. The data were selected to profile important aspects of public health for the state as a whole, each of the 72 counties, the five Division of Public Health (DPH) regions, the seven perinatal regions, as well as 34 additional sub-county local health departments and municipalities. Local public health professionals and others seeking general information about the health of Wisconsin's population use these data to establish yearly goals, conduct community health assessments, write grant proposals, and develop education and outreach programs.

The Wisconsin Department of Health Services (DHS) provided funds for developing and disseminating this report. This report is produced by the Health Analytics Section.

Most of the statistics included in this report came from data systems maintained in DPH. The DPH Health Analytics section provided mortality, birth, and infant mortality data; 2014 population estimates; cancer incidence for 2013 (latest available); and prepared hospitalization data from the inpatient discharge files, with data collected by the Wisconsin Hospital Association Information Center. The DPH Office of Policy and Practice Alignment compiled Local Health Department Survey data for 2014 collected online via Select Survey. The Bureau of Communicable Diseases provided morbidity data and immunization data. The Bureau of Community Health Promotion, Special Supplemental Nutrition Program for Women, Infants and Children (WIC), provided WIC participant data. The Bureau of Environmental and Occupational Health provided licensed establishment data.

Nursing home data were provided by the Division of Quality Assurance. Community Options Program data and Medicaid Waiver data were provided by the Bureau of Long-Term Support, Division of Long Term Care. Data for eligible and waiting clients were also provided by this bureau. Family Care data were derived from the Wisconsin Managed Care database. All of these entities are in the Department of Health Services.

Employment data were provided by the Bureau of Workforce Information, Division of Workforce Solutions, Wisconsin Department of Workforce Development.

Motor vehicle crash data are maintained by the Wisconsin Department of Transportation (DOT), Division of Motor Vehicles, Traffic Accident Section. Figures were compiled from that source by the Bureau of Transportation Safety in DOT's Division of State Patrol.

Comments, suggestions, and requests for information may be addressed to: Health Analytics Section Division of Public Health P.O. Box 2659 Madison, WI 53701-2659

Email: DHSHealthstats@wisconsin.gov

#### Suggested citation:

Wisconsin Department of Health Services, Division of Public Health, Office of Health Informatics, Health Analytics Section. Public Health Profiles, Wisconsin 2016 (P-45358-16). August 2016.

# **Formulas for Birth and Death Rates**

## Births

Crude live birth rate	= 1,000	х	Number of resident live births  Total resident population
General fertility rate	= 1,000	x	Number of resident live births Number of females ages 15-44
Age-specific fertility rate	= 1,000	x	Number of resident live births in age category  Number of females in age category
Teen fertility rate	= 1,000	x	Number of resident live births to females under 20 years of age Number of females under 20 years of age
Deaths			
Crude death rate	= 100,000	х	Number of resident deaths  Total resident population
Crude cause-specific death rate	= 100,000	x	Number of resident deaths from cause Total resident population
Fetal death rate	= 1,000	x	Number of resident fetal deaths  Total resident live births and fetal deaths
Neonatal death rate	= 1,000	х	Number of resident neonatal deaths  Total resident live births
Postneonatal death rate	= 1,000	x	Number of resident postneonatal deaths  Total resident live births
Perinatal death rate	= 1,000	x	Number of resident fetal and neonatal deaths  Total resident live births and fetal deaths
Infant death rate	= 1,000	x	Number of resident infant deaths  Total resident live births
Race-specific infant death rate	= 1,000	x	Number of infant deaths to mothers in race category  Number of live births to mothers in race category
Weight-specific infant death rate	= 1,000	x	Number of infant deaths in birthweight category  Number of live births in birthweight category

### Rates

Most rates per population included in the Public Health Profiles were calculated using 2014 population data. A crude rate is the number of events per 1,000 (or 10,000 or 100,000) people. It is called "crude" because its magnitude may be affected by the population's age distribution. In contrast, an age-specific or age-standardized rate considers age distribution, and would be preferred over a crude rate for comparisons between populations with different age distributions.

Rates for some events were not calculated. For most measures, numerators of fewer than 20 events (indicated by ".") were judged to be too small to calculate rates that are meaningful; such rates would be misleadingly unstable over time because small annual fluctuations in the number of events can create large changes in a rate. Calculation of other rates was not done for other reasons (indicated by "--"); for example, the population base for a fertility rate for females under 15 years old cannot be estimated accurately.

## **Categories of Underlying Cause of Death**

Description	ICD-10 CODE
Infectious and Parasitic Diseases	A00-B99
Total Malignant Neoplasms	C00-C97
Trachea, bronchus, lung cancer Breast cancer	C33-C34 C50
Colorectal cancer	C18-C21
Diabetes	E10-E14
Diseases of the Heart Ischemic heart disease	100-109, 111, 113, 120-151 120-125
Cerebrovascular Disease	160-169
Pneumonia and Influenza	J09-J18
Chronic Lower Respiratory Disease	J40-J47
Total Accidents	V01-X59, Y85-Y86
Motor vehicle accidents (crashes)	V02-V04, V09.0-V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5,
	V81.0-V81.1, V82.0-V82.1, V83-V86,
	V87.0-V87.8, V88.0-V88.8, V89.0,V89.2
Intentional self-harm (suicide)	U-03, X60-X84, Y87.0

# **Drugs Listed as Underlying or Contributory Cause of Death**

Alcohol	F10-F10.9, G31.2, G62.1, I42.6, K29.2, K70, R78.0, X45, X65, Y15
Tobacco	F17.9
Other Drugs	F11.0-F11.5, F11.7-F11.9, F12.0-F12.5,
	F12.7-F12.9, F13.0-F13.5, F13.7-F13.9,
	F14.0-F14.5, F14.7-F14.9, F15.0-F15.5,
	F15.7-F15.9, F16.0-F16.5, F16.7-F16.9,
	F17.0, F17.3-F17.5, F17.7-F17.8, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5,
	F19.7-F19.9, X40-X44, X60-X64, X85, Y10-Y14

# **First-Listed Diagnoses Associated With Hospitalizations**

Description	ICD-9-CM CODE
Malignant neoplasms	140.0-208.9, 230.0-234.9
Lung cancer	162.0-162.9
Female breast cancer	174.0-174.9
Colorectal cancer	153.0-154.8
Diabetes	250.0-250.9
Alcohol-related	
Alcohol psychoses	291.0-291.9
Alcohol dependence syndrome	303.0-303.03
Alcohol abuse	305.00-305.03
Alcoholic polyneuropathy	357.5
Alcoholic cardiomyopathy	425.5
Alcoholic gastritis	535.3
Chronic liver disease and cirrhosis	571.0-571.3
Excessive blood level of alcohol	790.3
Drug-related	
Drug psychoses	292.0-292.9
Drug dependency	304.00-304.93
Non-dependent abuse of drugs	305.10-305.93
Mental Disorders (excluding those related to alcohol or drugs)	290.0-319
Coronary heart disease	
Ischemic heart disease	410.0-414.9
Unspecified cardiovascular disease	429.2
onspecifica caratovascatar alsease	423.2
Cerebrovascular disease	430-438
Pneumonia and influenza	480.0-487.8
Other chronic obstructive pulmonary disease	490-492, 494-496
Asthma	493
Osteoporosis	733.00-733.09
All injuries	800-999
Hip fracture	820.00-820.9
Poisonings	960.0-989.9

# **Diagnoses Defining Preventable Hospitalizations**

(Principal Diagnosis only except where noted)

The list of conditions included in preventable hospitalizations was adapted with some modification from a study done between 1991 and 1994 by the United Hospital Fund of New York (Billings J, Anderson GM and Newman LS. "Recent Findings on Preventable Hospitalizations." Health Affairs, 15(3): 239–249, 1996). The diagnoses were defined by a medical panel of internists and pediatricians, and included conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization by preventing the onset of an illness or condition, controlling an acute episodic illness or condition, or managing a chronic disease or condition. The descriptions and ICD-9-CM diagnostic codes for each preventable hospitalization category are listed below.

Description	ICD-9-CM CODE
Congenital syphilis	090.0-090.9 (includes secondary diagnosis for newborns)
Immunization - preventable conditions	033.0-033.9, 390, 391.0-391.9, 037, 045.00-045.93, (320.0 - age 1-5)
Grand mal status and other epileptic convulsions	345.0-345.9
Convulsions	780.3 (age >5)
Severe ear, nose, and throat infections	382.0-382.9, 462, 463, 465.0-465.9, 472.1 (except with a procedure of 20.01)
Pulmonary tuberculosis	011.00-011.96
Other tuberculosis	012.00-018.96
Chronic obstructive pulmonary disease	491.0-492.8, 494, 496, (466.0 with secondary diagnosis of 491.0-492.8, 494, 496)
Bacterial pneumonia	481, 482.2, 482.3, 482.9, 483, 485, 486 (except when there is a secondary diagnosis of 282.6 or patient is less than two months old)
Asthma	493.00-493.91
Congestive heart failure	428.0-428.9, 402.01, 402.11, 402.91, 518.4 (except with a procedure of 36.01-36.02, 36.05, 36.1, 37.5, 37.7)
Hypertension	401.0, 401.9, 402.00, 402.1, 402.90 (except with a procedure 36.01-36.02, 36.05, 36.1, 37.5, 37.7)
Angina	411.1, 411.8, 413.0-413.9 (except with any procedure 01.01-86.99)
Cellulitis	681.00-683, 686.0-686.9 (except with any procedure 01.01-86.99 unless only listed procedure is 86.0)
Skin grafts with cellulitis	DRG 263 and 264 (except if admitted from an SNF)
Diabetes A	250.10-250.31
Diabetes B	250.80-250.91
Diabetes C	250.00-250.01
Hypoglycemia	251.2
Gastroenteritis	558.9
Kidney/urinary infection	590.0-590.9, 599.0, 599.9
Dehydration – volume depletion	276.5
Iron deficiency anemia	280.1, 280.8, 280.9 (age 0-5 only; either principal or secondary
Nutritional deficiencies	diagnosis) 260-262, 268.0, 268.1 (either principal or secondary diagnosis)
Failure to thrive	783.4 (age <1)
Pelvic inflammatory disease	614.0-614.9 (except with a procedure 68.3-68.8)
Dental conditions	521.0-523.9, 525.0-525.9, 528.0-528.9
Cancer of the cervix	180.0-180.9