| POPULATION ESTIMATES | LONG-TERM CARE | LOCAL HEALTH DEPARTMENTS |
|--|---------------------------------------|--|
| | | Per |
| Total 2005 Population 38,2 | Community Options and MA Waiver | 10,000 |
| ' | as HSRS reports costs for services | Staffing - FTE Number Population |
| Population per square mile | | Total staff 10.4 2.7 |
| County ranking in state (1-72) | | $\Delta dministrative$ 1.0 0.3 |
| Journey Farmang an Jeaco (1 72) | Clients Costs COP 4 \$61,279 | Public health nurses 3.8 1.0 |
| Age Female Male Tot | MA Waiver * | Other prof staff 3.8 1.0 |
| 0-14 3,356 3,545 6,9 | CTP1A 10 \$964 195 | Public health nurses 3.8 1.0 Other prof. staff 3.8 1.0 Technical/Paraprof. 0.8 0.2 Support staff 1.0 0.3 |
| 1 4 5 4 6 6 6 6 6 6 | CIP1B 75 \$4 030 913 | Support staff 1.0 0.3 |
| 20-24 1,026 1,075 2,1 | 75 φ+,000,510 CIP2 11 \$466 558 | oupport starr 1:0 0:0 |
| 25-29 879 930 1,8 | 0 COP-W 40 \$436 318 | |
| 15-19 | | Funding Per capita Total \$674,739 \$17.65 Local Taxes \$356,530 \$9.32 |
| 35-39 1,412 1,336 2,7 | D Proin Triuny 4 \$201.054 | 100al Tayon \$356 530 \$0.32 |
| 40-44 1,651 1,767 3,4 | D Total COD/Whype 172 \$6 661 301 | Lucai raxes \$550,550 \$9.52 |
| | 5 10tal COP/WV15 172 \$0,001,301 | LICENSED ESTABLISHMENTS |
| 45-54 2,970 3,206 6,1 | , | |
| 55-64 2,239 2,345 4,5 | \$450,519 of the above waiver costs | Tuno Consoity Fosilition |
| 65-74 1,522 1,548 3,0 | were paid as local match/overmatch | Type Capacity Facilities |
| 75-84 1,046 844 1,8 85+ 516 265 7 | using COP funds. This amount is | Bed & Breaklast 28 / |
| 85+ 516 265 7 | | Type Capacity Facilities Bed & Breakfast 28 7 Camps 1,368 23 Hotels, Motels 390 31 Tourist Rooming 68 23 Pools 6 |
| Total 18,981 19,261 38,2 | 4 Water a sasta was at all bases | Hotels, Motels 390 31 |
| | * Waiver costs reported here | Tourist Rooming 68 23 |
| Age Female Male Tot | l include rederal runging. | |
| 0-17 4,173 4,373 8,5 | | Restaurants 225 |
| 18-44 6,515 6,680 13,1 | Clients Costs | Vending 1 |
| 45-64 5,209 5,551 10,7 65+ 3,084 2,657 5,7 | Eligible and Waiting 160 n/a | |
| 65+ 3,084 2,657 5,7 | Waiting 160 n/a | |
| Total 18,981 19,261 38,2 | ? | |
| | (Family Care not provided in county) | WIC PARTICIPANTS |
| Poverty Estimates for 2000 | | |
| Estimate (C.I.+/ | | Number |
| All ages 2,530 1 | B Note: Eligible and waiting clients | Pregnant/Postpartum 272 |
| 7.1% (6% | will be phased into the COP and MA | Infants 288 |
| Ages 0-17 818 | 2 Waivers as available. | Children, age 1-4 422 |
| All ages 2,530 1 7.1% (6% Ages 0-17 818 8.9% (9% | | Total 982 |
| | | |
| EMPLOYMENT | | CANCER INCIDENCE (2004) |
| Average wage for jobs covered | Home Health Agencies 1 | Primary Site |
| by unemployment compensation \$24,8 | A I PATIENTS All I | Breast 24 |
| (place of work) | Patients per 10,000 pop. 107 | Cervical 3 |
| `` | | Colorectal 23 |
| Labor Force Estimates Avera | e Nursing Homes 4 | Lung and Bronchus 34 |
| | licensed beds 268 | Prostate 44 |
| Civilian Labor Force 20.5 | B Occupancy rate 0.8% | Other sites 100 |
| Number employed 19.4 | Residents on Dec.31 215 | Total 228 |
| Civilian Labor Force 20,5 Number employed 19,4 Number unemployed 1,1 Unemployment rate 5 | Residents age 65 or older | |
| Unemployment rate 5 | % per 1,000 population 36 | Note: Totals shown are for |
| | , , , , , , , , , , , , , , , , , , , | invasive cancers only. |
| | ı | |

| | | | NATA | UTTY | | | | |
|--|------------------|----------|--|----------|--------------------------|-----------------------------|------------|------------|
| TOTAL LIVE BIRTHS | | 388 | Birth Order | | Percent | Marital Status | | |
| | | | First | | | of Mother | Births | Percent |
| Crude Live Birth Rate | | 10.1 | Second | 141 | 40 36 16 8 0 | Married | 298 | 77 |
| General Fertility Rate | | 52.9 | Third | 62 | 16 | Not married | 90 | 23 |
| | | | Fourth or higher | 30 | 8 | Unknown | 0 | 0 |
| Live births with reporte | d | | Unknown | 0 | 0 | | _ | - |
| Live births with reporte congenital anomalies | - | 3 0.8% | | • | - | Education | | |
| | | | | | | of Mother | Births | Percent |
| Delivery Type B | irths | Percent | 1st Prenatal Visit | Births | Percent | Elementary or les | | 2 |
| Vaginal after | | | 1st trimester | 349 | 90 | Some high school | 38 | 10 |
| previous cesarean | 3 | 1 | 2nd trimester | 32 | 8 | High school | 128 | 33 |
| Forceps | 3 | 1 | 3rd trimester | 6 | 2 | High scȟool Some college | 103 | 27 |
| Other vaginal | 293 | 76 | No visits | 1 | <.5 | College graduate | 113 | 29 |
| previous cesarean Forceps Other vaginal Primary cesarean | 61 | 16 | 2nd trimester 3rd trimester No visits Unknown | Ò | 0 | Unknown | | |
| Repeat cesarean | 28 | 7 | | _ | - | | - | - |
| Tropout occur cur | | • | Prenatal Visits | Births | Percent | Smoking Status | | |
| Birthweight B | irths | Percent | No visits | 1 | | of Mother | Births | Percent |
| <1.500 am | 4 | 1.0 | 1-4 | 8 | 2 | Smoker | 68 | 18 |
| 1.500-2.499 gm | 29 | 7.5 | 5-9 | 65 | 17 | Nonsmoker | 320 | 82 |
| 2.500+ am | 355 | 91.5 | 10-12 | 195 | 50 | Unknown | 0 | 0 |
| <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown | 0 | 0 | 13+ | 118 | 30 | | | |
| | | | Unknown | 1 | <.5 | | | |
| | | | | | | | | |
| | | | Low Birthweight | | Trimeste | er of First Prenatal | . Visit | |
| 1 | | | (under 2,500 gm) Births Percent 33 8.7 | _1st_Tr | imester | 2nd Trimester | Other/ | Unknown |
| Race/Ethnicity Bi | rths P | ercent | Births Percent | Births | Percent 90 | Births Percent | Births | Percent |
| White Black/Afr.American American Indian | 378 | 97 | 33 8.7 | 340 | 90 | 32 8 | 6 | 2 |
| Black/Afr_American | 0 | Ō | | • | | | • | .: |
| American Indian | 5 | 1 | | 4 | 80 | | 1 | 20 |
| Hispanic/Latino | 4 | 1 | * . | * | • | * . | * | |
| Laotian/Hmong | 0 | 0 <.5 | | * | • | | • | • |
| Other/Unknown | 5 4 0 1 | <.5 | ^ • | ^ | • | ^ . | ^ | • |
| | | | Low Birthweight | | Trimeste | er of First Prenatal | Vicit | |
| | Fe | rtility | (under 2,500 gm) | 1st Tr | imester | 2nd Trimester | Other/ | Unknown |
| Age of Mother Bi | rths | Rate | Births Percent | Rirths | Percent | Births Percent | Rirths | Percent |
| <15 | 0 | | Bir the Forestit | DII CIIO | 1 01 00112 | | DIT CHO | 1 01 00110 |
| 15-17 | 5 | 6 | | 4 | 80 | | i | 20 |
| 18-19 | 22 | 39 | 2 9.1 | 16 | 73 | 5 23 | 1 | 5 |
| 20-24 | 78 | 76 | 7 9.0 | 71 | 91 | 7 9 | • | _ |
| 25-29 | 144 | 164 | 14 9.7 | 131 | | 11 8 | 2 | i |
| 30-34 | 93 | 94 | 5 5.4 | 84 | 90 | 7 8 | 2 | 2 |
| 35-39 | 37 | 26 | 5 13.5 | 34 | 92 | 2 5 | 1 | 3 |
| 40+ | 9 | 20 5 | 5 10.5 | 9 | 100 | | ' | _ |
| Unknown | Õ | | | | | | _ | • |
| - Cindiowii | Ŭ | | • • | • | • | • • | - | • |
| Teenage Births | 27 | 20 | * Data not | reported | if age or r | ace category has le | ess than 5 | births. |

| MORBIDITY | | | | | | | | |
|--|--|---|---------------------------|---|-----------------------|--------------|--|--|
| REPORTED CASES OF SELECTED DISEASES* | neonatal, and Perinatal and | d postneom d fetal de | natal death eath rates | per 100,000 population. rates are per 1,000 li are per 1,000 live birt culated for fewer than | ve births. hs plus | | | |
| Disease Number Campylobacter Enteritis 5 Giardiasis 0 Hepatitis Type A 0 | Crude Death Ra | ate | 327 855 | Selected Underlying Cause Deaths Rate Heart Disease (total) 80 209 Ischemic heart disease 50 131 | | | | |
| Hepatitis Type B** 0 Hepatitis NANB/C 7 | 1-4 | Deaths | Rate | Cancer (total) Trachea/Bronchus/Lun | 75 ig 23 | 196 60 | | |
| Legionnaire's 0 Lyme 0 | 5-14 15-19 | 3 | | Colorectal Female Breast | 4 5 | .* | | |
| Méasles 0 Meningitis, Aseptic <5 Meningitis. Bacterial 0 | 20-34 35-54 55-64 | 6 29 41 | 235 894 | Cerebrovascular Disea Lower Resp. Disease | 19 | 60 | | |
| Meningitis, Bacterial 0 Mumps 0 Pertussis 21 | 55-64 65-74 75-84 | 41 41 94 | 1,336 4,974 | Pneumonia & Influenza Accidents Motor vehicle | 1 4 21 9 | 55 | | |
| Salmonellosis 6 Shigellosis 0 | 85+ | 108 | 13,828 | Diabetes Infect./Parasitic Dis | 13 | : | | |
| Tuberculosis 0 | Infant | | | Suicide | 2 | • | | |
| * 2005 provisional data. ** Includes all positive HBsAg | Mortality Total Infant | 2 | Rate | * Based on female pop | | | | |
| test results. | Neonatal Postneonatal Unknown | onatal 1 . OR CONTRIBUTING CAUSE OF DEA | | | | | | |
| Sexually Transmitted Disease Chlamydia Trachomatis 49 | | • | | Alcohol Tobacco Use | 3 61 | 160 | | |
| Genital Herpes 14 Gonorrhea 5 | | 2 | | Other Drugs | 1 | | | |
| Syphilis 0 | | | | | /EHICLE CRASHES | | | |
| TAMALINITZATIONO | Other/Unknown | • | • | Note: These data are | | | | |
| Children in Grades K-12 by | - Birthweight <1,500 gm 1,500-2,499 gm | 1 | | of crash, not | | | | |
| Compliance Level | 2,500+ gm Unknown | 1 | • | Type of Motor Vehicle Crash Total Crashes | Injured 322 | Killed 11 | | |
| Compliant 5,543 Non-compliant 27 Percent Compliant 99.5 | Perinatal | • | • | Alcohol-Related With Citation: | 47 | 5 | | |
| · | Mortality Total Perinatal | 4 | Rate | For OWI For Speeding Motorcyclist Bicyclist | 43 11 | 2 | | |
| | Neonatal Fetal | 1 3 | | DIOYOTICE | _ | 1 | | |
| | <u> </u> | | | Pedestrian | 1 | 1 | | |

| | | | Average | | Charge | ITALIZATIONS | | Per | Average | | Charge |
|-----------------|------------|-----------------|--------------------|---------------------|-------------|------------------------------|---------------------|---------------|----------|----------------|-------------|
| DISEASE / | | 1,000 | Stay | Average | Per | DISEASE / | | 1,000 | Stay | Average | Per |
| AGE GROUP | Number | Р́ор | (Days) | Charge | Capita | AGE GROUP | Number | Р́ор | (Days) | | |
| Injury-Related: | : All | | | | | Alcohol-Related | d | | | | |
| Ťotál | 305 | 8.0 | 4.0 | \$17,590 | \$140 | Total | 74 | 1.9 | 4.0 | \$8,520 | \$16 |
| <18 | 21 | 2.5 | | \$12,062 | \$30 | 18-44 | 31 | 2.3 | 4.1 | \$8,151 | \$19 |
| 18-44 | 81 | 6.1 | 3.7 | \$19,421 | \$119 | 18-44 45-64 | 34 | 3.2 | 3.3 | \$8,619 | \$27 |
| 45-64 | 67 | 6.2 | | \$17,564 | \$109 | Pneumonia and 1 | Influenza | | | . , | • |
| 65+ | 136 | 23.7 | 4.4 | \$17,365 | \$411 | l Total | 147 | 3.8 | 3.9 | \$9,897 | \$38 |
| Injury: Hip F | | | | , , | * | <18 45-64 65+ | 18 | | | | |
| Total | 47 | 1.2 | 5.4 | \$22,594 | \$28 | 45-64 | 32 | 3.0 | 3.2 | \$8,725 | \$26 |
| 65+ | 43 | 7.5 | 5.2 | | \$163 | 65+ | 89 | 15.5 | 4.0 | \$9,175 | \$142 |
| Injury: Poiso | | | | + =:,::: | | Cerebrovascular | n Disease | | | +-, | ¥ · · - |
| Total | 24 | 0.6 | 1.4 | \$5,956 | \$4 | Total | 80 | 2.1 | 4.3 | \$19,134 | \$40 |
| 18-44 | 16 | | | • | • | 45-64 | 19 | | | <i>'</i> | Ţ. . |
| | | - | - | - | - | 65+ | 59 | 10.3 | 4.5 | \$19,062 | \$196 |
| Psychiatric | | | | | | Chronic Obstruc | | | | ¥.0,00= | |
| Total | 178 | 4.7 | 6.4 | \$7,190 | \$33 | i Total | 79 | 2.1 | 3.9 | \$11,170 | \$23 |
| <18 | 55 | 6.4 | 4.8 | \$6,999 | \$45 | <18 | 8 | | | • | Ψ_0 |
| | 83 | 6.3 | 8.3 | \$7,743 | \$49 | <18 18-44 45-64 65+ | 3 | - | - | - | _ |
| 45-64 | 31 | 2.9 | | | \$16 | 45-64 | 21 | 2.0 | 3.7 | \$13,115 | \$26 |
| 65+ | 9 | | | | Ψ.ο | 65+ | 47 | | 4.1 | \$10,708 | \$88 |
| 00. | ŭ | • | - | • | • | Drug-Related | ., | 0.2 | | Ψ10,700 | ΨΟΟ |
| Coronary Heart | Disease | | | | | Total | 13 | | | | |
| | 194 | 5.1 | 3.5 | \$26,604 | \$135 | 18-44 | | : | • | • | • |
| 45-64 | 64 | 5.9 | | \$30,500 | \$181 | '0 '' | Ū | • | • | • | • |
| 65+ | 123 | 21.4 | | \$24,821 | \$532 | Total Hospitali | izations | | | | |
| 00 1 | 120 | 21.7 | 0.0 | ΨΖ+, ΘΖ Ι | ΨΟΟΣ | Total | 4 005 | 107 1 | 3 7 | \$13,019 | \$1 394 |
| Malignant Neopi | lasms (Cai | ncers): | Δ11 | | | <18 | 4,095 647 956 | 75.7 | 3.2 | \$6,313 | \$478 |
| Total | 154 | 4.0 | 4 0 | \$20,555 | \$83 | 18-44 | 956 | 72.5 | 3.3 | \$9,907 | \$718 |
| 18-44 | 16 | •.0 | | | ΨΟΟ | 45-64 | 914 | 84.9 | | \$16,647 | |
| 45-64 | 49 | 4.6 | 4 7 | \$20,916 | \$95 | <18 18-44 45-64 65+ | 1,578 | | | \$15,553 | \$4 275 |
| 65+ | | 15.5 | 7. <i>1</i> 5.1 | \$20,376 | \$316 | 55. | 1,570 | <u>_</u> 17.3 | 7.2 | Ψ10,000 | ΨΨ,210 |
| Neoplasms: Fe | | 10.0 ast (ra | ites for | female no | nulation) | PF | REVENTARI E | HOSPIT | ΔΙ ΤΖΔΤΤ | ONS* | |
| Total | 6 marc pie | . (| 100 101 | · | , paracron) | Total | 557 | 14.6 | 3.4 | \$9,083 | \$132 |
| Neoplasms: Co | olo-rectai | | • | • | • | <18 | 71 | 8.3 | 2.6 | \$7,078 | \$59 |
| | 18 | L | | | | <18 18-44 45-64 | 62 | 4.7 | | \$8,614 | \$40 |
| 65+ | 15 | • | • | • | • | 15-44 | 112 | | 3 2 | \$10,219 | \$106 |
| Neoplasms: Lu | | • | • | • | • | 65+ | 312 | 54.3 | 3.8 | \$9,225 | \$501 |
| Total | 26 | 0.7 | 6 3 | \$28,010 | \$19 | 05+ | 312 | 54.5 | 0.0 | φ9,220 | φουι |
| IULAL | 20 | 0.7 | 0.3 | ψ20,010 | φιθ | | | | | | |
| Diabetes | | | | | | * Hospitalizations | s for cond | itions | where t | imely and | effect |
| Total | 53 | 1.4 | | \$13,414 | \$19 | ambulatory care ca | an reduce | the lik | elihood | of ȟospi | talizat |
| 65+ | 20 | 3.5 | | \$14,421 | \$50 | 1 | | | | • | |
| | | | | | | | | | | | |