------ POPULATION ESTIMATES ------- LONG-TERM CARE ------ LOCAL HEALTH DEPARTMENTS ------| Total 2005 Population | 7,533 | Population per square mile | 32 | County ranking in state (1-72) 50 | Age | Female | Male | Total | 35-99 | 237 | 245 | 482 | 35-99 | 237 | 245 | 482 | 45-64 | 410 | 438 | 848 | 65-74 | 293 | 288 | 581 | 75-84 | 234 | 205 | 419 | 77-84 | 293 | 288 | 581 | 75-84 | 234 | 205 | 439 | 365 | 75-84 | 234 | 205 | 439 | 365 | 45-64 | 410 | 27-84 | 365-64 | 410 | 438 | 438 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 | 436 Per (Family Care not provided in county) | ------ WIC PARTICIPANTS -----Poverty Estimates for 2000 Number Estimate (C.I.+/-) All ages 657 68 Note: Eligible and waiting clients 9.1% (10%)
Ages 0-17 261 36 Waivers as available.
13.7% (14%) Pregnant/Postpartum Pregnant/Postpartam Infants Children, age 1-4 70 122 Average wage for jobs covered by unemployment compensation \$27,106 (place of work)

Labor Force Estimates

Civilian Labor Force
Number employed
Number unemployed
Unemployment rate

Average

Average

Average

Home Health Agencies
Patients
Primary Site
Breast
Cervical
Colorectal
Sumgand Bronchus
Sumper Site
Breast
Patients
Primary Site
Breast
Sumper Site
Patients
Patients
Primary Site
Breast
Sumper Site
Patients
Sumper Site
Breast
Sumper Sumper Site
Breast
Sumper Site
Breast
Sumper Site
Breast
Sumper Sumper Site
Sum

PAGE 1

TOTAL LIVE BIRTHS 99 Birth Order Births Percent Marital Status First 31 31 of Mother Births Percent Crude Live Birth Rate 13.1 Second 29 29 Married 72	\ent
First 31 31 of Mother Births Per	\ant
Crude Live Right Rate 13.1 Second 29 29 Married 72	JEII L
	73
General Fertility Rate 72.4 Third 19 19 Not married 27	27
Fourth or higher 20 20 Unknown 0	0
Live births with reported Unknown 0 0	Ü
Live births with reported Unknown 0 0 congenital anomalies 1 1.0% Education	
of Mother Births Per	cent
Delivery Type Births Percent 1st Prenatal Visit Births Percent Elementary or less 14	14
Vaginal after 1st trimester 70 71 Some high school 4	4
previous cesarean 4 4 2nd trimester 13 13 High school 26 Forceps 1 1 3rd trimester 14 14 Some college 28	26
Forceps 1 1 3rd trimester 14 14 Some college 28	28
Other vaginal 78 79 No visits 1 1 College graduate 27	27
previous cesarean	
Repeat cesarean 11 11	
Prenatal Visits Births Percent Smoking Status	
Birthweight Births Percent No visits 1 1 of Mother Births Perc	cent
<1,500 gm 0 0.0 1-4 11 11 Smoker 16	16
<1,500 gm	84
1,500-2,499 gm 6 6.1 5-9 25 25 Nonsmoker 83 2,500+ gm 93 93.9 10-12 36 36 Unknown 0	0
Unknown 0 0 13+ 25 25	O
Unknown 1 1	
OHAHOWH	
Low Birthweight Trimester of First Prenatal Visit	
(under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknown	าพท
Race/Ethnicity Births Percent Births	ent
Race/Ethnicity Births Percent Births Percent Births Percent Births Percent Births Percent White 94 95 6 6.4 68 72 11 12 15	16
Disck/Afr American 0 0	10
Black/Afr.American	•
Hispanic/Latino 4 4 * . * . * . * . *	•
	•
	•
Other/Unknown 1 1 1 * . * . * . * . * . *	•
Low Birthweight Trimester of First Prenatal Visit	
Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknown	าพท
Age of Mother Births Rate Births Percent Births	7WII
) ×1E 0	enc
	•
	•
1 10 15	
20-24 30 129 4 13.3 15 50 6 20 9	30
25-29 33 176 28 85 3 9 2	6
30-34 19 112 2 10.5 17 89 2	11
35-39 11 46 5 45 3 27 3	27
40+	
Haling arms	
Unknown 0	-
UNKNOWN	

MORBIDITY			MO	RTALITY		
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (neonatal, and Perinatal and	except in Dostneon Detal de	nfant) are natal death eath rates	per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2	Infant, e births. s plus	
Disease Number Campylobacter Enteritis <5 Giardiasis 0 Hepatitis Type A 0	TOTAL DEATHS Crude Death Ra	ate	66 876	Selected Underlying Cause Heart Disease (total) Ischemic heart diseas	14	Rate
Hepatitis Type B** 0 Hepatitis NANB/C <5	Age 1 - 4 5 - 14	Deaths	•	Cancer (total) Trachea/Bronchus/Lung		
Legionnaire's 0 Lyme <5 Measles 0	15-14 15-19 20-34	1	•	Colorectal Female Breast Cerebrovascular Diseas		.*
Meningitis, Aseptic 0 Meningitis, Bacterial 0	35-54 55-64	4 3		Lower Resp. Disease Pneumonia & Influenza	5 3 3	•
Mumps 0 Pertussis <5 Salmonellosis 0	65 - 74 75 - 84 85+	7 24 27		Accidents Motor vehicle Diabetes		
Shigellosis 0 Tuberculosis 0		21	11,947	Infect./Parasitic Dis. Suicide	2 2 3	
* 2005 provisional data. ** Includes all positive HBsAg	Infant Mortality Deaths Rate * Based on female populat					
test results.	Total Infant Neonatal Postneonatal	=	:	ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAU		
Sexually Transmitted Disease	Unknown	•		Alcohol	2	. <u>.</u> .
Chlamydia Trachomatis <5 Genital Herpes 0 Gonorrhea 0	Race of Mother White Black			Tobacco Use Other Drugs	13	173
Syphilis 0	Hispanic Laotian/Hmong	•	: : :	MOTOR VEHICL	E CRASHES	
IMMUNIZATIONS	Other/Unknown Birthweight <1,500 gm	•	•	Note: These data are b		
Children in Grades K-12 by Compliance Level Compliant 1.571	1,500-2,499 gm 2,500+ gm Unknown			Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Persons P Injured 63	
Compliant 1,571 Non-compliant 0 Percent Compliant 100.0	Perinatal	Dooth		With Citation:		0
	Mortality Total Perinatal Neonatal Fetal	Deaths	кате	For OWI For Speeding Motorcyclist	5 5 10	0 0 0
	Fetal	:	•	Bicyclist Pedestrian	1 0	0

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average	Charge Per Capita	DISEASE / AGE GROUP	Number	1,000	Average Stay (Days)	Average	Charge Per Capita
		1 00	(Buyo)	onar go	σαρτία	İ		, op	(Buyo)	onal go	σαρπτα
Injury-Related		0.4	4.0	440 000	0.450	Alcohol-Related					
Total	71	9.4	4.6	\$16,226	\$153	Total	13	•	•		•
<18	6	•	•	•	•	18-44	8	•	•		•
18-44	11	•	•	•	•	45-64	4	•	•		•
45-64	7	o'-				Pneumonia and		4.0		00 440	644
65+	47	37.7	5.1	\$16,065	\$606	Total	37	4.9	4.1	\$8,410	\$41
Injury: Hip I						<18	3	•	•		
Total	10	•	•	•	•	45-64	6	40.0			
65+ Tariona Baria	10	•	•	•	•	65+	24	19.3	4.3	\$9,099	\$175
Injury: Pois						Cerebrovascula		a -		44.040	4.0
Total	6	•	•	•	•	Total	28	3.7	3.5	\$11,243	\$42
18-44	4	•	•	•	•	45-64	0	٠	·-		
						65+	_ 27	21.7	3.5	\$10,772	\$233
Psychiatric						Chronic Obstruc					
Total	42	5.6	7.1	\$7,032	\$39	Total	30	4.0	3.6	\$7,069	\$28
<18	.5		•		•	<18	0		•		
18-44	17		•		•	18-44	1	•			
45-64	13					45-64	7				•
65+	7		•		•	65+	22	17.7	3.7	\$7,135	\$126
						Drug-Related					
Coronary Heart						Total	1	•			
Total	56	7.4	3.0	\$20,593	\$153	18-44	0	•			
45-64	13										
65+	40	32.1	3.4	\$19,161	\$615	Total Hospital:	izations				
						Total	874	116.0		\$11,187	
Malignant Neopi	Lasms (Ca	ncers):	All			<18	91	51.7	2.7		\$199
Total	35	4.6		\$19,812	\$92	18-44 45-64	194	76.4	2.7	\$8,517	\$651
18-44	3						148	74.4	3.1	\$14,786	\$1,100
45-64	7					65+	441	353.9	4.2	\$12,669	\$4,484
65+	25	20.1	5.1	\$19,657	\$394						
Neoplasms: Fo	emale Bre	ast (ra				PI		HOSPIT	ALIZATI	ONS*	
Total	1					Total	141	18.7	3.4	\$7,059	\$132
Neoplasms: Co	olo-recta	1				<18	7	4.0	1.6	\$3,055	\$12
Total	1					18-44	15	5.9	2.3	\$5,378	\$32
65+	0					45-64	25	12.6	3.4	\$8,902	\$112
Neoplasms: Li						65+	94	75.4	3.8	\$7 [°] ,135	\$538
Total	6									ŕ	
Diabetes						* Hospitalizations	s for cond	itions	where t	imely and	effecti
Total	8					ambulatory care ca	an reduce	the lik	elihood	of hospi	talizati
65+	6					1				•	