POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS
Total 2005 Population 2,058,380	Community Options and MA Waiver	Per 10,000 Staffing FTF Number Berulation
Population per square mile .	as HSRS reports costs for services	Staffing - FTE Number Population Total staff 642.1 3.2 Administrative 51.0 0.3 Public health nurses 188.3 0.9
County ranking in state (1-72) .	Clients Costs COP 310 \$5,194,091 MA_Waiver *	Administrative 51.0 0.3 Public health nurses 188.3 0.9
Age Female Male Total 0-14 202,255 211,593 413,848	MA Waiver *	
15-19 71,853 76,109 147,962 20-24 69,667 70,772 140,439	CIP1B 3,105 \$90,858,164	Support staff 139.7 0.7
25-29 70,863 70,636 141,499	COP-W 1,927 \$25,202,986	Funding Per capita
30-34 65,840 65,335 131,175 35-39 73,227 72,029 145,256	CIP1A 451 \$26,702,079 CIP1B 3,105 \$90,858,164 CIP2 872 \$13,259,353 COP-W 1,927 \$25,202,986 CLTS 468 \$8,826,609 Brain Injury 97 \$5,238,535	Funding Per capita Total \$53,887,859 \$26.47 Local Taxes \$25,089,529 \$12.32
45-54 157,371 154,293 311,664	TOTAL COP/WVI'S 7,230 \$175,281,825	LICENSED ESTABLISHMENTS
55-64 106,503 99,373 205,876 65-74 66,974 54,662 121,636	\$13,527,429 of the above waiver costs were paid as local match/overmatch	Type Capacity Facilities
75-84 56,067 37,580 93,647 85+ 28,416 11,530 39,946	using COP funds. This amount is not included in above COP costs.	Bed & Breakfast 312 93
Total 1,052,913 1,005,467 2,058,380	* Waiver costs reported here	Type Capacity Facilities Bed & Breakfast 312 93 Camps 6,623 77 Hotels, Motels 24,421 368 Tourist Rooming 147 59
Age Female Male Total	include federal funding.	F0013
0-17 245,608 257,661 503,269 18-44 391,974 390,368 782,342	Clients Costs	Restaurants 8,457 Vending 227
45-64 263,874 253,666 517,540 65+ 151,457 103,772 255,229	Eligible and Waiting 4,197 n/a	
Total 1,052,913 1,005,467 2,058,380	(Family Care data not available)	WIC PARTICIPANTS
Poverty Estimates for 2000 Estimate (C.I.+/-)		Number
All ages 198,810	Note: Eligible and waiting clients will be phased into the COP and MA	Pregnant/Postpartum 25,063 Infants 27,262
Ages 0-17 76,954 available	will be phased into the COP and MA Waivers as available.	Children, age 1-4 35,270 Total 87,600
EMPLOYMENT		CANCER INCIDENCE (2004)
Average wage for jobs covered by unemployment compensation N/A	Home Health Agencies 41 Patients 30,174	Primary Site Breast 1,396
(place of work)	Patients per 10,000 pop. 147	Cervical 104
Labor Force Estimates Average	Nursing Homes 99	Colorectal 1,012 Lung and Bronchus 1,425
Civilian Labor Force 1,069,247	Licensed beds 11,766 Occupancy rate n/a	Prostate 1,549 Other sites 4,697 Total 10,183
Civilian Labor Force 1,069,247 Number employed 1,014,877 Number unemployed 54,370 Unemployment rate 5.1%	Nursing Homes 99 Licensed beds 11,766 Occupancy rate n/a Residents on Dec.31 10,183 Residents age 65 or older	Total 10,183
Unemployment rate 5.1%	per 1,000 population 36	Note: Totals shown are for invasive cancers only.
·	·	

				NATA	LITY					
TOTAL LIVE BIRTHS		28,354	Birth Or	der	Births	Percent 39 32 17 12 <.5	Marital S	tatus		
		•	First		10.945	39	of Mother		Births	Percent
Crude Live Birth Rate	<u> </u>	13.8	Second	1	9.214	32	Married		17,039	60
General Fertility Rat			Third	•	4.745	17	Not marr		11,312	40
denotal for chilly had	.0	00.1	Fourth	or higher	3 443	12	Unknown	LCG	3	
live hirths with reno	ntad		Unknow	n	7	- 5	OHKHOWH		O	1.0
Live births with repo	n teu	12 0 0%	OHKHOW	/11	,	`	Education			
Congenital anomalies	22	13 0.9%					of Mother		Births	Percent
Dolivany Type	Dintho	Doncont	1a+ Dnor	o+o1 Vioi+	Dintho	Donoont	Cl Mother			4
Delivery Type		Percent			BTLCHS		Elementa	y or res	1,104	-
Vaginal after	004		1ST Tr	imester	24,077	85	Some high	1 SCHOOT	4,316	15
previous cesarean	324	1	2nd tr	imester	3,261	12	High scho Some coli	001	7,767	27
vaginal after previous cesarean Forceps Other vaginal Primary cesarean	328	_1	3rd tr	rimester rimester sits /n	5/5	2	High scho Some coll College (Lege	5,886	21
Other vaginal	20,995	74	No vis	sits	216	1	College (graduate	9,098	32
Primary cesarean	3,957	14	Unknow	/n	225	1	Unknown		¹ 183	1
Repeat cesarean	2,750	10								
			Prenatal	. Visits its /n	Births	Percent	Smoking St			
Birthweight		Percent	No vis	sits	216	1	of Mother		Births	Percent
<1,500 gm	486	1.7	1-4		679	2	Smoker		3,045	11
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	1,811	6.4	5-9		4,281	15 43	Nonsmoker Nonsmoke Unknown	•	25,286 23	89
2,500+ gm	26,054	91.9	10-12		12,209	43	Unknown		23	<.5
Unknown	´ 3	<.5	13+		10,612	37				
			Unknow	<i>ı</i> n	10,612 357	1				
			Low Birth	weight		Trimesto imester Percent	er of First			
			(under 2,	500 gm)	1st Tr	imester	2nd Trime			Unknown
Race/Ethnicity	Births F	Percent	Births F	ercent	Births	Percent	Births Pe	ercent	Births	Percent
White	17,276	61	1,100	6.4	15,766	91	1,161	7	349	2
Black/Afr.American	5,872	21	813	13.8	4,478	76	1,016	17	378	6
American Indian	197	1	15	7.6	157	80	28	14	12	6
Hispanic/Latino	3,945	14	267	6.8	2,842	72	879	22	224	6
Laotian/Hmong	² 317	1	28	8.8	[′] 199	63	94	30	24	8
White Black/Afr.American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	747	3	74	9.9	635	Percent 91 76 80 72 63 85	83	11	29	4
			Low Birth	weight		Trimest	er of First	Prenatal	. Visit	
	Fe	ertility	(under 2,	500 gm)	1st Tr	imester	2nd Trime	ester	Other/	Unknown
Age of Mother	Births	Rate	`Births É	ercent	Births	Percent	Births Pe	ercent	Births	Percent
<15	64		12		26	11	27	40		
15-17	981		119	12.1	596	61	294	30		
18-19	1,862		197	10.6	1,337	72	409	22		
			F70	0 0	5,142	70	1 099	17		_
20-24	6,536		5/2	8.8	J.14∠	19		1 /		
20-24 25-29	6,536	:	572 586	8.8 7.4	7,029	79 88	689	9	•	-
25-29	6,536 7,945		586	7.4	7,029	88 91	689 454	9 7	•	:
25-29 30-34	6,536 7,945 6,962		586 491	7.4 7.1	7,029 6,338	88 91 91	689 454 227	9 7 7	:	•
25-29 30-34 35-39	6,536 7,945 6,962 3,307	· ·	586 491 261	7.4 7.1 7.9	7,029 6,338 3,005	88 91 91 87	689 454 227 62	9 7 7 9	:	:
25-29 30-34 35-39 40+	6,536 7,945 6,962		586 491	7.4 7.1	7,029 6,338	88 91 91 87	27 294 409 1,099 689 454 227 62	9 7 7 9		
25-29 30-34 35-39	6,536 7,945 6,962 3,307 693	: : :	586 491 261 58 *	7.4 7.1 7.9 8.4	7,029 6,338 3,005 603	•	*	•		
25-29 30-34 35-39 40+	6,536 7,945 6,962 3,307 693	: : :	586 491 261 58 *	7.4 7.1 7.9 8.4	7,029 6,338 3,005 603	88 91 91 87	*	•	: ess than 5	births.

MORBIDITY			MO	RTALITY		
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (neonatal, and Perinatal and	except in I postneor I fetal de	nfant) are natal death eath rates	per 100,000 population. rates are per 1,000 livare per 1,000 live birth culated for fewer than 2	Infant, e births. s plus	
Disease Number Campylobacter Enteritis 329 Giardiasis 318 Hepatitis Type A 26	TOTAL DEATHS Crude Death Ra		17,239 838	Selected Underlying Cause Heart Disease (total) Ischemic heart diseas		Rate 209 137
Hepatitis Type A 26 Hepatitis Type B** 225 Hepatitis NANB/C 1,054 Legionnaire's 18	Age 1-4 5-14	Deaths 29 46	Rate 26 17	Cancer (total) Trachea/Bronchus/Lung	4,051 1,080	197 52 17
Lyme 33 Measles 0	15-19 20-34	88 425	59 103	Colorectal Female Breast Cerebrovascular Diseas	278 978	.* 48
Meningitis, Aseptic 280 Meningitis, Bacterial 18	35-54		280 853	Lower Resp. Disease Pneumonia & Influenza	846 419	41 20
Mumps 0 Pertussis 307	55-64 65-74 75-84	2,480 4,957	2,039 5,293	Accidents Motor vehicle	929 236	45 11
Salmonellosis 308 Shigellosis 163 Tuberculosis 38	75 - 84 85+	5,488	13,739	Diabetes Infect./Parasitic Dis. Suicide	492	24 16 11
* 2005 provisional data.	Infant Mortality	Deaths 226	Rate 8.0	* Based on female popul		
** Includes all positive HBsAg test results.	Total Infant Neonatal Postneonatal Unknown	70	5.5 2.5	ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAU		
Sexually Transmitted Disease Chlamydia Trachomatis 12,476	Race of Mother	•	•	Alcohol Tobacco Use	340 2.764	17 134
Genital Herpes 1,659 Gonorrhea 4,631	White Black	100 94	5.8 16.0	Other Drugs	266	13
Syphilis 87	Hispanic Laotian/Hmong Other/Unknown		5.8	MOTOR VEHICL	E CRASHES	
IMMUNIZATIONS	Birthweight			Note: These data are be of crash, not o		
Children in Grades K-12 by Compliance Level Compliant 328,921	<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	144 31 51	296.3 17.1 2.0	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Persons Injured 22,040	Killed 206
Compliant 328,921 Non-compliant 43,496 Percent Compliant 756.1	 Perinatal		Da+-	With Citation:		86
	Mortality Total Perinatal Neonatal	Deaths 308 156	Rate 10.8 5.5	For OWI For Speeding Motorcyclist	1,270 2,139 869	8 1 30
	Neonatal Fetal	152	5.3	Bicyclist Pedestrian	455	4 18

		Per	Average		Charge	ITALIZATIONS		Per	Average		Charge
DISEASE /		1,000	Stay			DISEASE /		1,000	Stay		
AGE GROUP	Number	Рор	(Days)	Charge	Capita	AGE GROUP	Number	Рор	(Days)	Charge	Capita
Injury-Related	d: All					Alcohol-Relate	d				
Ťotál	19,662	9.6	5.0	\$24,808	\$237	Total	4,170	2.0	3.7	\$9,597	\$19
<18	1,588	3.2	3.3	\$17,711	\$56	18-44	1,914	2.4	3.1	\$6,890	\$17
18-44	4,882	6.2	4.1	\$23,222	\$145	18-44 45-64	1,930	3.7	4.2		\$43
45-64	5,270	10.2	5.2	\$26,617	\$271	Pneumonia and	Influénza			. ,	·
65+	7,922	31.0		\$26,006	\$807	Total	7,691	3.7	4.9	\$15,424	\$58
Injury: Hip	Fracture			+ ,	400.	<18	711	1.4	2.9	\$8,341	\$12
Total	1,968	1.0	6.0	\$29,881	\$29	45-64	1,586	3.1	4.8	\$16,950	\$52
65+	1,732	6.8	6.1	\$29,881	\$203	65+	4,669	18.3	5.3		\$296
Injury: Pois	sonings	0.0	011	Ψ20,001	Ψ200	Cerebrovascula		1010	0.0	φ10,170	Ψ200
Total	2,059	1.0	2.5	\$11,356	\$11	Total	6,039	2.9	4.8	\$22,769	\$67
18-44	1,078	1.4		\$10,843	\$15	45-64	1,497	2.9		\$26,808	\$78
10 77	1,070		2.0	Ψ10,040	ΨΙΟ	65+	4,266	16.7	4.7		\$342
Psychiatric						Chronic Obstru	ctiva Dulm			Ψ20,400	Ψ042
Total	16,591	8.1	7.8	\$9,678	\$78	Total	5,779	2.8	3.6	\$11,106	\$31
<18	3,717	7.4	6.0	\$8,522	\$63	10tai <18	1,045	2.0	1.9	\$5,389	\$11
18-44	7,661	9.8	7.9	\$8,956	яоз \$88		736	0.9	2.9	\$8,999	эн \$8
						18-44					
45-64	3,710	7.2	8.6	\$10,583	\$76	45-64 65+	1,509	2.9	3.7	\$11,664	\$34
65+	1,503	5.9	9.3	\$13,979	\$82	00+	2,489	9.8	4.6	\$13,792	\$134
Name	. D.:					Drug-Related	0 4 4 7	4.0		40 7 40	Φ.7
Coronary Heart			0.5	# 40 000	Φ050	Total	2,147		4.7	\$6,716	\$7
Total	12,945	6.3	3.5	\$40,229	\$253	18-44	1,439	1.8	4.0	\$5,873	\$11
45-64	4,934	9.5		\$40,364	\$385						
65+	7,456	29.2	3.9	\$40,445	\$1182	Total Hospital	izations	404.4		440 700	40.000
						Total	270,510	131.4		\$16,799	
Malignant Neop	olasms (Car		ATT			<18	46,588	92.6	3.4		\$684
Total	8, <u>9</u> 28	4.3	6.4	\$31,511	\$137	18-44	71,296	91.1	3.5	\$12,538	\$1,143
18-44	738	0.9		\$32,259	\$30	45-64		119.0	4.6	\$21,465	\$2,554
45-64	3,351	6.5	6.0	\$31,184	\$202	65+	91,041	356.7	5.3	\$21,794	\$7,774
65+	4,689	18.4	6.8	\$30,447	\$559						
Neoplasms: F	-emale Brea			female p		PI					
Total	642		2.3	\$18,712		Total	33,006	16.0	4.4	\$15,922	
Neoplasms: (Colo-rectal			•		<18	3,723	7.4	2.5	\$9,319	\$69
Total	1,018	0.5	8.6	\$36,545	\$18	18-44	4,593	5.9	3.5	\$13,404	\$79
65+	[´] 680	2.7	9.0	\$38,245	\$102	45-64	7,903	15.3	4.4	\$17,861	\$273
Neoplasms: I	_ung			•		65+	16,787	65.8	5.1	\$17,162	\$1,129
Total	1,023	0.5	6.9	\$32,099	\$16		,			•	
Diabetes						 * Hospitalization:	s for cond	itions	where t	imely and	effecti
Total	3,140	1.5	4.9	\$19,781	\$30	ambulatory care c	an reduce	the lik	elihood	of ȟospi	talizat:
65+	[´] 937	3.7		\$22,845	\$84	1				•	
				•							