

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----		----- LOCAL HEALTH DEPARTMENTS -----		
Total 2006 Population				83,780		Community Options and MA Waiver (HSRS reported costs for services)		
Population per square mile				142		Staffing - FTE		
County rank in population density (1-72)				17		Number		
Population growth 2002-2006				307		Per 10,000 Population		
County rank in 5-year population growth (1-72)				55		Total FTEs		
Age				Female		Male		
0-14				7,570		7,980		
15-17				1,660		1,840		
18-19				1,210		2,470		
20-24				2,480		5,100		
25-44				10,220		21,370		
45-64				11,290		22,950		
65-84				6,100		10,810		
85+				1,410		2,060		
Total				41,910		41,880		
Race/ethnicity				Female		Male		
White				39,680		39,340		
Afr. Amer.				190		290		
Amer. Ind.				210		200		
Hispanic				870		1,060		
Asian				960		980		
Total				41,910		41,880		
-----Poverty Estimates for 2005-----				Estimate (%)		(C.I.+/-)		
All ages				8.3%		(1.3%)		
Ages 0-17				10.1%		(2.0%)		
----- EMPLOYMENT -----				Average		Annual		
Average wage for jobs covered by unemployment compensation (place of work)				\$33,606				
Labor Force Estimates				Average		Nursing Homes		
Civilian Labor Force				45,519		Licensed beds		
Unemployment rate				4.9%		Residents on Dec.31		
5-yr avg. unemployment rate				5.7%		Residents age 65 or older per 1,000 population		
Median household income (2005)				\$45,762		53		
Rank in median HH income (1-72)				27				
				Clients		Costs		
				COP		15 \$409,678		
				MA Waiver *				
				CIP1A Develop. disabled		16 \$1,252,974		
				CIP1B Develop. disabled		140 \$6,155,528		
				CIP2 Elderly/phys. disab. adults		195 \$2,378,731		
				COP-W Elderly/phys. disab. adults		129 \$1,232,293		
				CLTS Disabled children		44 \$733,358		
				Brain Injury		3 \$128,706		
				Total COP/Wvrs		542 \$12,291,268		
				\$331,328 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.				
				* Waiver costs reported here include federal funding.				
				Eligible and Waiting (Family Care not provided in county)		196 n/a		
				Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.				
				Clients		Costs		
				196		n/a		
				----- LICENSSED ESTABLISHMENTS -----		Type		
				Facilities		Bed & Breakfast		
				3		Camps		
				14		Hotels, Motels		
				15		Tourist Rooming		
				14		Pools		
				38		Restaurants		
				290		Body Art		
				5		----- WIC PARTICIPANTS -----		
				Number		Pregnant/Postpartum		
				743		Infants		
				443		Children, age 1-4		
				1,282		Total		
				2,468		-----NEW CASES OF CANCER IN 2004*-----		
				Primary Site		Total Cases		
				Rate		Female Breast		
				135.8		4		
				9.5		Cervical		
				47.9		40		
				58.7		Lung and Bronchus		
				170.8		49		
				265.7		Prostate		
				530.3		71		
						Other sites		
						222		
						Total		
						443		
						Note: Totals for invasive cancers only.		
						Rate is per 100,000 population.		
						*The most recent available cancer data is for 2004.		

NATALITY

TOTAL LIVE BIRTHS		855		Birth Order		Births		Percent		Marital Status		Births		Percent	
Crude Live Birth Rate		10.2		First		317		37		of Mother		647		76	
General Fertility Rate		54.9		Second		279		33		Married		208		24	
Live births with reported congenital anomalies		15 1.8%		Third		148		17		Not married		0		0	
				Fourth or higher		111		13		Unknown					
				Unknown		0		0		Education of Mother		Births		Percent	
Delivery Type		Births Percent		1st Prenatal Visit		Births		Percent		Elementary or less		20		2	
Vaginal after previous cesarean		14 2		1st trimester		748		87		Some high school		83		10	
Forceps		11 1		2nd trimester		82		10		High school		277		32	
Other vaginal		575 67		3rd trimester		16		2		Some college		247		29	
Primary cesarean		138 16		No visits		5		1		College graduate		227		27	
Repeat cesarean		117 14		Unknown		4		<.5		Unknown		1		<.5	
Birthweight		Births Percent		Prenatal Visits		Births		Percent		Smoking Status of Mother		Births		Percent	
<1,500 gm		14 1.6		No visits		5		1		of Mother		180		21	
1,500-2,499 gm		53 6.2		1-4		12		1		Smoker		672		79	
2,500+ gm		788 92.2		5-9		98		11		Nonsmoker		3		<.5	
Unknown		0 0		10-12		304		36		Unknown					
				13+		428		50							
				Unknown		8		1							
Race/Ethnicity		Births Percent		Low Birthweight (under 2,500 gm)				Trimester of First Prenatal Visit							
				Births Percent		1st Trimester		2nd Trimester		Other/Unknown		Births Percent		Births Percent	
White		754 88		61 8.1		673 89		63 8		18 2					
Black/Afr.American		9 1		2 22.2		6 67		2 22		1 11					
American Indian		4 <.5		* .		* .		* .		* .					
Hispanic/Latino		51 6		4 7.8		43 84		7 14		1 2					
Laotian and Hmong		32 4		. .		19 59		9 28		4 13					
Other/Unknown		5 1		. .		4 80		1 20		. .					
Age of Mother		Births Fertility Rate		Low Birthweight (under 2,500 gm)				Trimester of First Prenatal Visit							
				Births Percent		1st Trimester		2nd Trimester		Other/Unknown		Births Percent		Births Percent	
<15		1 --		* .		* .		* .		* .					
15-17		11 7		1 9.1		8 73		3 27		. .					
18-19		59 49		4 6.8		44 75		12 20		3 5					
20-24		185 75		15 8.1		155 84		21 11		9 5					
25-29		290 131		19 6.6		268 92		17 6		5 2					
30-34		190 88		14 7.4		174 92		11 6		5 3					
35-39		102 39		12 11.8		87 85		14 14		1 1					
40+		17 5		2 11.8		12 71		3 18		2 12					
Unknown		0 --						
Teenage Births		71 25		* Data not reported if age or race category has fewer than 5 births.											

MORBIDITY

MORTALITY

REPORTED CASES OF
COMMUNICABLE DISEASES*

Disease	Number
Campylobacter Enteritis	24
Giardiasis	<5
Hepatitis Type A	0
Hepatitis Type B**	5
Hepatitis NANB/C	14
Legionnaire's	0
Lyme	<5
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	0
Mumps	<5
Pertussis	0
Salmonellosis	20
Shigellosis	0
Tuberculosis	<5

* 2006 provisional data.
** Includes all positive HBsAg test results.

Sexually Transmitted Disease	Number
Chlamydia Trachomatis	104
Genital Herpes	45
Gonorrhea	9
Syphilis	<5

IMMUNIZATIONS

(2006-2007 School Year)	
Children in Grades K-12 by Compliance Level	
Compliant	14,176
Non-compliant	101
Percent Compliant	99.3

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS		792
Crude Death Rate		945
Age	Deaths	Rate
1-4	1	26
5-14	2	18
15-19	4	67
20-34	12	83
35-54	53	208
55-64	61	641
65-74	120	2,000
75-84	232	4,823
85+	298	14,466

Infant Mortality		Deaths	Rate
Total Infant	9	.	
Neonatal	6	.	
Postneonatal	3	.	
Unknown	.	.	

Race of Mother		Deaths	Rate
White	8	.	
Black	.	.	
Hispanic	1	.	
Laotian and Hmong	.	.	
Other/Unknown	.	.	

Birthweight		Deaths	Rate
<1,500 gm	6	.	
1,500-2,499 gm	.	.	
2,500+ gm	3	.	
Unknown	.	.	

Perinatal Mortality		Deaths	Rate
Total Perinatal	10	.	
Neonatal	6	.	
Fetal	4	.	

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	213	254
Ischemic heart disease	149	178
Cancer (total)	170	203
Trachea/Bronchus/Lung	51	61
Colorectal	14	.
Female Breast	6	.*
Cerebrovascular Disease	46	55
Lower Resp. Disease	41	49
Pneumonia & Influenza	14	.
Accidents	59	70
Motor vehicle	8	.
Diabetes	16	.
Infect./Parasitic Dis.	13	.
Suicide	11	.

* Based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	10	.
Tobacco Use	122	146
Other Drugs	5	.

MOTOR VEHICLE CRASHES

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	724	6
Alcohol-Related	94	4
With Citation:		
For OWI	63	1
For Speeding	45	0
Motorcyclist	45	0
Bicyclist	19	0
Pedestrian	19	0

2006 HOSPITALIZATIONS

2006 HOSPITALIZATIONS						2006 HOSPITALIZATIONS					
DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	878	10.5	4.3	\$25,255	\$265	Total	193	2.3	2.9	\$6,333	\$15
<18	71	3.7	3.2	\$18,839	\$70	18-44	94	3.2	2.4	\$4,854	\$16
18-44	159	5.5	3.9	\$25,064	\$138	45-64	80	3.5	3.2	\$7,455	\$26
45-64	206	9.0	4.7	\$28,104	\$252	Pneumonia and Influenza					
65+	442	34.3	4.5	\$25,026	\$859	Total	296	3.5	4.7	\$14,700	\$52
Injury: Hip Fracture						<18	23	1.2	4.3	\$16,007	\$19
Total	100	1.2	4.5	\$28,797	\$34	45-64	65	2.8	4.7	\$14,736	\$42
65+	91	7.1	4.5	\$29,021	\$205	65+	195	15.2	4.8	\$14,923	\$226
Injury: Poisonings						Cerebrovascular Disease					
Total	75	0.9	2.3	\$11,081	\$10	Total	292	3.5	3.5	\$19,274	\$67
18-44	36	1.2	1.9	\$9,844	\$12	45-64	67	2.9	3.7	\$24,764	\$72
Psychiatric						65+	216	16.8	3.4	\$16,966	\$285
Total	383	4.6	6.5	\$8,712	\$40	Asthma					
<18	75	3.9	9.0	\$9,810	\$39	Total	64	0.8	3.0	\$9,083	\$7
18-44	196	6.8	6.6	\$8,343	\$57	<18	21	1.1	1.9	\$4,601	\$5
45-64	75	3.3	4.5	\$8,327	\$27	18-44	14
65+	37	2.9	4.3	\$9,220	\$27	45-64	12
Coronary Heart Disease						65+	17
Total	760	9.1	3.4	\$37,473	\$340	Other Chronic Obstructive Pulmonary Disease					
45-64	254	11.1	3.0	\$39,564	\$438	Total	143	1.7	4.0	\$12,405	\$21
65+	486	37.8	3.6	\$36,506	\$1379	45-64	32	1.4	3.4	\$11,212	\$16
Malignant Neoplasms (Cancers): All						65+	107	8.3	4.1	\$12,708	\$106
Total	358	4.3	5.6	\$29,186	\$125	Drug-Related					
18-44	18	Total	47	0.6	5.3	\$7,007	\$4
45-64	124	5.4	4.9	\$29,566	\$160	18-44	28	1.0	4.3	\$6,157	\$6
65+	211	16.4	6.0	\$27,612	\$453	Total Hospitalizations					
Neoplasms: Female Breast (rates for female population)						Total	10,547	125.9	3.8	\$19,092	\$2,404
Total	33	0.8	1.9	\$18,270	\$14	<18	1,382	72.5	3.2	\$9,280	\$673
Neoplasms: Colo-rectal						18-44	2,206	76.2	3.0	\$12,543	\$956
Total	38	0.5	6.9	\$28,841	\$13	45-64	2,350	102.4	3.7	\$23,817	\$2,439
65+	30	2.3	7.1	\$29,880	\$70	65+	4,609	358.1	4.4	\$22,760	\$8,151
Neoplasms: Lung						----- PREVENTABLE HOSPITALIZATIONS* -----					
Total	31	0.4	6.5	\$31,876	\$12	Total	1,275	15.2	3.9	\$13,211	\$201
Diabetes						<18	80	4.2	2.3	\$7,873	\$33
Total	97	1.2	3.9	\$14,446	\$17	18-44	112	3.9	2.9	\$10,467	\$41
65+	43	3.3	4.4	\$12,897	\$43	45-64	251	10.9	4.2	\$14,793	\$162
						65+	832	64.6	4.2	\$13,616	\$880

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.