

| POPULATION ESTIMATES | | | | LONG-TERM CARE | | LOCAL HEALTH DEPARTMENTS | | |
|--|--|--|--|----------------|--|--|--|--|
| Total 2006 Population | | | | 4,630 | | Community Options and MA Waiver (HSRS reported costs for services) | | |
| Population per square mile | | | | 13 | | Staffing - FTE | | |
| County rank in population density (1-72) | | | | 67 | | Number | | |
| Population growth 2002-2006 | | | | 5 | | Per 10,000 Population | | |
| County rank in 5-year population growth (1-72) | | | | 68 | | Total FTEs | | |
| Age | | | | Female | | Administrative | | |
| 0-14 | | | | 620 | | Public health nurses | | |
| 15-17 | | | | 130 | | Envir. health prof. | | |
| 18-19 | | | | 80 | | Public health educ. | | |
| 20-24 | | | | 160 | | Nutritionist | | |
| 25-44 | | | | 550 | | Other prof. staff | | |
| 45-64 | | | | 600 | | Technical/paraprof. | | |
| 65-84 | | | | 230 | | Support staff | | |
| 85+ | | | | 10 | | Funding | | |
| Total | | | | 2,380 | | Total | | |
| Race/ethnicity | | | | Female | | Local Taxes | | |
| White | | | | 300 | | Per capita | | |
| Afr. Amer. | | | | 10 | | Total | | |
| Amer. Ind. | | | | 1,930 | | \$99,687 | | |
| Hispanic | | | | 110 | | \$67,949 | | |
| Asian | | | | 20 | | \$21.52 | | |
| Total | | | | 2,380 | | \$14.67 | | |
| Male | | | | 2,250 | | ----- LICENSED ESTABLISHMENTS ----- | | |
| Total | | | | 4,630 | | Type | | |
| Total | | | | 4,630 | | Facilities | | |
| Total | | | | 4,630 | | Bed & Breakfast | | |
| Total | | | | 4,630 | | Camps | | |
| Total | | | | 4,630 | | Hotels, Motels | | |
| Total | | | | 4,630 | | Tourist Rooming | | |
| Total | | | | 4,630 | | Pools | | |
| Total | | | | 4,630 | | Restaurants | | |
| Total | | | | 4,630 | | Body Art | | |
| Total | | | | 4,630 | | ----- WIC PARTICIPANTS ----- | | |
| Total | | | | 4,630 | | Number | | |
| Total | | | | 4,630 | | Pregnant/Postpartum | | |
| Total | | | | 4,630 | | Infants | | |
| Total | | | | 4,630 | | Children, age 1-4 | | |
| Total | | | | 4,630 | | Total | | |
| Total | | | | 4,630 | | 964 | | |
| Total | | | | 4,630 | | -----NEW CASES OF CANCER IN 2004*----- | | |
| Total | | | | 4,630 | | Primary Site | | |
| Total | | | | 4,630 | | Total Cases | | |
| Total | | | | 4,630 | | Rate | | |
| Total | | | | 4,630 | | Female Breast | | |
| Total | | | | 4,630 | | 4 | | |
| Total | | | | 4,630 | | 169.6 | | |
| Total | | | | 4,630 | | Cervical | | |
| Total | | | | 4,630 | | 0 | | |
| Total | | | | 4,630 | | 0.0 | | |
| Total | | | | 4,630 | | Colorectal | | |
| Total | | | | 4,630 | | 2 | | |
| Total | | | | 4,630 | | 43.4 | | |
| Total | | | | 4,630 | | Lung and Bronchus | | |
| Total | | | | 4,630 | | 1 | | |
| Total | | | | 4,630 | | 21.7 | | |
| Total | | | | 4,630 | | Prostate | | |
| Total | | | | 4,630 | | 4 | | |
| Total | | | | 4,630 | | 178.0 | | |
| Total | | | | 4,630 | | Other sites | | |
| Total | | | | 4,630 | | 9 | | |
| Total | | | | 4,630 | | 195.4 | | |
| Total | | | | 4,630 | | Total | | |
| Total | | | | 4,630 | | 20 | | |
| Total | | | | 4,630 | | 434.2 | | |
| Total | | | | 4,630 | | Note: Totals for invasive cancers only. | | |
| Total | | | | 4,630 | | Rate is per 100,000 population. | | |
| Total | | | | 4,630 | | *The most recent available | | |
| Total | | | | 4,630 | | cancer data is for 2004. | | |
| Total | | | | 4,630 | | | | |

NATALITY

| TOTAL LIVE BIRTHS | | 117 | | Birth Order | | Births | | Percent | | Marital Status | | Births | | Percent | |
|--|--|----------------|--|--------------------|--|--------|--|---------|--|--------------------------|--|--------|--|---------|--|
| Crude Live Birth Rate | | 25.3 | | First | | 43 | | 37 | | of Mother | | 25 | | 21 | |
| General Fertility Rate | | 127.2 | | Second | | 23 | | 20 | | Married | | 92 | | 79 | |
| Live births with reported congenital anomalies | | 2 1.7% | | Third | | 26 | | 22 | | Not married | | 0 | | 0 | |
| | | | | Fourth or higher | | 25 | | 21 | | Unknown | | | | | |
| | | | | Unknown | | 0 | | 0 | | Education of Mother | | Births | | Percent | |
| Delivery Type | | Births Percent | | 1st Prenatal Visit | | Births | | Percent | | Elementary or less | | 5 | | 4 | |
| Vaginal after previous cesarean | | 0 0 | | 1st trimester | | 82 | | 70 | | Some high school | | 30 | | 26 | |
| Forceps | | 3 3 | | 2nd trimester | | 29 | | 25 | | High school | | 46 | | 39 | |
| Other vaginal | | 85 73 | | 3rd trimester | | 4 | | 3 | | Some college | | 33 | | 28 | |
| Primary cesarean | | 17 15 | | No visits | | 2 | | 2 | | College graduate | | 2 | | 2 | |
| Repeat cesarean | | 12 10 | | Unknown | | 0 | | 0 | | Unknown | | 1 | | 1 | |
| Birthweight | | Births Percent | | Prenatal Visits | | Births | | Percent | | Smoking Status of Mother | | Births | | Percent | |
| <1,500 gm | | 4 3.4 | | No visits | | 2 | | 2 | | Smoker | | 57 | | 49 | |
| 1,500-2,499 gm | | 10 8.5 | | 1-4 | | 11 | | 9 | | Nonsmoker | | 59 | | 50 | |
| 2,500+ gm | | 103 88.0 | | 5-9 | | 34 | | 29 | | Unknown | | 1 | | 1 | |
| Unknown | | 0 0 | | 10-12 | | 38 | | 32 | | | | | | | |
| | | | | 13+ | | 28 | | 24 | | | | | | | |
| | | | | Unknown | | 4 | | 3 | | | | | | | |

| Race/Ethnicity | Births Percent | | Low Birthweight (under 2,500 gm) | | Trimester of First Prenatal Visit | | | | | |
|--------------------|----------------|---------|----------------------------------|---------|-----------------------------------|----|---------------|----|---------------|----|
| | Births | Percent | Births | Percent | 1st Trimester | | 2nd Trimester | | Other/Unknown | |
| White | 8 | 7 | 1 | 12.5 | 5 | 63 | 2 | 25 | 1 | 13 |
| Black/Afr.American | 1 | 1 | * | . | * | . | * | . | * | . |
| American Indian | 101 | 86 | 13 | 12.9 | 73 | 72 | 23 | 23 | 5 | 5 |
| Hispanic/Latino | 7 | 6 | . | . | 3 | 43 | 4 | 57 | . | . |
| Laotian and Hmong | 0 | 0 | . | . | . | . | . | . | . | . |
| Other/Unknown | 0 | 0 | . | . | . | . | . | . | . | . |

| Age of Mother | Fertility | | Low Birthweight (under 2,500 gm) | | Trimester of First Prenatal Visit | | | | | |
|---------------|-----------|------|----------------------------------|---------|-----------------------------------|----|---------------|----|---------------|----|
| | Births | Rate | Births | Percent | 1st Trimester | | 2nd Trimester | | Other/Unknown | |
| <15 | 2 | -- | * | . | * | . | * | . | * | . |
| 15-17 | 10 | 77 | . | . | 7 | 70 | 2 | 20 | 1 | 10 |
| 18-19 | 12 | 150 | 2 | 16.7 | 9 | 75 | 2 | 17 | 1 | 8 |
| 20-24 | 43 | 269 | 4 | 9.3 | 31 | 72 | 12 | 28 | . | . |
| 25-29 | 30 | 214 | 3 | 10.0 | 20 | 67 | 8 | 27 | 2 | 7 |
| 30-34 | 10 | 91 | 1 | 10.0 | 7 | 70 | 3 | 30 | . | . |
| 35-39 | 9 | 64 | 4 | 44.4 | 7 | 78 | 1 | 11 | 1 | 11 |
| 40+ | 1 | 6 | * | . | * | . | * | . | * | . |
| Unknown | 0 | -- | . | . | . | . | . | . | . | . |

Teenage Births 24 114 * Data not reported if age or race category has fewer than 5 births.

| ----- MORBIDITY ----- | | ----- MORTALITY ----- | | | |
|--|--------|---|-------------|---|--------------------------------|
| REPORTED CASES OF COMMUNICABLE DISEASES* | | Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths. | | | |
| Disease | Number | TOTAL DEATHS | 26 | Selected | |
| Campylobacter Enteritis | 0 | Crude Death Rate | 562 | Underlying Cause | Deaths Rate |
| Giardiasis | 0 | | | Heart Disease (total) | 1 . |
| Hepatitis Type A | 0 | | | Ischemic heart disease | 1 . |
| Hepatitis Type B** | 0 | Age | Deaths Rate | Cancer (total) | 8 . |
| Hepatitis NANB/C | 0 | 1-4 | . . | Trachea/Bronchus/Lung | 3 . |
| Legionnaire's | 0 | 5-14 | . . | Colorectal | 1 . |
| Lyme | <5 | 15-19 | . . | Female Breast | 1 .* |
| Measles | 0 | 20-34 | . . | Cerebrovascular Disease | 1 . |
| Meningitis, Aseptic | <5 | 35-54 | 4 339 | Lower Resp. Disease | 2 . |
| Meningitis, Bacterial | 0 | 55-64 | 4 784 | Pneumonia & Influenza | 1 . |
| Mumps | 0 | 65-74 | 6 1,875 | Accidents | 2 . |
| Pertussis | 0 | 75-84 | 8 6,667 | Motor vehicle | 1 . |
| Salmonellosis | 0 | 85+ | 4 20,000 | Diabetes | . . |
| Shigellosis | 0 | | | Infect./Parasitic Dis. | 1 . |
| Tuberculosis | 0 | | | Suicide | . . |
| | | Infant | | | |
| * 2006 provisional data. | | Mortality | Deaths Rate | * Based on female population. | |
| ** Includes all positive HBsAg test results. | | Total Infant | . . | | |
| | | Neonatal | . . | ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH | |
| | | Postneonatal | . . | | |
| | | Unknown | . . | | |
| Sexually Transmitted Disease | | | | Alcohol | 6 . |
| Chlamydia Trachomatis | 53 | Race of Mother | | Tobacco Use | 9 194 |
| Genital Herpes | <5 | White | . . | Other Drugs | . . |
| Gonorrhea | 8 | Black | . . | | |
| Syphilis | 0 | Hispanic | . . | | |
| | | Laotian and Hmong | . . | ----- MOTOR VEHICLE CRASHES ----- | |
| | | Other/Unknown | . . | | |
| ----- IMMUNIZATIONS ----- | | | | Note: These data are based on location of crash, not on residence. | |
| (2006-2007 School Year) | | Birthweight | | | |
| Children in Grades K-12 by | | <1,500 gm | . . | Type of Motor Vehicle Crash | Persons Persons Injured Killed |
| Compliance Level | | 1,500-2,499 gm | . . | Total Crashes | 15 1 |
| Compliant | 1,083 | 2,500+ gm | . . | Alcohol-Related | 6 0 |
| Non-compliant | 6 | Unknown | . . | With Citation: | |
| Percent Compliant | 99.4 | | | For OWI | 4 0 |
| | | Perinatal | | For Speeding | 0 0 |
| | | Mortality | Deaths Rate | Motorcyclist | 1 0 |
| | | Total Perinatal | 1 . | Bicyclist | 0 0 |
| | | Neonatal | . . | Pedestrian | 0 0 |
| | | Fetal | 1 . | | |

2006 HOSPITALIZATIONS

| 2006 HOSPITALIZATIONS | | | | | | 2006 HOSPITALIZATIONS | | | | | |
|---|--------|---------------|---------------------|----------------|-------------------|--|--------|---------------|---------------------|----------------|-------------------|
| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita | DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
| Injury-Related: All | | | | | | Alcohol-Related | | | | | |
| Total | 51 | 11.0 | 3.6 | \$16,190 | \$178 | Total | 28 | 6.0 | 5.0 | \$11,100 | \$67 |
| <18 | 5 | . | . | . | . | 18-44 | 8 | . | . | . | . |
| 18-44 | 19 | . | . | . | . | 45-64 | 16 | . | . | . | . |
| 45-64 | 10 | . | . | . | . | Pneumonia and Influenza | | | | | |
| 65+ | 17 | . | . | . | . | Total | 51 | 11.0 | 3.0 | \$10,036 | \$111 |
| Injury: Hip Fracture | | | | | | <18 | 16 | . | . | . | . |
| Total | 0 | . | . | . | . | 45-64 | 12 | . | . | . | . |
| 65+ | 0 | . | . | . | . | 65+ | 18 | . | . | . | . |
| Injury: Poisonings | | | | | | Cerebrovascular Disease | | | | | |
| Total | 6 | . | . | . | . | Total | 5 | . | . | . | . |
| 18-44 | 3 | . | . | . | . | 45-64 | 3 | . | . | . | . |
| Psychiatric | | | | | | 65+ | 2 | . | . | . | . |
| Total | 41 | 8.9 | 10.8 | \$9,510 | \$84 | Asthma | | | | | |
| <18 | 18 | . | . | . | . | Total | 7 | . | . | . | . |
| 18-44 | 17 | . | . | . | . | <18 | 0 | . | . | . | . |
| 45-64 | 4 | . | . | . | . | 18-44 | 2 | . | . | . | . |
| 65+ | 2 | . | . | . | . | 45-64 | 5 | . | . | . | . |
| Coronary Heart Disease | | | | | | 65+ | 0 | . | . | . | . |
| Total | 15 | . | . | . | . | Other Chronic Obstructive Pulmonary Disease | | | | | |
| 45-64 | 13 | . | . | . | . | Total | 14 | . | . | . | . |
| 65+ | 2 | . | . | . | . | 45-64 | 5 | . | . | . | . |
| Malignant Neoplasms (Cancers): All | | | | | | 65+ | 9 | . | . | . | . |
| Total | 12 | . | . | . | . | Drug-Related | | | | | |
| 18-44 | 0 | . | . | . | . | Total | 3 | . | . | . | . |
| 45-64 | 4 | . | . | . | . | 18-44 | 2 | . | . | . | . |
| 65+ | 8 | . | . | . | . | Total Hospitalizations | | | | | |
| Neoplasms: Female Breast (rates for female population) | | | | | | Total | 767 | 165.7 | 3.7 | \$12,017 | \$1,991 |
| Total | 1 | . | . | . | . | <18 | 201 | 132.2 | 3.8 | \$8,825 | \$1,167 |
| Neoplasms: Colo-rectal | | | | | | 18-44 | 247 | 159.4 | 3.5 | \$9,787 | \$1,560 |
| Total | 1 | . | . | . | . | 45-64 | 174 | 155.4 | 3.9 | \$16,608 | \$2,580 |
| 65+ | 1 | . | . | . | . | 65+ | 145 | 315.2 | 3.8 | \$14,731 | \$4,643 |
| Neoplasms: Lung | | | | | | ----- PREVENTABLE HOSPITALIZATIONS* ----- | | | | | |
| Total | 2 | . | . | . | . | Total | 116 | 25.1 | 3.3 | \$8,764 | \$220 |
| Diabetes | | | | | | <18 | 21 | 13.8 | 2.0 | \$7,842 | \$108 |
| Total | 27 | 5.8 | 4.9 | \$16,778 | \$98 | 18-44 | 20 | 12.9 | 5.2 | \$10,769 | \$139 |
| 65+ | 4 | . | . | . | . | 45-64 | 38 | 33.9 | 3.3 | \$9,251 | \$314 |
| | | | | | | 65+ | 37 | 80.4 | 3.1 | \$7,702 | \$620 |

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.