----- POPULATION ESTIMATES ------ LONG-TERM CARE ----- LOCAL HEALTH DEPARTMENTS -----Total 2006 Population 22,460 | Community Options and MA Waiver Per 10,000 Staffing - FTE Number Population (HSRS reported costs for services) Population per square mile 26 | Total FTEs 5.6 2.5 County rank in population Clients Administrative 2.0 0.9 Costs 56 COP density (1-72) \$156,544 Public health nurses 1.0 0.4 MA Waiver * Envir. health prof. . 880 | CIP1A Develop. disabled Public health educ. Population growth 2002-2006 County rank in 5-year \$355,939 Nutritionist 0.5 population growth (1-72) 35 | CIP1B Develop. disabled Other prof. staff 1.1 Technical/paraprof. 41 \$1,251,014 Total | CIP2 Elderly/phys. disab. adults Support staff 1.5 0.7 Female Age Male 0 - 141,430 1,560 2,990 42 \$472,199 Per capita 15-17 370 420 800 | COP-W Elderly/phys. disab. adults Funding Total \$420,016 \$18.74 Local Taxes \$163,918 \$7.31 18-19 240 270 510 100 \$460,558 470 520 990 | CLTS Disabled children 20-24 25-44 2,280 2,290 26 \$260,104 4,570 3,780 3,630 2,350 2,300 7,400 Brain Injury 0 \$0 ----- LICENSED ESTABLISHMENTS ----4,650 Total COP/Wvrs 222 \$2,956,359 Type Facilities 45-64 65-84 210 Bed & Breakfast 85+ 350 550 1.0 Total 11,280 11,180 22,460 \$71,001 of the above waiver costs Camps 45 were paid as local match/overmatch Hotels, Motels 240 using COP funds. This amount is Tourist Rooming Race/ethnicity Female Male Total 325 White 10,120 10,000 20,120 not included in above COP costs. Pools 32 40 30 Afr.Amer. Restaurants 226 960 1,000 110 110 60 40 Body Art Amer. Ind. 1,960 * Waiver costs reported here 1 220 include federal funding. Hispanic Asian Clients Costs ----- WIC PARTICIPANTS -----Total Waiting 214 n/a Pregnant/Postpartum 254 -----Poverty Estimates for 2005----- | (Family Care not provided in county) Infants 173 Children, age 1-4 Estimate (%) (C.I.+/-) 364 All ages 9.1% (1.7%) Total 791 Ages 0-17 15.8% (3.5%) Note: Eligible and waiting clients will be phased into the COP and MA ----NEW CASES OF CANCER IN 2004*--------- EMPLOYMENT ------ Waivers as available. Primary Site Total Cases Rate Average wage for jobs covered Female Breast 19 170.5 by unemployment compensation \$24,142 Cervical 0 0.0 Colorectal 76.7 (place of work) 17 Lung and Bronchus 19 Annual 85.8 11 99.9 Labor Force Estimates | Nursing Homes 1 | Prostate Average 79 | Other sites Civilian Labor Force 11,928 Licensed beds 60 270.8 Unemployment rate 6.0% Residents on Dec.31 5-yr avg. unemployment rate 6.1% Residents age 65 or older Note: Totals for invasive cancers only. Median household per 1,000 population 14 | Rate is per 100,000 population. \$37,651 income (2005) *The most recent available Rank in median HH income (1-72) 63 cancer data is for 2004.

| | 204 9.1 60.7 | Birth Or First Second | | Births 79 | Percent 39 | Marital of Moth | | Births | Percent |
|-------------|--|---------------------------------------|--|--|--|---|-------------|---------------|------------|
| | | Second | | | 39 | of Moth | er | Births | Dargent |
| | | | 3 | | | | CI | | L CT CCIIC |
| | 60.7 | | ı | 57 | 28 | Marrie | d | 124 | 61 |
| , | | Third | | 43 | 21 | Not ma | rried | 80 | 39 |
| , | | Fourth | n or higher | 25 | 12 | Unknow | n | 0 | 0 |
| ed | | Unknow | | 0 | 0 | | | | |
| | 5 2.5% | | | | | Educati | on | | |
| | | | | | | of Moth | - | Births | Percent |
| Rirths | Percent | 1st Prer | natal Visit | Births | Percent | | tary or les | | <.5 |
| | 1 01 00110 | | | | | | | | 11 |
| 4 | 2 | | | | | High s | chool | 74 | |
| | | | | | | Some c | ollege | 57 | 28 |
| _ | | | | | | Colleg | e graduate | 50 | 25 |
| | | | | | - | | | | |
| | | Olivilon | /11 | U | U | UIIXIIOW | 11 | • | • |
| ∠5 | 12 | Dronot - 7 | 1 771 01 + 0 | Dintha | Dorgont | Cmoled so | Ctotus | | |
| 7 d = 0 t = | Done | | | | | | | Dianti- | Dem |
| | | | 31CS | | _ | | | | |
| | | | | _ | | | | | 29 |
| | | | | | | | | _ | 71 |
| | | | | | _ | Unknow | n | 0 | 0 |
| 0 | 0 | | | | | | | | |
| | | Unknow | m | 0 | 0 | | | | |
| | | Low Birth | weight | | Trimest | er of Fir | st Prenatal | Visit | |
| | | | | 1st Trimester 2nd Trimester Other | | | | | IInknown |
| rths P | ercent | Births F | Percent | Births | Percent | Births | Percent | Births | Percent |
| | | | | | | | | | 3 |
| | | · · | J., | | | | · · | - | J |
| | | 5 | ο 5 | | | 21 | 36 | 1 | 7 |
| 23 | ∠ J 1 | * | | _ | | ∠⊥ * | 30 | * | , |
| 0 | 0 | | • | | • | | • | | • |
| | 1 | • | • | • | • | | • | • | • |
| ∠ | | | · | | · | | · | | · |
| | | | | | | | | | |
| Fertility | | (under 2,500 gm) | | 1st Trimester | | 2nd Trimester | | Other/Unknown | |
| irths | Rate | Births F | ercent? | Births | Percent | Births | Percent | Births | Percent |
| 0 | | | | | | | | | • |
| 4 | 11 | * | | * | • | * | | * | |
| | | 2. | 18.2 | 4 | 36 | 7 | 64 | _ | - |
| | | | | | | | | 3 | 5 |
| | | | | | | | | | |
| | | | | | | | | 2 | 7 |
| | | 4 | 9.0 | | | 2 | 5 | 3 | , |
| | | • | • | ∠ 9 | 94 | ∠ . | Ö | • | • |
| - | 4 | ^ | • | * | • | * | • | * | • |
| U | | • | • | • | • | • | • | • | • |
| 15 | 25 | | * Data not | reported | if ago or | race cate | gory has fe | wer than | 5 birtha |
| - L | 1 140 34 25 Sirths 1 12 191 0 rths P 140 0 59 3 0 2 Fe rths 0 4 11 58 55 42 31 3 0 | 0 0 59 29 3 1 0 0 2 1 | 4 2 2nd tr 1 <.5 3rd tr 140 69 No vis 34 17 Unknow 25 12 Prenatal Sirths Percent No vis 1 0.5 1-4 12 5.9 5-9 191 93.6 10-12 0 0 13+ Unknow Low Birth (under 2, rths Percent Births F 140 69 8 0 0 0 59 29 5 3 1 * 0 0 0 2 1 * Low Birth Fertility (under 2, rths Rate Births F 0 4 11 * 11 46 2 58 123 5 5134 2 42 88 4 31 50 . 3 4 * 0 | 1 <.5 3rd trimester 140 69 No visits 34 17 Unknown 25 12 Prenatal Visits No visits 1 0.5 1-4 12 5.9 5-9 191 93.6 10-12 0 0 13+ Unknown Low Birthweight (under 2,500 gm) rths Percent 140 69 8 5.7 0 0 59 29 5 8.5 3 1 * . 0 0 0 . 2 1 * Low Birthweight (under 2,500 gm) Fertility (under 2,500 gm) rths Rate Births Percent 140 69 1 | 4 2 2nd trimester 32 1 <.5 3rd trimester 6 140 69 No visits 2 34 17 Unknown 0 25 12 Prenatal Visits Births Sirths Percent No visits 2 1 0.5 1-4 5 12 5.9 5-9 40 191 93.6 10-12 66 0 0 13+ 91 Unknown 0 Low Birthweight (under 2,500 gm) 1st Tr rths Percent Births Percent Births 140 69 8 5.7 127 0 0 0 | 4 2 2nd trimester 32 16 1 <.5 | 4 | 4 | 4 |

| MORBIDITY | | MORTALITY | | | | | | | | |
|--------------------------------|---|---|--------|--------|------------------------|--------------------------|------|--|--|--|
| | | Note: Death rates (except infant) are per 100,000 population. Infant, | | | | | | | | |
| REPORTED CASES OF | neonatal, and postneonatal death rates are per 1,000 live births. | | | | | | | | | |
| COMMUNICABLE DISEASES* | Perinatal and fetal death rates are per 1,000 live births plus | | | | | | | | | |
| | | fetal deaths. Rates are not calculated for fewer than 20 deaths. | | | | | | | | |
| İ | | | | | | | | | | |
| Disease | Number | TOTAL DEATHS | | 271 | Selected | | | | | |
| Campylobacter Enteritis | <5 | Crude Death Ra | ate | 1,207 | Underlying Cause | Deaths | Rate | | | |
| Giardiasis | <5 | İ | | | Heart Disease (total) | | 316 | | | |
| Hepatitis Type A | 0 | İ | | | Ischemic heart diseas | e 50 | 223 | | | |
| Hepatitis Type B** | 0 | Age | Deaths | Rate | Cancer (total) | 70 | 312 | | | |
| Hepatitis NANB/C | 8 | 1-4 | • | • | Trachea/Bronchus/Lung | 22 | 98 | | | |
| Legionnaire's | 0 | 5-14 | • | • | Colorectal | 10 | | | | |
| Lyme | 18 | 15-19 | 2 | 153 | Female Breast | 6 | .* | | | |
| Measles | 0 | 20-34 | 4 | 142 | Cerebrovascular Diseas | e 23 | 102 | | | |
| Meningitis, Aseptic | 0 | 35-54 | 19 | 298 | Lower Resp. Disease | 8 | | | | |
| Meningitis, Bacterial | 0 | 55-64 | 27 | 714 | Pneumonia & Influenza | 5 | | | | |
| Mumps | <5 | 65-74 | 48 | 1,633 | Accidents | 17 | | | | |
| Pertussis | <5 | 75-84 | 85 | 4,971 | Motor vehicle | 9 | | | | |
| Salmonellosis | <5 | 85+ | 84 | 15,273 | Diabetes | 6 | | | | |
| Shigellosis | 0 | İ | | | Infect./Parasitic Dis. | 2 | | | | |
| Tuberculosis | 0 | İ | | | Suicide | | | | | |
| | | Infant | | | | | | | | |
| * 2006 provisional data. | Mortality Deaths Rate * Based on female population. | | | | | | | | | |
| ** Includes all positive HBsAg | | Total Infant | 2 | | | | | | | |
| test results. | | Neonatal | 2 | | ALCOHOL AND DRUG ABUSE | DRUG ABUSE AS UNDERLYING | | | | |
| | | Postneonatal | | • | OR CONTRIBUTING CAU | SE OF DEAT | ГН | | | |
| | | Unknown | | • | | | | | | |
| Sexually Transmitted Disease | | | | | Alcohol | 6 | | | | |
| Chlamydia Trachomatis | 28 | Race of Mother | | | Tobacco Use | 49 | 218 | | | |
| Genital Herpes | 6 | White | 1 | | Other Drugs | 1 | | | | |
| Gonorrhea | <5 | Black | • | | | | | | | |
| Syphilis | 0 | Hispanic | • | | | | | | | |
| | | Laotian and Hmor | _ | • | MOTOR VEHICL | E CRASHES | | | | |
| | | Other/Unknown | 1 | • | | | | | | |
| | | | | | Note: These data are b | | | | | |
| IMMUNIZATIONS | | . – | | | of crash, not o | n resideno | ce. | | | |
| (2006-2007 School Year) | | <1,500 gm | | • | | | | | | |
| Children in Grades K-12 by | | 1,500-2,499 gm | | • | Type of Motor | Persons I | | | | |
| Compliance Level | | 2,500+ gm | 1 | • | Vehicle Crash | Injured | | | | |
| - | 3,012 | Unknown | | • | Total Crashes | 214 | 12 | | | |
| Non-compliant | 21 | | | | Alcohol-Related | 58 | 4 | | | |
| Percent Compliant | 99.3 | Perinatal | | | With Citation: | | | | | |
| · [| | Mortality | Deaths | | For OWI | 37 | 0 | | | |
| | | Total Perinatal | 4 | • | For Speeding | 16 | 0 | | | |
| ļ | | Neonatal | 2 | • | Motorcyclist | 17 | 2 | | | |
| Į. | | Fetal | 2 | • | Bicyclist | 1 | 0 | | | |
| | | | | | Pedestrian | 1 | 1 | | | |

| | | Per | Average | | Charge | DICENCE / | | | Average | | Charge |
|----------------|------------|---------|----------|-----------|-----------|-------------------|------------|---------|-----------|-----------|---------|
| DISEASE / | 1 | 1,000 | Stay | Average | Per | DISEASE / | 27 1 | 1,000 | Stay | Average | Per |
| AGE GROUP | Number | Pop | (Days) | Charge | Capita | AGE GROUP | Number | Pop | (Days) | Charge | Capita |
| Injury-Related | l: All | | | | | Alcohol-Relate | ed | | | | |
| Total | 291 | 13.0 | 5.1 | \$24,689 | \$320 | Total | 111 | 4.9 | 3.8 | \$8,348 | \$41 |
| <18 | 17 | | | | | 18-44 | 35 | 5.8 | 3.9 | \$6,387 | \$37 |
| 18-44 | 60 | 9.9 | 4.4 | \$21,717 | \$215 | 45-64 | 62 | 8.4 | 3.8 | \$9,637 | \$81 |
| 45-64 | 80 | 10.8 | 5.9 | \$28,736 | \$311 | Pneumonia and | Influenza | | | | |
| 65+ | 134 | 25.8 | 5.1 | \$24,261 | \$625 | Total | 113 | 5.0 | 4.2 | \$12,760 | \$64 |
| Injury: Hip | Fracture | | | | į | <18 | 12 | | | | |
| Total | 36 | 1.6 | 6.0 | \$26,290 | \$42 | 45-64 | 17 | | | | |
| 65+ | 33 | 6.3 | | \$26,114 | \$166 | 65+ | 76 | 14.6 | 4.4 | \$13,333 | \$195 |
| Injury: Pois | onings | | | | j | Cerebrovascula | ar Disease | | | | |
| Total | 25 | 1.1 | 2.1 | \$10,009 | \$11 | Total | 101 | 4.5 | 4.5 | \$20,694 | \$93 |
| 18-44 | 14 | | | • | · i | 45-64 | 18 | | | | |
| | | | | | | 65+ | 81 | 15.6 | 4.4 | \$18,487 | \$288 |
| Psychiatric | | | | | į | Asthma | | | | | |
| Total | 128 | 5.7 | 6.5 | \$6,027 | \$34 | Total | 19 | | | | |
| <18 | 21 | 5.5 | 10.9 | \$8,922 | \$49 | <18 | 7 | | | | |
| 18-44 | 56 | 9.2 | 5.1 | \$4,731 | \$44 | 18-44 | 0 | | | | |
| 45-64 | 37 | 5.0 | 6.6 | \$5,992 | \$30 | 45-64 | 4 | | | | |
| 65+ | 14 | | | • | · . i | 65+ | 8 | | | | |
| | | | | | į | Other Chronic | Obstructiv | e Pulmo | nary Di | sease | |
| Coronary Heart | Disease | | | | į | Total | 42 | 1.9 | 3.4 | \$10,948 | \$20 |
| Total | 259 | 11.5 | 2.8 | \$27,325 | \$315 | 45-64 | 9 | • | | | |
| 45-64 | 86 | 11.6 | 2.4 | \$26,874 | \$312 | 65+ | 33 | 6.3 | 3.3 | \$10,025 | \$64 |
| 65+ | 160 | 30.8 | 3.1 | \$28,503 | \$877 | | | | | | |
| | | | | | j | Drug-Related | | | | | |
| Malignant Neop | lasms (Ca | ncers): | : All | | | Total | 39 | 1.7 | 5.4 | \$6,019 | \$10 |
| Total | 124 | 5.5 | 5.5 | \$25,523 | \$141 | 18-44 | 27 | 4.4 | 5.4 | \$5,399 | \$24 |
| 18-44 | 6 | | | • | · . i | | | | | | |
| 45-64 | 42 | 5.7 | 4.1 | \$20,424 | \$116 | Total Hospital | izations | | | | |
| 65+ | 75 | 14.4 | 5.9 | \$26,951 | \$389 | Total | 3,203 | 142.6 | 3.8 | \$16,452 | \$2,346 |
| Neoplasms: F | emale Bre | ast (ra | ates for | female po | pulation) | <18 | 363 | 95.8 | 2.9 | \$6,735 | \$645 |
| Total | 5 | | | • | . | 18-44 | 615 | 101.3 | 3.3 | \$12,619 | \$1,279 |
| Neoplasms: 0 | Colo-recta | .1 | | | į | 45-64 | 768 | 103.8 | | | \$1,985 |
| Total | 19 | | | | . | 65+ | 1,457 | 280.2 | 4.1 | \$19,081 | \$5,346 |
| 65+ | 16 | | | | . j | | | | | | |
| Neoplasms: I | ung | | | | į | P | REVENTABLE | HOSPIT | CALIZATIO | ONS* | |
| Total | 16 | | | | . | Total | 420 | 18.7 | 3.7 | \$12,238 | \$229 |
| | | | | | į | <18 | 35 | 9.2 | 2.4 | \$5,830 | \$54 |
| Diabetes | | | | | į | 18-44 | 40 | 6.6 | 2.4 | \$8,420 | \$55 |
| Total | 41 | 1.8 | 4.7 | \$17,185 | \$31 | 45-64 | 80 | 10.8 | 3.5 | \$12,595 | \$136 |
| 65+ | 15 | | | | | 65+ | 265 | 51.0 | 4.1 | \$13,553 | \$691 |
| | | | | | i | * Hospitalization | e for cond | itione | where t | imely and | effecti |