

| ----- POPULATION ESTIMATES ----- | | | | ----- LONG-TERM CARE ----- | | ----- LOCAL HEALTH DEPARTMENTS ----- | | | |
|--|----------|--------|--------|-----------------------------------|--|--------------------------------------|---|-------------|------------|
| Total 2007 Population | | | | 27,030 | Community Options and MA Waiver as HSRS reports costs for services | | Staffing - FTE | | Per 10,000 |
| County population rank (1-72) | | | | 46 | | | Number | Population | |
| Population per square mile | | | | 35 | | | Total FTEs | 9.9 | 3.6 |
| County rank in population density (1-72) | | | | 44 | Clients | Costs | Administrative | 2.0 | 0.7 |
| Population growth 2003-2007 | | | | 1,754 | COP | \$100,104 | Public health nurses | 2.8 | 1.0 |
| County rank in 5-year population growth (1-72) | | | | 24 | MA Waiver * | | Oral health prof. | . | . |
| Age | | | | | CIP1A Develop. disabled | | Envir. health prof. | 0.2 | 0.1 |
| Female | | | | | | \$794,988 | Public health educ. | 1.4 | 0.5 |
| Male | | | | | CIP1B Develop. disabled | | Nutritionist | . | . |
| Total | | | | | | \$1,180,307 | Other prof. staff | 0.5 | 0.2 |
| 0-14 | 2,310 | 2,420 | 4,730 | CIP2 Elderly/phys. disab. adults | | \$555,988 | Technical/paraprof. | 0.5 | 0.2 |
| 15-17 | 470 | 610 | 1,080 | | | | Support staff | 2.5 | 0.9 |
| 18-19 | 360 | 380 | 730 | COP-W Elderly/phys. disab. adults | | \$670,121 | Funding | | |
| 20-24 | 680 | 830 | 1,510 | | | | Total | \$862,579 | \$31.74 |
| 25-44 | 3,110 | 3,390 | 6,490 | CLTS Disabled children | | \$28,000 | Local Taxes | \$471,695 | \$17.36 |
| 45-64 | 3,840 | 4,130 | 7,980 | | | | ---- LICENSED ESTABLISHMENTS, 2006 ---- | | |
| 45-64 | 3,840 | 4,130 | 7,980 | Brain Injury | | \$178,170 | Type | Facilities | |
| 65-84 | 2,000 | 1,870 | 3,870 | Total COP/Wvrs | 124 | \$3,507,679 | Bed & Breakfast | 4 | |
| 85+ | 450 | 200 | 640 | | | | Camps | 40 | |
| Total | 13,210 | 13,820 | 27,030 | | | | Hotels, Motels | 25 | |
| Race/ethnicity | | | | | | | Tourist Rooming | 22 | |
| White | 12,570 | 12,740 | 25,310 | | | | Pools | 47 | |
| Afr. Amer. | 130 | 510 | 640 | | | | Restaurants | 124 | |
| Amer. Ind. | 190 | 220 | 410 | | | | Body Art | 4 | |
| Hispanic | 240 | 290 | 530 | | | | ----- WIC PARTICIPANTS ----- | | |
| Asian | 80 | 60 | 140 | | | | | Number | |
| Total | 13,210 | 13,820 | 27,030 | | | | Pregnant/Postpartum | 372 | |
| -----Poverty Estimates for 2005----- | | | | | | | Infants | 274 | |
| Estimate (%) (C.I.+/-) | | | | | | | Children, age 1-4 | 648 | |
| All ages | 12.8% | (2.0%) | | | | | Total | 1,294 | |
| Ages 0-17 | 19.8% | (3.8%) | | | | | -----NEW CASES OF CANCER IN 2006----- | | |
| ----- EMPLOYMENT ----- | | | | | | | Primary Site | Total Cases | Rate |
| Average wage for jobs covered by unemployment compensation (place of work) | | | | \$30,523 | | | Breast | 19 | 143.2 |
| Labor Force Estimates | | | | Annual | | | Cervical | 0 | 0.0 |
| Civilian Labor Force | Average | | | 14,101 | Nursing Homes | 3 | Colorectal | 15 | 55.6 |
| Unemployment rate | 5.7% | | | | Licensed beds | 196 | Lung and Bronchus | 33 | 122.4 |
| 5-yr avg. unemployment rate | 6.2% | | | | Residents on Dec.31 | 190 | Prostate | 24 | 175.3 |
| Median HH income (2005) | \$40,100 | | | | Residents age 65 or older per 1,000 population | 40 | Other sites | 81 | 300.4 |
| Rank in median HH income (1-72) | 52 | | | | | | Total | 172 | 637.9 |
| | | | | | | | Note: Totals for invasive cancers only. Rate is per 100,000 population. | | |

NATALITY

| TOTAL LIVE BIRTHS | | 307 | | Birth Order | | Births | | Percent | | Marital Status | |
|--|--|----------------|--|--------------------|--|--------|--|---------|--|--------------------------|--|
| Crude Live Birth Rate | | 11.4 | | First | | 113 | | 37 | | of Mother | |
| General Fertility Rate | | 66.5 | | Second | | 115 | | 37 | | Married | |
| Live births with reported congenital anomalies | | 6 2.0% | | Third | | 47 | | 15 | | Not married | |
| | | | | Fourth or higher | | 32 | | 10 | | Unknown | |
| | | | | Unknown | | 0 | | 0 | | | |
| Delivery Type | | Births Percent | | 1st Prenatal Visit | | Births | | Percent | | Education of Mother | |
| Vaginal after previous cesarean | | 1 <.5 | | 1st trimester | | 245 | | 80 | | Elementary or less | |
| Forceps | | 2 1 | | 2nd trimester | | 51 | | 17 | | Some high school | |
| Other vaginal | | 205 67 | | 3rd trimester | | 7 | | 2 | | High school | |
| Primary cesarean | | 63 21 | | No visits | | 2 | | 1 | | Some college | |
| Repeat cesarean | | 36 12 | | Unknown | | 2 | | 1 | | College graduate | |
| | | | | | | | | | | Unknown | |
| Birthweight | | Births Percent | | Prenatal Visits | | Births | | Percent | | Smoking Status of Mother | |
| <1,500 gm | | 4 1.3 | | No visits | | 2 | | 1 | | of Mother | |
| 1,500-2,499 gm | | 13 4.2 | | 1-4 | | 8 | | 3 | | Smoker | |
| 2,500+ gm | | 290 94.5 | | 5-9 | | 53 | | 17 | | Nonsmoker | |
| Unknown | | 0 0 | | 10-12 | | 133 | | 43 | | Unknown | |
| | | | | 13+ | | 110 | | 36 | | | |
| | | | | Unknown | | 1 | | <.5 | | | |

| Race/Ethnicity | Births Percent | | Low Birthweight (under 2,500 gm) | | Trimester of First Prenatal Visit | | | | | |
|--------------------|----------------|---------|----------------------------------|---------|-----------------------------------|----|---------------|----|---------------|---|
| | Births | Percent | Births | Percent | 1st Trimester | | 2nd Trimester | | Other/Unknown | |
| White | 291 | 95 | 16 | 5.5 | 234 | 80 | 47 | 16 | 10 | 3 |
| Black/Afr.American | 3 | 1 | * | . | * | . | * | . | * | . |
| American Indian | 4 | 1 | * | . | * | . | * | . | * | . |
| Hispanic/Latino | 6 | 2 | . | . | 2 | 33 | 4 | 67 | . | . |
| Asian | 3 | 1 | * | . | * | . | * | . | * | . |
| Other/Unknown | 0 | 0 | . | . | . | . | . | . | . | . |

| Age of Mother | Fertility | | Low Birthweight (under 2,500 gm) | | Trimester of First Prenatal Visit | | | | | |
|---------------|-----------|------|----------------------------------|---------|-----------------------------------|-----|---------------|----|---------------|---|
| | Births | Rate | Births | Percent | 1st Trimester | | 2nd Trimester | | Other/Unknown | |
| <15 | 0 | -- | . | . | . | . | . | . | . | . |
| 15-17 | 13 | 28 | 3 | 23.1 | 12 | 92 | 1 | 8 | . | . |
| 18-19 | 28 | 78 | . | . | 17 | 61 | 9 | 32 | 2 | 7 |
| 20-24 | 85 | 125 | 2 | 2.4 | 68 | 80 | 11 | 13 | 6 | 7 |
| 25-29 | 93 | 129 | 7 | 7.5 | 76 | 82 | 17 | 18 | . | . |
| 30-34 | 63 | 95 | 3 | 4.8 | 53 | 84 | 8 | 13 | 2 | 3 |
| 35-39 | 20 | 26 | 1 | 5.0 | 14 | 70 | 5 | 25 | 1 | 5 |
| 40+ | 5 | 5 | 1 | 20.0 | 5 | 100 | . | . | . | . |
| Unknown | 0 | -- | . | . | . | . | . | . | . | . |

Teenage Births 41 49 * Data not reported if age or race category has less than 5 births.

| ----- MORBIDITY ----- | | ----- MORTALITY ----- | | | | | | |
|--|--------|---|--------|--------|---|---------|------------------|-------------|
| REPORTED CASES OF COMMUTABLE DISEASES* | | Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths. | | | | | | |
| Disease | Number | TOTAL DEATHS | | | 277 | | Selected | |
| Campylobacter Enteritis | <5 | Crude Death Rate | | | 1,025 | | Underlying Cause | Deaths Rate |
| Giardiasis | 5 | Age | Deaths | Rate | Heart Disease (total) | 59 | 218 | |
| Hepatitis Type A | 0 | 1-4 | . | . | Ischemic heart disease | 40 | 148 | |
| Hepatitis Type B** | <5 | 5-14 | 1 | 31 | Cancer (total) | 79 | 292 | |
| Hepatitis NANB/C | 12 | 15-19 | 2 | 110 | Trachea/Bronchus/Lung | 29 | 107 | |
| Legionnaire's | 0 | 20-34 | 3 | 68 | Colorectal | 8 | . | |
| Lyme | 25 | 35-54 | 18 | 226 | Female Breast | 2 | .* | |
| Measles | 0 | 55-64 | 37 | 1,036 | Cerebrovascular Disease | 16 | . | |
| Meningitis, Aseptic | 0 | 65-74 | 48 | 2,017 | Lower Resp. Disease | 20 | 74 | |
| Meningitis, Bacterial | 0 | 75-84 | 82 | 5,503 | Pneumonia & Influenza | 2 | . | |
| Mumps | 0 | 85+ | 83 | 12,969 | Accidents | 21 | 78 | |
| Pertussis | <5 | Infant | | | Motor vehicle | 8 | . | |
| Salmonellosis | 8 | Mortality | Deaths | Rate | Diabetes | 10 | . | |
| Shigellosis | 0 | Total Infant | 3 | . | Infect./Parasitic Dis. | 3 | . | |
| Tuberculosis | 0 | Neonatal | 1 | . | Suicide | 3 | . | |
| | | Postneonatal | 2 | . | | | | |
| * 2007 provisional data. | | Infant Mortality by | | | * Based on female population. | | | |
| ** Includes all positive HBsAg test results. | | Race of Mother | | | ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH | | | |
| | | White | 2 | . | Alcohol | 6 | . | |
| | | Black | . | . | Tobacco Use | 72 | 266 | |
| | | Hispanic | 1 | . | Other Drugs | 3 | . | |
| | | Asian | . | . | | | | |
| | | Other/Unknown | . | . | ----- MOTOR VEHICLE CRASHES ----- | | | |
| | | Infant Mortality by | | | Note: These data are based on location of crash, not on residence. | | | |
| | | Birthweight | | | Type of Motor | Persons | Persons | |
| | | <1,500 gm | . | . | Vehicle Crash | Injured | Killed | |
| | | 1,500-2,499 gm | 1 | . | Total Crashes | 320 | 9 | |
| | | 2,500+ gm | 2 | . | Alcohol-Related | 37 | 1 | |
| | | Unknown | . | . | With Citation: | | | |
| | | Perinatal | | | For OWI | 30 | 0 | |
| | | Mortality | Deaths | Rate | For Speeding | 69 | 0 | |
| | | Total Perinatal | 5 | . | Motorcyclist | 22 | 1 | |
| | | Neonatal | 1 | . | Bicyclist | 5 | 0 | |
| | | Fetal | 4 | . | Pedestrian | 2 | 0 | |
| | | IMMUNIZATIONS | | | | | | |
| Children in Grades K-12 by | | | | | | | | |
| Compliance Level | | | | | | | | |
| Compliant | 4,176 | | | | | | | |
| Non-compliant | 7 | | | | | | | |
| Percent Compliant | 99.8 | | | | | | | |

2007 HOSPITALIZATIONS

| 2007 HOSPITALIZATIONS | | | | | | 2007 HOSPITALIZATIONS | | | | | |
|---|--------|---------------|---------------------|----------------|-------------------|--|--------|---------------|---------------------|----------------|-------------------|
| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita | DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
| Injury-Related: All | | | | | | Alcohol-Related | | | | | |
| Total | 328 | 12.1 | 4.8 | \$25,517 | \$310 | Total | 37 | 1.4 | 4.5 | \$11,776 | \$16 |
| <18 | 24 | 4.1 | 4.9 | \$25,642 | \$106 | 18-44 | 13 | . | . | . | . |
| 18-44 | 69 | 7.9 | 4.3 | \$27,919 | \$221 | 45-64 | 19 | . | . | . | . |
| 45-64 | 96 | 12.0 | 4.7 | \$28,051 | \$337 | Pneumonia and Influenza | | | | | |
| 65+ | 139 | 30.8 | 5.2 | \$22,552 | \$695 | Total | 158 | 5.8 | 4.8 | \$15,809 | \$92 |
| Injury: Hip Fracture | | | | | | <18 | 15 | . | . | . | . |
| Total | 35 | 1.3 | 6.7 | \$32,600 | \$42 | 45-64 | 25 | 3.1 | 4.9 | \$19,389 | \$61 |
| 65+ | 30 | 6.7 | 7.2 | \$34,360 | \$229 | 65+ | 107 | 23.7 | 5.1 | \$15,379 | \$365 |
| Injury: Poisonings | | | | | | Cerebrovascular Disease | | | | | |
| Total | 26 | 1.0 | 3.6 | \$11,341 | \$11 | Total | 88 | 3.3 | 5.0 | \$23,614 | \$77 |
| 18-44 | 8 | . | . | . | . | 45-64 | 19 | . | . | . | . |
| Psychiatric | | | | | | 65+ | 69 | 15.3 | 4.4 | \$18,882 | \$289 |
| Total | 163 | 6.0 | 7.9 | \$9,497 | \$57 | Asthma | | | | | |
| <18 | 29 | 5.0 | 7.5 | \$8,633 | \$43 | Total | 19 | . | . | . | . |
| 18-44 | 74 | 8.5 | 8.1 | \$8,764 | \$74 | <18 | 7 | . | . | . | . |
| 45-64 | 36 | 4.5 | 9.5 | \$10,497 | \$47 | 18-44 | 2 | . | . | . | . |
| 65+ | 24 | 5.3 | 5.5 | \$11,304 | \$60 | 45-64 | 4 | . | . | . | . |
| Coronary Heart Disease | | | | | | 65+ | 6 | . | . | . | . |
| Total | 202 | 7.5 | 2.9 | \$35,434 | \$265 | Other Chronic Obstructive Pulmonary Disease | | | | | |
| 45-64 | 74 | 9.3 | 2.6 | \$36,027 | \$334 | Total | 61 | 2.3 | 4.2 | \$14,473 | \$33 |
| 65+ | 123 | 27.3 | 3.1 | \$34,652 | \$945 | 45-64 | 15 | . | . | . | . |
| Malignant Neoplasms (Cancers): All | | | | | | 65+ | 46 | 10.2 | 4.2 | \$14,219 | \$145 |
| Total | 129 | 4.8 | 5.0 | \$25,827 | \$123 | Drug-Related | | | | | |
| 18-44 | 11 | . | . | . | . | Total | 9 | . | . | . | . |
| 45-64 | 45 | 5.6 | 3.6 | \$22,314 | \$126 | 18-44 | 6 | . | . | . | . |
| 65+ | 71 | 15.7 | 5.7 | \$26,155 | \$412 | Total Hospitalizations | | | | | |
| Neoplasms: Female Breast (rates for female population) | | | | | | Total | 4,075 | 150.8 | 3.8 | \$17,289 | \$2,607 |
| Total | 11 | . | . | . | . | <18 | 528 | 90.9 | 2.7 | \$7,137 | \$649 |
| Neoplasms: Colo-rectal | | | | | | 18-44 | 934 | 107.0 | 3.1 | \$12,351 | \$1,321 |
| Total | 17 | . | . | . | . | 45-64 | 957 | 119.9 | 3.8 | \$21,786 | \$2,613 |
| 65+ | 12 | . | . | . | . | 65+ | 1,656 | 367.2 | 4.5 | \$20,713 | \$7,605 |
| Neoplasms: Lung | | | | | | ----- PREVENTABLE HOSPITALIZATIONS* ----- | | | | | |
| Total | 17 | . | . | . | . | Total | 631 | 23.3 | 3.7 | \$13,030 | \$304 |
| Diabetes | | | | | | <18 | 44 | 7.6 | 2.0 | \$4,975 | \$38 |
| Total | 43 | 1.6 | 3.1 | \$14,696 | \$23 | 18-44 | 68 | 7.8 | 2.2 | \$8,556 | \$67 |
| 65+ | 12 | . | . | . | . | 45-64 | 143 | 17.9 | 3.8 | \$14,297 | \$256 |
| | | | | | | 65+ | 376 | 83.4 | 4.2 | \$14,300 | \$1,192 |
| | | | | | | * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. | | | | | |