----- POPULATION ESTIMATES ------ LONG-TERM CARE ----- LOCAL HEALTH DEPARTMENTS -----Total 2007 Population 4,620 | Community Options and MA Waiver Per 10,000 County population rank (1-72) 72 | as HSRS reports costs for services | Staffing - FTE Number Population Population per square mile Total FTEs 1.0 2.2 13 County rank in population Clients Administrative 1.0 2.2 Costs 67 | COP density (1-72) \$28,806 Public health nurses . | MA Waiver * Oral health prof. Population growth 2003-2007 3 | CIP1A Develop. disabled Envir. health prof. \$0 | Public health educ. County rank in 5-year population growth (1-72) 64 | CIP1B Develop. disabled Nutritionist 12 \$247,515 Other prof. staff Technical/paraprof. Female Male Total | CIP2 Elderly/phys. disab. adults | Age 0 - 14600 630 1,230 \$144,166 Support staff 130 130 260 | 80 80 160 | 150 150 310 | 550 500 1,050 | 15-17 260 COP-W Elderly/phys. disab. adults

 160 |
 25 \$170,179 |
 Funding
 Per capita

 310 |
 CLTS Disabled children
 Total
 \$106,540 \$23.13

 18-19 20-24 550 25-44 620 540 1,160 Brain Injury . \$0 | 230 200 440 Total COP/Wvrs 47 \$590,665 | 45-64 65-84 Facilities 10 10 20 Bed & Breakfast 85+ Total 2,380 2,240 4,620 \$81,575 of the above waiver costs | Camps were paid as local match/overmatch Hotels, Motels using COP funds. This amount is Tourist Rooming Race/ethnicity Female Male Total 590 not included in above COP costs. Pools White 290 290 Afr.Amer. 20 40 Restaurants Amer. Ind. 1,930 1,760 3,700 * Waiver costs reported here
Hispanic 110 130 240 include federal funding.
Asian 10 10 20 Clients Co Body Art Clients Costs ----- WIC PARTICIPANTS -----Total 2,370 2,240 4,620 Eligible and Waiting 0 n/a Pregnant/Postpartum 278 -----Poverty Estimates for 2005----- (Family Care not provided in county) Infants 182 Children, age 1-4 Estimate (%) (C.I.+/-) 468 All ages 26.3% (5.3%) Total 928 Ages 0-17 39.7% (9.1%) | Note: Eligible and waiting clients will be phased into the COP and MA | -----NEW CASES OF CANCER IN 2006---------- EMPLOYMENT ------ Waivers as available. Primary Site Total Cases Rate Average wage for jobs covered Breast 1 42.1 by unemployment compensation \$28,132 Cervical 0 0.0 Colorectal 43.2 (place of work) 2. Lung and Bronchus 5 108.0 Annual 0 | Prostate Labor Force Estimates | Nursing Homes 221.8 Average Civilian Labor Force 1,689 | Licensed beds 0 | Other sites 4 0 | Total 17 86.4 Unemployment rate Unemployment rate 10.1% Residents on Dec.31
5-yr avg. unemployment rate 10.6% Residents age 65 or older 367.2 per 1,000 population 0 | Note: Totals for invasive cancers only. Median HH income (2005) \$30,839 Rate is per 100,000 population. Rank in median HH income (1-72) 72

| TOTAL LIVE BIRTHS 10. | | 102 | Birth Order | | Births | Percent | Marital | | | |
|----------------------------|-------------|-----------|-------------------------------------|----------------------------------|----------------|---------------|--------------|---------------------------------------|----------------|----------|
| | | | First | | 39 | 38 | of Moth | er | Births | Percent |
| Crude Live Birth Rate 22.1 | | Second | | 24 | 24 | Married | | 17 | 17 | |
| General Fertility Rate | | 112.1 | Third | | 22 | 22 | Not ma | rried | 85 | 83 |
| - | | | Fourth or higher | | 17 | 17 | Unknow | n | 0 | 0 |
| Live births with repo | rted | | Unkno | | 0 | 0 | | | | |
| congenital anomalies | | 1 1.0% | | | | | Educati | on | | |
| 3 | | | | | | | of Moth | er | Births | Percent |
| Delivery Type | Births | Percent | 1st Pre | natal Visit | Births | Percent | Elemen | tary or le | ss 3 | 3 |
| Vaginal after | | | 1st trimester | | 80 | 78 | | igh school | | 23 |
| previous cesarean | 0 | 0 | 2nd trimester | | 19 | 19 | High s | | 51 | 50 |
| Forceps | 1 | 1 | 3rd trimester | | 2 | 2 | | ollege | 18 | 18 |
| Other vaginal | 74 | | No visits | | 0 | 0 | | e graduate | _ | 7 |
| Primary cesarean | 13 | 13 | Unknown | | 1 | 1 | Unknown | | | |
| Repeat cesarean | 14 | 14 | 311110 | | _ | - | | | • | - |
| | - 1 | | Prenata | l Visits | Births | Percent | Smoking | Status | | |
| Birthweight | Births | Percent | No vi | | 0 | 0 | of Moth | | Births | Percent |
| <1,500 gm | 1 | 1.0 | 1-4 | | 7 | 7 | Smoker | | 41 | 40 |
| 1,500-2,499 gm | 9 | | 5-9 | | 28 | 27 | Nonsmo | | 60 | 59 |
| 2,500+ gm | 92 | 90.2 | 10-12 | | 33 | 32 | Unknow | | 1 | 1 |
| Unknown | 0 | 0 | 13+ | | 25 | 25 | ommio. | | - | _ |
| OIIIIIOWII | · · | · · | Unkno | wn | 9 | 9 | | | | |
| | | | Low Birthweight (under 2,500 gm) | | | rimester | | | | 'Unknown |
| Race/Ethnicity | Births F | Percent | Births | Percent | Births | Percent | Births | Percent | Births | Percent |
| White | 5 | 5 | 1 | 20.0 | 5 | 100 | | | | |
| Black/Afr.American | 0 | 0 | • | • | | • | • | | | |
| American Indian | 94 | 92 | 8 | 8.5 | 73 | 78 | 18 | 19 | 3 | 3 |
| Hispanic/Latino | 3 | 3 | * | | * | | * | • | * | |
| Asian | 0 | 0 | | • | | | | | | |
| Other/Unknown | 0 | 0 | | • | | | | | | |
| | | | Low Birt | hweight | | Trimest | er of Fir | ct Drenata | 1 Wigit | |
| | T-c | Fertility | | Low Birthweight (under 2,500 gm) | | 1st Trimester | | er of First Prenatal 2nd Trimester | | 'Unknown |
| Age of Mother | Births Rate | | Births | | Births Percent | | | | Births Percent | |
| <15 | 1 | rate | # bil ciis | | * | | * | | * DIT (112 | FCTCEIIC |
| 15-17 | 15 | 115 | 2 | 13.3 | 11 | 73 | 4 | 27 | | • |
| 18-19 | 13 | 163 | ۷ | 13.3 | 9 | 73 69 | 4 | 31 | • | • |
| 20-24 | 32 | 213 | 3 | 9.4 | 24 | 75 | 1 | 16 | . 3 | 9 |
| 25-29 | | _ | 3 | 13.3 | | | 2 | | 3 | Э |
| | 15 17 | 107 | 2 | 13.3 | 13 | 87 | ۷ | 13 | • | • |
| 30-34 | | 142 | • | • | 17 * | 100 | • | • | • | • |
| 35-39 | 4 | 31 | ^ | | | | • | | ^ | • |
| 40+ Unknown | 5 | 31 | 3 | 60.0 | 2 | 40 | 3 | 60 | • | • |
| UHKNOWN | 0 | | | • | | • | | | | |
| 0111110 1111 | | | | | | | | | | |

Third of four pages

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED CASES OF COMMUTABLE DISEASES* fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease Number | TOTAL DEATHS Selected Crude Death Rate 801 Underlying Cause Deaths Rate Campylobacter Enteritis <5 Heart Disease (total) 6 . Giardiasis <5 | Hepatitis Type A Hepatitis Type B** Ischemic heart disease 5 . 0 [0 Age Deaths Rate Cancer (total) 10 <5 | 1-4 . . Trachea/Bronchus/Lung 5
. . Colorectal 1
1 238 Female Breast . Hepatitis NANB/C 0 | 5-14 <5 | 15-19 Legionnaire's Lyme Measles Lyme 123 | Cerebrovascular Disease 0 | 20-34 1 Meningitis, Aseptic Meningitis, Bacterial 0 | 35-54 7 598 0 | 55-64 5 943 Lower Resp. Disease 3 Pneumonia & Influenza 0 | 65-74 Mumps 9 2,813 Accidents 0 | 75-84 8 6,667 0 | 85+ 3 15,000 Pertussis Salmonellosis Motor vehicle 1 Diabetes Diabetes
Infect./Parasitic Dis. 1 0 Shigellosis Tuberculosis 0 | Infant Suicide Mortality Deaths Rate * 2007 provisional data. Total Infant 3 .

Neonatal 2 .

Postneonatal 1 . * Based on female population. ** Includes all positive HBsAq test results. ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH Infant Mortality by Race of Mother Alcohol Sexually Transmitted Disease Chlamydia Trachomatis 46 White Genital Herpes <5 | Black 17 | Hispanic . Gonorrhea Asian Syphilis 0 | Other/Unknown 3 . ----- MOTOR VEHICLE CRASHES -----Infant Mortality by | Note: These data are based on location ----- IMMUNIZATIONS -----Birthweight of crash, not on residence. Type of Motor Persons Persons
Vehicle Crash Injured Killed
Total Crashes 16 0
Alcohol-Related 4 0 Percent Compliant 100.0 Perinatal With Citation: Mortality Deaths Rate For OWI
Total Perinatal 2 . For Speeding 4 0 Motorcyclist
Bicyclist 2 Neonatal 0 Fetal . Pedestrian

PAGE 3

| | | | | | - 2007 HOSP | ITALIZATIONS | | | | | |
|--------------------|-----------|---------|---------|-----------|----------------|----------------------|-------------|---------|-----------|-----------|----------|
| | | Per | Average | | Charge | | | Per | Average | | Charge |
| DISEASE / | | 1,000 | Stay | Average | Per | DISEASE / | | 1,000 | Stay | Average | Per |
| AGE GROUP | Number | Pop | (Days) | Charge | Capita | AGE GROUP | Number | Pop | (Days) | Charge | Capita |
| Injury-Related: | All | | | | | Alcohol-Relate | ed | | | | |
| Total | 70 | 15.2 | 4.6 | \$25,928 | \$393 | Total | 47 | 10.2 | 3.8 | \$6,224 | \$63 |
| <18 | 15 | • | • | | | 18-44 | 31 | 20.5 | 3.3 | \$5,472 | \$112 |
| 18-44 | 29 | 19.2 | 4.2 | \$25,483 | \$489 | 45-64 | 12 | | | | |
| 45-64 | 15 | • | • | | | Pneumonia and | Influenza | | | | |
| 65+ | 11 | • | • | | | Total | 55 | 11.9 | 3.0 | \$8,793 | \$105 |
| Injury: Hip F | racture | | | | | <18 | 11 | | | | |
| Total | 2 | • | • | | | 45-64 | 13 | | | | |
| 65+ | 1 | | | | | 65+ | 23 | 50.0 | 3.7 | \$11,128 | \$556 |
| Injury: Poisonings | | | | | Cerebrovascula | ar Disease | | | | | |
| Total | 4 | | | | | Total | 8 | | | | |
| 18-44 | 3 | • | • | | | 45-64 | 3 | | | | |
| | | | | | | 65+ | 5 | | | | |
| Psychiatric | | | | | | Asthma | | | | | |
| Total | 47 | 10.2 | 5.9 | \$6,047 | \$62 | Total | 10 | | | | |
| <18 | 15 | | | | | <18 | 3 | | | | |
| 18-44 | 28 | 18.5 | 6.7 | \$5,511 | \$102 | 18-44 | 0 | | | | |
| 45-64 | 3 | • | • | | | 45-64 | 7 | | | | |
| 65+ | 1 | | | | • | 65+ | 0 | | | | • |
| | | | | | | Other Chronic | Obstructiv | e Pulmo | nary Dis | sease | |
| Coronary Heart | Disease | | | | | Total | 14 | | | | • |
| Total | 19 | | | | | 45-64 | 7 | | | | |
| 45-64 | 6 | | | | | 65+ | 7 | | | | |
| 65+ | 12 | • | | | • | | | | | | |
| | | | | | | Drug-Related | | | | | |
| Malignant Neopl | asms (Can | cers): | All | | | Total | 10 | | | | • |
| Total | 17 | • | | | • | 18-44 | 7 | | | | • |
| 18-44 | 1 | | | | | | | | | | |
| 45-64 | 8 | • | | | • | Total Hospital | lizations | | | | |
| 65+ | 8 | | | | | Total | 820 | 177.5 | 3.6 | \$12,975 | \$2,303 |
| Neoplasms: Fe | male Brea | ast (ra | tes for | female po | pulation) | <18 | 195 | 130.9 | 3.1 | \$6,812 | \$892 |
| Total | 0 | • | • | | • | 18-44 | 278 | 184.1 | 3.3 | \$10,250 | \$1,887 |
| Neoplasms: Co | lo-rectal | - | | | | 45-64 | 164 | 141.4 | 3.9 | \$17,635 | \$2,493 |
| Total | 4 | • | • | | • | 65+ | 183 | 397.8 | 4.5 | \$19,503 | \$7,759 |
| 65+ | 3 | | | | | | | | | | |
| Neoplasms: Lu | ng | | | | | I | PREVENTABLE | HOSPIT | 'ALIZATIO | ONS* | |
| Total | 1 | • | • | | | Total | 123 | 26.6 | 3.2 | \$9,296 | \$247 |
| | | | | | | <18 | 9 | 6.0 | 1.6 | \$3,172 | \$19 |
| Diabetes | | | | | | 18-44 | 24 | 15.9 | 2.8 | \$8,971 | \$143 |
| Total | 15 | • | • | | | 45-64 | 37 | 31.9 | 3.5 | \$11,120 | \$355 |
| 65+ | 7 | • | • | | • | 65+ | | 115.2 | 3.4 | | \$1,061 |
| | | | | | | * Hospitalization | | | | | |
| | | | | | | ambulatory care | can reduce | the lik | elihood | of hognit | alizatio |