

| ----- POPULATION ESTIMATES ----- | | | | ----- LONG-TERM CARE ----- | | ----- LOCAL HEALTH DEPARTMENTS ----- | | |
|--|--|--|--|---|--|---|--|--------------|
| Total 2007 Population 1,221,030 | | | | Community Options and MA Waiver as HSRS reports costs for services | | Staffing - FTE | | Per 10,000 |
| County population rank (1-72) . | | | | | | Number | | Population |
| Population per square mile . | | | | | | Total FTEs | | 338.9 |
| County rank in population density (1-72) . | | | | Clients Costs | | Administrative | | 35.3 |
| Population growth 2003-2007 . | | | | COP 251 \$5,477,709 | | Public health nurses | | 126.8 |
| County rank in 5-year population growth (1-72) . | | | | MA Waiver * | | Oral health prof. | | 2.3 |
| Age Female Male Total | | | | CIP1A Develop. disabled | | Envir. health prof. | | 29.6 |
| 0-14 114,240 119,390 233,640 | | | | 231 \$18,489,376 | | Public health educ. | | 9.2 |
| 15-17 24,720 26,230 50,950 | | | | CIP1B Develop. disabled | | Nutritionist | | 10.1 |
| 18-19 16,640 17,750 34,380 | | | | 2,676 \$89,017,955 | | Other prof. staff | | 32.9 |
| 20-24 38,910 41,240 80,150 | | | | CIP2 Elderly/phys. disab. adults | | Technical/paraprof. | | 46.3 |
| 25-44 158,710 170,730 329,440 | | | | 1,286 \$20,717,891 | | Support staff | | 44.9 |
| 45-64 162,180 165,480 327,660 | | | | COP-W Elderly/phys. disab. adults | | Funding | | Per capita |
| 65-84 75,810 63,060 138,870 | | | | 1,877 \$20,190,337 | | Total | | \$25,991,410 |
| 85+ 17,950 7,990 25,940 | | | | CLTS Disabled children | | Local Taxes | | \$12,998,100 |
| Total 609,160 611,870 1,221,030 | | | | 771 \$12,368,155 | | ---- LICENSED ESTABLISHMENTS, 2006 ---- | | |
| Race/ethnicity Female Male Total | | | | Brain Injury 55 \$2,742,862 | | Type | | Facilities |
| White 564,230 559,490 1,123,710 | | | | Total COP/Wvrs 7,147 \$169,004,284 | | Bed & Breakfast | | 98 |
| Afr. Amer. 5,660 9,190 14,850 | | | | \$6,311,479 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs. | | Camps | | 266 |
| Amer. Ind. 9,280 9,050 18,330 | | | | * Waiver costs reported here include federal funding. | | Hotels, Motels | | 602 |
| Hispanic 18,450 22,600 41,050 | | | | Clients Costs | | Tourist Rooming | | 730 |
| Asian 11,540 11,530 23,070 | | | | Eligible and Waiting 2,554 n/a | | Pools | | 736 |
| Total 609,160 611,870 1,221,030 | | | | (Family Care data not available) | | Restaurants | | 3,846 |
| -----Poverty Estimates for 2005----- | | | | Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available. | | Body Art | | 53 |
| Estimate (%) (C.I.+/-) | | | | | | ----- WIC PARTICIPANTS ----- | | Number |
| All ages not available | | | | | | Pregnant/Postpartum | | 11,691 |
| Ages 0-17 available | | | | | | Infants | | 8,182 |
| ----- EMPLOYMENT ----- | | | | | | Children, age 1-4 | | 19,666 |
| Average wage for jobs covered by unemployment compensation (place of work) N/A | | | | | | Total | | 39,539 |
| Labor Force Estimates Annual Average | | | | | | -----NEW CASES OF CANCER IN 2006----- | | Rate |
| Civilian Labor Force 677,262 | | | | Nursing Homes 100 | | Primary Site | | Total Cases |
| Unemployment rate 4.9% | | | | Licensed beds 9,680 | | Breast | | 784 |
| 5-yr avg. unemployment rate . % | | | | Residents on Dec.31 10,108 | | Cervical | | 32 |
| Median HH income (2005) . | | | | Residents age 65 or older per 1,000 population 44 | | Colorectal | | 611 |
| Rank in median HH income (1-72) . | | | | | | Lung and Bronchus | | 778 |
| | | | | | | Prostate | | 926 |
| | | | | | | Other sites | | 2,973 |
| | | | | | | Total | | 6,104 |
| | | | | | | Note: Totals for invasive cancers only. Rate is per 100,000 population. | | |

NATALITY

| TOTAL LIVE BIRTHS | | 15,130 | | Birth Order | | Births | | Percent | | Marital Status | |
|--|--|----------------|--|--------------------|--|----------------|--|---------|--|--------------------------|--|
| | | | | First | | 5,859 | | 39 | | of Mother | |
| Crude Live Birth Rate | | 12.4 | | Second | | 5,088 | | 34 | | Married | |
| General Fertility Rate | | 63.3 | | Third | | 2,517 | | 17 | | Not married | |
| | | | | Fourth or higher | | 1,666 | | 11 | | Unknown | |
| Live births with reported congenital anomalies | | 252 1.7% | | Unknown | | 0 | | 0 | | | |
| | | | | | | | | | | Education of Mother | |
| Delivery Type | | Births Percent | | 1st Prenatal Visit | | Births Percent | | | | Elementary or less | |
| Vaginal after previous cesarean | | 182 1 | | 1st trimester | | 12,722 84 | | | | Some high school | |
| Forceps | | 196 1 | | 2nd trimester | | 1,855 12 | | | | High school | |
| Other vaginal | | 10,961 72 | | 3rd trimester | | 341 2 | | | | Some college | |
| Primary cesarean | | 2,143 14 | | No visits | | 72 <.5 | | | | College graduate | |
| Repeat cesarean | | 1,648 11 | | Unknown | | 140 1 | | | | Unknown | |
| | | | | Prenatal Visits | | Births Percent | | | | Smoking Status of Mother | |
| Birthweight | | Births Percent | | No visits | | 72 <.5 | | | | Smoker | |
| <1,500 gm | | 149 1.0 | | 1-4 | | 312 2 | | | | Nonsmoker | |
| 1,500-2,499 gm | | 868 5.7 | | 5-9 | | 2,934 19 | | | | Unknown | |
| 2,500+ gm | | 14,113 93.3 | | 10-12 | | 6,735 45 | | | | | |
| Unknown | | 0 0 | | 13+ | | 4,738 31 | | | | | |
| | | | | Unknown | | 339 2 | | | | | |

| Race/Ethnicity | Births Percent | | Low Birthweight (under 2,500 gm) | | Trimester of First Prenatal Visit | | | | | |
|--------------------|----------------|---------|----------------------------------|---------|-----------------------------------|----|---------------|----|---------------|----|
| | Births | Percent | Births | Percent | 1st Trimester | | 2nd Trimester | | Other/Unknown | |
| White | 12,799 | 85 | 854 | 6.7 | 11,222 | 88 | 1,215 | 9 | 362 | 3 |
| Black/Afr.American | 182 | 1 | 26 | 14.3 | 121 | 66 | 41 | 23 | 20 | 11 |
| American Indian | 458 | 3 | 28 | 6.1 | 322 | 70 | 98 | 21 | 38 | 8 |
| Hispanic/Latino | 1,080 | 7 | 64 | 5.9 | 714 | 66 | 276 | 26 | 90 | 8 |
| Asian | 606 | 4 | 45 | 7.4 | 340 | 56 | 224 | 37 | 42 | 7 |
| Other/Unknown | 5 | <.5 | . | . | 3 | 60 | 1 | 20 | 1 | 20 |

| Age of Mother | Fertility | | Low Birthweight (under 2,500 gm) | | Trimester of First Prenatal Visit | | | | | |
|---------------|-----------|------|----------------------------------|---------|-----------------------------------|----|---------------|----|---------------|---|
| | Births | Rate | Births | Percent | 1st Trimester | | 2nd Trimester | | Other/Unknown | |
| <15 | 9 | -- | . | . | 2 | 22 | 5 | 56 | . | . |
| 15-17 | 321 | 13 | 25 | 7.8 | 164 | 51 | 116 | 36 | . | . |
| 18-19 | 827 | 50 | 60 | 7.3 | 580 | 70 | 201 | 24 | . | . |
| 20-24 | 3,535 | 91 | 250 | 7.1 | 2,787 | 79 | 585 | 17 | . | . |
| 25-29 | 4,980 | 130 | 321 | 6.4 | 4,355 | 87 | 484 | 10 | . | . |
| 30-34 | 3,643 | 104 | 233 | 6.4 | 3,270 | 90 | 269 | 7 | . | . |
| 35-39 | 1,503 | 38 | 103 | 6.9 | 1,317 | 88 | 143 | 10 | . | . |
| 40+ | 311 | 7 | 25 | 8.0 | 247 | 79 | 52 | 17 | . | . |
| Unknown | 1 | -- | * | . | * | . | * | . | * | . |

Teenage Births 1,157 28 * Data not reported if age or race category has less than 5 births.

| ----- MORBIDITY ----- | | ----- MORTALITY ----- | | | | | |
|--|---------|---|--------|--------|---|--------------------------------|--|
| REPORTED CASES OF COMMUTABLE DISEASES* | | Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths. | | | | | |
| Disease | Number | TOTAL DEATHS | 10,164 | | Selected | | |
| Campylobacter Enteritis | 247 | Crude Death Rate | 832 | | Underlying Cause | Deaths Rate | |
| Giardiasis | 88 | | | | Heart Disease (total) | 2,547 209 | |
| Hepatitis Type A | 5 | Age | Deaths | Rate | Ischemic heart disease | 1,502 123 | |
| Hepatitis Type B** | 50 | 1-4 | 9 | 15 | Cancer (total) | 2,324 190 | |
| Hepatitis NANB/C | 215 | 5-14 | 24 | 15 | Trachea/Bronchus/Lung | 582 48 | |
| Legionnaire's | <5 | 15-19 | 55 | 64 | Colorectal | 205 17 | |
| Lyme | 211 | 20-34 | 225 | 96 | Female Breast | 149 24* | |
| Measles | 0 | 35-54 | 825 | 225 | Cerebrovascular Disease | 599 49 | |
| Meningitis, Aseptic | 33 | 55-64 | 983 | 720 | Lower Resp. Disease | 542 44 | |
| Meningitis, Bacterial | <5 | 65-74 | 1,489 | 1,824 | Pneumonia & Influenza | 229 19 | |
| Mumps | 24 | 75-84 | 2,715 | 4,738 | Accidents | 545 45 | |
| Pertussis | 54 | 85+ | 3,756 | 14,468 | Motor vehicle | 187 15 | |
| Salmonellosis | 223 | | | | Diabetes | 251 21 | |
| Shigellosis | 58 | Infant | | | Infect./Parasitic Dis. | 159 13 | |
| Tuberculosis | 8 | Mortality | Deaths | Rate | Suicide | 193 16 | |
| | | Total Infant | 83 | 5.5 | | | |
| * 2007 provisional data. | | Neonatal | 51 | 3.4 | * Based on female population. | | |
| ** Includes all positive HBsAg test results. | | Postneonatal | 32 | 2.1 | | | |
| | | Infant Mortality by | | | ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH | | |
| Sexually Transmitted Disease | | Race of Mother | | | Alcohol | 197 16 | |
| Chlamydia Trachomatis | 2,592 | White | 61 | 4.8 | Tobacco Use | 1,685 138 | |
| Genital Herpes | 692 | Black | 3 | . | Other Drugs | 92 8 | |
| Gonorrhea | 494 | Hispanic | 10 | . | | | |
| Syphilis | 12 | Asian | 3 | . | | | |
| | | Other/Unknown | 6 | . | ----- MOTOR VEHICLE CRASHES ----- | | |
| | | Infant Mortality by | | | Note: These data are based on location of crash, not on residence. | | |
| ----- IMMUNIZATIONS ----- | | Birthweight | | | Type of Motor Vehicle Crash | Persons Persons Injured Killed | |
| Children in Grades K-12 by Compliance Level | | <1,500 gm | 36 | 241.6 | Total Crashes | 9,894 172 | |
| Compliant | 214,109 | 1,500-2,499 gm | 18 | . | Alcohol-Related | 1,274 97 | |
| Non-compliant | 1,509 | 2,500+ gm | 29 | 2.1 | With Citation: | | |
| Percent Compliant | 99.3 | Unknown | . | . | For OWI | 1,037 13 | |
| | | Perinatal | | | For Speeding | 788 2 | |
| | | Mortality | Deaths | Rate | Motorcyclist | 592 21 | |
| | | Total Perinatal | 121 | 8.0 | Bicyclist | 265 3 | |
| | | Neonatal | 51 | 3.4 | Pedestrian | 190 9 | |
| | | Fetal | 70 | 4.6 | | | |

2007 HOSPITALIZATIONS

| 2007 HOSPITALIZATIONS | | | | | | 2007 HOSPITALIZATIONS | | | | | |
|---|--------|---------------|---------------------|----------------|-------------------|--|---------|---------------|---------------------|----------------|-------------------|
| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita | DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
| Injury-Related: All | | | | | | Alcohol-Related | | | | | |
| Total | 10,282 | 8.4 | 4.4 | \$23,424 | \$197 | Total | 2,829 | 2.3 | 3.2 | \$6,276 | \$15 |
| <18 | 749 | 2.6 | 3.5 | \$21,006 | \$55 | 18-44 | 1,426 | 3.2 | 2.7 | \$4,494 | \$14 |
| 18-44 | 2,351 | 5.3 | 4.2 | \$23,973 | \$127 | 45-64 | 1,182 | 3.6 | 3.3 | \$7,216 | \$26 |
| 45-64 | 2,707 | 8.3 | 4.6 | \$25,251 | \$209 | Pneumonia and Influenza | | | | | |
| 65+ | 4,475 | 27.1 | 4.6 | \$22,434 | \$609 | Total | 3,569 | 2.9 | 4.1 | \$12,952 | \$38 |
| Injury: Hip Fracture | | | | | | <18 | 429 | 1.5 | 2.8 | \$7,816 | \$12 |
| Total | 1,218 | 1.0 | 4.7 | \$23,836 | \$24 | 45-64 | 619 | 1.9 | 4.2 | \$14,765 | \$28 |
| 65+ | 1,114 | 6.8 | 4.7 | \$23,834 | \$161 | 65+ | 2,274 | 13.8 | 4.4 | \$13,524 | \$187 |
| Injury: Poisonings | | | | | | Cerebrovascular Disease | | | | | |
| Total | 878 | 0.7 | 2.3 | \$9,382 | \$7 | Total | 3,224 | 2.6 | 3.6 | \$18,527 | \$49 |
| 18-44 | 457 | 1.0 | 2.3 | \$9,364 | \$10 | 45-64 | 792 | 2.4 | 4.2 | \$24,416 | \$59 |
| Psychiatric | | | | | | 65+ | 2,320 | 14.1 | 3.3 | \$15,924 | \$224 |
| Total | 7,156 | 5.9 | 6.8 | \$7,996 | \$47 | Asthma | | | | | |
| <18 | 1,494 | 5.2 | 7.6 | \$9,129 | \$48 | Total | 754 | 0.6 | 2.9 | \$8,632 | \$5 |
| 18-44 | 3,567 | 8.0 | 6.2 | \$6,849 | \$55 | <18 | 244 | 0.9 | 2.2 | \$5,709 | \$5 |
| 45-64 | 1,592 | 4.9 | 7.3 | \$8,686 | \$42 | 18-44 | 132 | 0.3 | 2.4 | \$7,029 | \$2 |
| 65+ | 503 | 3.1 | 6.5 | \$10,581 | \$32 | 45-64 | 191 | 0.6 | 3.4 | \$10,410 | \$6 |
| Coronary Heart Disease | | | | | | 65+ | 187 | 1.1 | 3.8 | \$11,762 | \$13 |
| Total | 5,893 | 4.8 | 3.3 | \$37,723 | \$182 | Other Chronic Obstructive Pulmonary Disease | | | | | |
| 45-64 | 2,147 | 6.6 | 2.9 | \$39,613 | \$260 | Total | 1,421 | 1.2 | 3.8 | \$11,588 | \$13 |
| 65+ | 3,493 | 21.2 | 3.6 | \$36,598 | \$775 | 45-64 | 337 | 1.0 | 3.5 | \$11,866 | \$12 |
| Malignant Neoplasms (Cancers): All | | | | | | 65+ | 1,037 | 6.3 | 3.8 | \$11,321 | \$71 |
| Total | 4,827 | 4.0 | 5.7 | \$29,272 | \$116 | Drug-Related | | | | | |
| 18-44 | 373 | 0.8 | 5.2 | \$31,043 | \$26 | Total | 612 | 0.5 | 8.6 | \$9,459 | \$5 |
| 45-64 | 1,849 | 5.6 | 5.1 | \$28,368 | \$160 | 18-44 | 348 | 0.8 | 5.5 | \$6,217 | \$5 |
| 65+ | 2,528 | 15.3 | 5.9 | \$27,633 | \$424 | Total Hospitalizations | | | | | |
| Neoplasms: Female Breast (rates for female population) | | | | | | Total | 131,728 | 107.9 | 3.8 | \$16,585 | \$1,789 |
| Total | 294 | 0.5 | 2.1 | \$18,440 | \$9 | <18 | 23,101 | 81.2 | 3.4 | \$8,554 | \$694 |
| Neoplasms: Colo-rectal | | | | | | 18-44 | 33,096 | 74.5 | 3.2 | \$11,128 | \$829 |
| Total | 614 | 0.5 | 7.6 | \$30,048 | \$15 | 45-64 | 28,971 | 88.4 | 4.0 | \$22,355 | \$1,976 |
| 65+ | 395 | 2.4 | 8.0 | \$31,316 | \$75 | 65+ | 46,560 | 282.4 | 4.3 | \$20,857 | \$5,890 |
| Neoplasms: Lung | | | | | | ----- PREVENTABLE HOSPITALIZATIONS* ----- | | | | | |
| Total | 440 | 0.4 | 5.7 | \$27,434 | \$10 | Total | 13,760 | 11.3 | 3.8 | \$12,950 | \$146 |
| Diabetes | | | | | | <18 | 1,298 | 4.6 | 2.5 | \$8,888 | \$41 |
| Total | 1,230 | 1.0 | 4.0 | \$16,033 | \$16 | 18-44 | 1,394 | 3.1 | 3.3 | \$12,827 | \$40 |
| 65+ | 419 | 2.5 | 4.8 | \$18,517 | \$47 | 45-64 | 2,857 | 8.7 | 3.8 | \$14,784 | \$129 |
| | | | | | | 65+ | 8,211 | 49.8 | 4.0 | \$12,975 | \$646 |
| | | | | | | * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. | | | | | |