----- POPULATION ESTIMATES ------ LONG-TERM CARE ----- LOCAL HEALTH DEPARTMENTS -----Total 2007 Population 38,560 | Community Options and MA Waiver Per 10,000 Staffing - FTE Number Population County population rank (1-72) 38 | as HSRS reports costs for services Population per square mile Total FTEs 10.5 2.7 County rank in population Clients Administrative 1.0 0.3 Costs 41 | COP density (1-72) 5 \$74,095 Public health nurses 3.1 0.8 MA Waiver * Oral health prof. . Envir. health prof.

Public health educ.

1.0

0.3 Population growth 2003-2007 1,272 | CIP1A Develop. disabled County rank in 5-year 11 \$1,284,694 | population growth (1-72) 31 | CIP1B Develop. disabled Other prof. staff 2.1
Technical/paraprof. 2.4 78 \$4,385,218 0.5 0.6 Female Male Total | CIP2 Elderly/phys. disab. adults | Age 0 - 143,370 3,540 6,910 21 \$607,435 Support staff 0.1 1,570 COP-W Elderly/phys. disab. adults 15-17 760 820 36 \$370,031 | Funding Per capita
CLTS Disabled children | Total \$767,103 \$19.69 18-19 550 570 1,130 1,000 1,040 2.050 CLTS Disabled children 20-24 4,770 4,830 9,600 25 \$426,103 Local Taxes \$420,826 \$10.80 25-44 5,540 5,940 2,600 2,460 11,480 Brain Injury 4 \$325,758 | 5,060 Total COP/Wvrs 180 \$7,473,334 | 45-64 ---- LICENSED ESTABLISHMENTS, 2006 ----65-84 Facilities 260 760 Bed & Breakfast 85+ 500 Total 19,090 19,470 38,560 \$434,927 of the above waiver costs | Camps 19 were paid as local match/overmatch Hotels, Motels 2.5 Tourist Rooming using COP funds. This amount is Race/ethnicity Female Male Total 22 White 18,620 19,000 37,610 not included in above COP costs. Pools 60 80 140 Afr.Amer. Restaurants 183

 Amer. Ind.
 180
 180
 360

 Hispanic
 170
 150
 320

 Asian
 70
 50
 130

 360 * Waiver costs reported here Body Art 320 include federal funding. Clients Costs | ----- WIC PARTICIPANTS -----Total Waiting 148 n/a Pregnant/Postpartum 283 -----Poverty Estimates for 2005----- (Family Care not provided in county) Infants 206 Children, age 1-4 Estimate (%) (C.I.+/-) 507 All ages 8.7% (1.5%) Total 996 Ages 0-17 11.1% (2.4%) | Note: Eligible and waiting clients will be phased into the COP and MA | -----NEW CASES OF CANCER IN 2006---------- EMPLOYMENT ------ | Waivers as available. Primary Site Total Cases Rate Average wage for jobs covered Breast 17 88.9 by unemployment compensation \$26,099 Cervical 2 10.5 Colorectal 18 46.6 (place of work) Lung and Bronchus 30 Annual 77.7 154.0 Labor Force Estimates Average | Nursing Homes 4 | Prostate 30 258 | Other sites 127 207 | Total 224 Civilian Labor Force 20,610 | Licensed beds 329.1 Unemployment rate 6.2% Residents on Dec.31 5-yr avg. unemployment rate 6.2% Residents age 65 or older 580.4 per 1,000 population 34 Note: Totals for invasive cancers only. Rate is per 100,000 population. Median HH income (2005) \$44,670 Rank in median HH income (1-72) 30

| Crude Live Birth Rate 10.3 Second 141 36 Married 291 7 7 7 7 7 7 7 7 7 | | | | | NATA | ALITY | | | | | |
|--|----------------------------|-----------|---------|------------------|-------------|----------------|---------|------------------|----------------|---------------|---|
| Concern Fertility Rate Second 141 36 | TOTAL LIVE BIRTHS | | | | | Births Percent | | Marital | Status | | |
| Crude Live Birth Rate 10.3 Second 141 36 Married 291 70 70 70 70 70 70 70 7 | | | | First | | 158 | 40 | of Moth | er | Births | Percent |
| Fourth or higher congenital anomalies | Crude Live Birth Rate 10.3 | | Second | | 141 | 36 | Married | | 291 | 73 | |
| Distribution Dist | | | 56.1 | | | 63 | 16 | | | 106 | 27 |
| Distribution Congenitation | | | | Fourt: | h or higher | 35 | 9 | Unknow | n | 0 | 0 |
| Education Substitute Subs | Live births with repo | orted | | | | | | | | | |
| Delivery Type | | | 4 1.0% | | | | | Education | on | | |
| Vaginal after | | | | | | | | of Moth | er | Births | Percent |
| Vaginal after | Delivery Type | Births | Percent | 1st Pre | natal Visit | Births | Percent | Elemen | tarv or les | ss 9 | 2 |
| Previous cesarean 3 | | | | 1st t | rimester | 336 | 85 | | | | 8 |
| Other vaginal 295 | | 3 | 1 | | | 51 | 13 | High s | chool | 123 | 31 |
| Other vaginal 295 | = | | | 3rd t | rimester | 7 | | Some c | ollege | 119 | 30 |
| Primary cesarean 10 | Other vaginal | | | | | 1 | | College graduate | | 112 | 28 |
| Repeat cesarean | | | | | | | | | | | <.5 |
| Prenatal Visits | | | | | | _ | _ | 5 | | _ | . 5 |
| Birthweight | | | 0 | Prenata | l Visits | Births | Percent | Smokina | Status | | |
| <pre>1,500 gm</pre> | Birthweight | Births | Percent | | | | | | | Births | Percent |
| 1,500-2,499 gm | | | | | | | | | | | 21 |
| 2,500+ gm | _ | | | | | | | | | _ | 79 |
| Unknown 0 0 13+ 115 29 | | 372 | 93.7 | | | | | | | | |
| Unknown 1 | | | | | | | ~ - | 0111110 | · - | _ | |
| Low Birthweight (under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknow Births Percent Birth | OIIIII OWII | Ü | · · | _ | wn | _ | | | | | |
| White 380 96 23 6.1 323 85 49 13 8 Black/Afr.American 0 0 . | | | | | | | | | | | 'IInknown |
| White 380 96 23 6.1 323 85 49 13 8 Black/Afr.American 0 0 . | Race/Ethnicity | Births F | Percent | Rirths | Percent | Births | Percent | Births | Percent | Births | Percent |
| Black/Afr.American | | | | 23 | 6 1 | 323 | 85 | 49 | 13 | | |
| American Indian 13 3 1 7.7 9 69 2 15 2 1 Hispanic/Latino 4 1 * * * * * Asian 0 0 0 | | | | | | | | | | | _ |
| Hispanic/Latino | | | | | | | | | | 2 | 15 |
| Asian 0 0 0 | Hispanic/Latino | 4 | 1 | - | | - | | | | | |
| Other/Unknown 0 0 . < | Asian | 0 | 0 | | | | | | - | _ | |
| Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknown Age of Mother Births Rate Births Percent Births Percent Births Percent Births Percent Sirths Percent Births Percent Births Percent Sirths Percent Births Percent Sirths Percent S | | 0 | 0 | | | | | | | | |
| Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/Unknow Age of Mother Births Rate Births Percent Births Percent Births Percent Births Percent Sirths Percent Births Percent Births Percent Sirths Percent Births Percent Sirths Percent Si | , | | | | | | | | | | |
| <pre><15 0</pre> | | | | | | | | | | | |
| <15 | | Fertility | | (under 2,500 gm) | | 1st Trimester | | 2nd Trimester | | Other/Unknown | |
| 15-17 5 7 . . . 3 60 2 40 . 18-19 26 47 4 15.4 17 65 9 35 . 20-24 89 89 7 7.9 71 80 13 15 5 25-29 135 138 9 6.7 114 84 17 13 4 30-34 95 100 4 4.2 88 93 6 6 1 35-39 34 26 1 2.9 31 91 3 9 . 40+ 13 8 . . 12 92 1 8 . | _ | | | Births | Percent | Births | Percent | Births | Percent | Births | Percent |
| 18-19 26 47 4 15.4 17 65 9 35 . 20-24 89 89 7 7.9 71 80 13 15 5 25-29 135 138 9 6.7 114 84 17 13 4 30-34 95 100 4 4.2 88 93 6 6 1 35-39 34 26 1 2.9 31 91 3 9 . 40+ 13 8 . . 12 92 1 8 . | | - | | • | • | | | | • | • | |
| 20-24 89 89 7 7.9 71 80 13 15 5 25-29 135 138 9 6.7 114 84 17 13 4 30-34 95 100 4 4.2 88 93 6 6 1 35-39 34 26 1 2.9 31 91 3 9 . 40+ 13 8 . . 12 92 1 8 . | | _ | | | | | | | | | • |
| 25-29 135 138 9 6.7 114 84 17 13 4 30-34 95 100 4 4.2 88 93 6 6 1 35-39 34 26 1 2.9 31 91 3 9 . 40+ 13 8 . . 12 92 1 8 . | | | | | | | | | | | |
| 30-34 95 100 4 4.2 88 93 6 6 1 35-39 34 26 1 2.9 31 91 3 9 . 40+ 13 8 . . 12 92 1 8 . | | | | | | | | | _ | | 6 |
| 35-39 34 26 1 2.9 31 91 3 9 . 40+ 13 8 . . 12 92 1 8 . | | | 138 | 9 | 6.7 | 114 | 84 | 17 | 13 | 4 | 3 |
| 40+ 13 8 12 92 1 8 . | | | | 4 | | | | 6 | 6 | 1 | 1 |
| | 35-39 | 34 | 26 | 1 | 2.9 | 31 | 91 | 3 | 9 | | |
| Unknown 0 | 40+ | 13 | 8 | | • | 12 | 92 | 1 | 8 | | |
| | Unknown | 0 | | | | • | • | | • | | • |
| Teenage Births 31 24 * Data not reported if age or race category has less than 5 birth | Mooney Direkt | 21 | 0.4 | | * Dot' | ************ | | | | .aa +1 F | المالة |

----- MORBIDITY ------ MORBIDITY Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. REPORTED CASES OF COMMUTABLE DISEASES* Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease Number | TOTAL DEATHS 315 Selected Crude Death Rate 817 Underlying Cause Deaths Rate Campylobacter Enteritis 5 Giardiasis 5 | Heart Disease (total) 94 244 Ischemic heart disease 58 150 Hepatitis Type A 0 | Hepatitis Type B** 0 Age Deaths Rate Cancer (total) 66 171 <5 | 1-4 58 Trachea/Bronchus/Lung 20 52 Hepatitis NANB/C 1 . Colorectal
4 148 | Female Breast 6. Legionnaire's 5-14 0 | Lyme 0 | 15-19 3 50 | Cerebrovascular Disease 25 65 Measles 0 | 20-34 34 278 31 622 58 1,824 Meningitis, Aseptic Meningitis, Bacterial Lower Resp. Disease 21 54
Pneumonia & Influenza 4 . 0 | 35-54 0 | 55-64 0 | 65-74 Mumps Accidents 20 52 Motor vehicle 11 . Pertussis Pertussis Salmonellosis 0 | 75-84 82 4,362 6 | 85+ 102 13,421 0 | 75-84 82 4,362 Diabetes 4 Infect./Parasitic Dis. 3 <5 Shiqellosis Tuberculosis 0 | Infant Suicide Mortality Deaths Rate * 2007 provisional data. * Based on female population. Total Infant Neonatal ** Includes all positive HBsAq test results. ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH Infant Mortality by Race of Mother Alcohol Sexually Transmitted Disease 8 61 158 1 . Chlamydia Trachomatis 37 | White Tobacco Use 23 Black Genital Herpes Other Drugs 5 | Hispanic . Gonorrhea Asian Syphilis Asian . . Other/Unknown . . . ----- MOTOR VEHICLE CRASHES -----Infant Mortality by | Note: These data are based on location ----- IMMUNIZATIONS ----of crash, not on residence. Birthweight <1,500 gmType of Motor Persons Persons
Vehicle Crash Injured Killed
Total Crashes 352 11 Children in Grades K-12 by 1,500-2,499 gm Compliant 5,317 | 2,500+ gm .

Non-compliant 33 | Unknown . Compliance Level Alcohol-Related 50 10 Perinatal Percent Compliant 99.4 With Citation: Mortality Deaths Rate For OWI For Speeding 38 1 Total Perinatal 1 13 0 | Motorcyclist | Bicyclist 22 Neonatal . . . Fetal 1 . 2 1 1 Pedestrian

| | | Per Average | | | | | | Per Average | | | |
|----------------|-----------|-------------|---------|-----------|-----------|----------------|------------|-------------|---------|----------|---------|
| DISEASE / | | 1,000 | Stay | Average | Per | DISEASE / | | 1,000 | Stay | Average | Per |
| AGE GROUP | Number | Pop | (Days) | Charge | Capita | AGE GROUP | Number | Pop | (Days) | Charge | Capit |
| Injury-Related | : All | | | | | Alcohol-Relate | ed | | | | |
| Total | 323 | 8.4 | 5.3 | \$28,090 | \$235 | Total | 77 | 2.0 | 2.9 | \$6,118 | \$12 |
| <18 | 33 | 3.9 | 5.3 | \$34,632 | \$135 | 18-44 | 41 | 3.2 | 2.8 | \$3,837 | \$12 |
| 18-44 | 90 | 7.0 | 4.7 | \$26,102 | \$184 | 45-64 | 29 | 2.5 | 2.8 | \$7,526 | \$19 |
| 45-64 | 80 | 7.0 | 6.3 | \$33,902 | \$236 | Pneumonia and | Influenza | | | | |
| 65+ | 120 | 20.6 | 5.0 | \$23,909 | \$493 | Total | 98 | 2.5 | 3.6 | \$12,510 | \$32 |
| Injury: Hip | Fracture | | | | j | <18 | 14 | | | | |
| Total | 30 | 0.8 | 4.2 | \$23,405 | \$18 | 45-64 | 17 | | | | |
| 65+ | 26 | 4.5 | 4.1 | \$22,950 | \$103 | 65+ | 62 | 10.7 | 3.9 | \$12,823 | \$137 |
| Injury: Pois | onings | | | | j | Cerebrovascula | r Disease | | | | |
| Total | 33 | 0.9 | 1.9 | \$6,624 | \$6 | Total | 119 | 3.1 | 2.8 | \$14,972 | \$46 |
| 18-44 | 18 | | | | . | 45-64 | 34 | 3.0 | 2.2 | \$18,285 | \$54 |
| | | | | | į | 65+ | 82 | 14.1 | 3.1 | \$13,851 | \$195 |
| Psychiatric | | | | | į | Asthma | | | | | |
| Total | 170 | 4.4 | 6.5 | \$8,161 | \$36 | Total | 22 | 0.6 | 3.0 | \$9,325 | \$5 |
| <18 | 43 | 5.1 | 7.4 | \$9,679 | \$49 | <18 | 8 | | | | |
| 18-44 | 73 | 5.7 | 6.3 | \$7,407 | \$42 | 18-44 | 4 | | | | |
| 45-64 | 42 | 3.7 | 5.9 | \$7,590 | \$28 | 45-64 | 5 | | | | |
| 65+ | 12 | • | | | . | 65+ | 5 | | | | |
| | | | | | | Other Chronic | Obstructiv | e Pulmo | nary Di | sease | |
| Coronary Heart | Disease | | | | | Total | 30 | 0.8 | 3.3 | \$11,100 | \$9 |
| Total | 138 | 3.6 | 3.7 | \$38,200 | \$137 | 45-64 | 8 | | | • | |
| 45-64 | 47 | 4.1 | 3.2 | \$41,684 | \$171 | 65+ | 22 | 3.8 | 3.2 | \$10,439 | \$39 |
| 65+ | 86 | 14.8 | 4.0 | \$36,147 | \$534 | | | | | | |
| | | | | | | Drug-Related | | | | | |
| Malignant Neop | lasms (Ca | | | | | Total | 14 | | | • | |
| Total | 175 | 4.5 | 5.6 | \$30,035 | \$136 | 18-44 | 7 | | | | |
| 18-44 | 10 | • | | | . | | | | | | |
| 45-64 | 70 | 6.1 | | \$26,326 | \$160 | Total Hospital | | | | | |
| 65+ | 94 | 16.2 | | \$30,026 | \$485 | Total | | 101.5 | | \$17,672 | |
| Neoplasms: F | | ast (ra | tes for | female po | pulation) | <18 | 660 | 77.9 | | \$11,038 | \$860 |
| Total | 9 | • | • | • | . | 18-44 | 927 | 72.5 | | \$12,385 | \$898 |
| Neoplasms: C | olo-recta | | | | | 45-64 | 868 | 75.5 | | \$23,094 | |
| Total | 22 | 0.6 | 7.7 | \$37,426 | \$21 | 65+ | 1,458 | 250.5 | 4.3 | \$20,809 | \$5,213 |
| 65+ | 13 | | | • | . | | | | | | |
| Neoplasms: L | _ | | | | | P | | | | | |
| Total | 17 | • | • | • | . | Total | 462 | 12.0 | | \$12,320 | \$148 |
| | | | | | ļ | <18 | 56 | 6.6 | | \$15,681 | \$104 |
| Diabetes | | | | | ļ | 18-44 | 41 | 3.2 | | \$13,656 | \$44 |
| Total | 39 | 1.0 | 3.8 | \$17,104 | \$17 | 45-64 | 95 | 8.3 | | \$11,214 | \$93 |
| 65+ | 19 | | | | . | 65+ | 270 | 46.4 | 2 0 | \$11,809 | \$548 |