I	POPULATION	ESTIMATES		LONG	-TERM CARI	C	LOCAL I	HEALTH DEPARTM	IENTS	
 Total 2007	7 Populatio	n 1	.157.560	Community Option	ns and MA	Waiver	 		Per 10,000	
County po	pulation r	ank (1-72)	. i	as HSRS reports costs for services			Staffing - FTE			
Population	on per squa	re mile	. i	-			Total FTEs	349.6	3.2	
County ra	ank in popu	lation	I		Clients	Costs	Total FTEs Administrative	37.5	0.3	
•	cy (1-72)		. i	COP	247	\$4,662,739	Public health r	nurses 98.6	0.9	
j			į	MA Waiver *			Oral health pro	0.0		
Population	n growth 20	03-2007	. j	CIP1A Develop. disabled			Envir. health p	0.3		
County rank in 5-year population growth (1-72)					225	¢17 211 056			0.1	
populati	ion growth	(1-72)	.				Nutritionist	5.0	0.0	
				2,739 \$102,211,297						
Age	Female	Male	Total	CIP2 Elderly/	phys. disa	ab. adults	Technical/parag		0.3	
0-14	104,520	109,300	213,830			\$19,440,022	Support staff	62.6	0.6	
15-17	23,600 15,910	25,160	48,760	COP-W Elderly/						
		16,990	32,900			\$16,018,497	Funding		Per capita	
	43,620	47,220	90,850				Total			
	154,020		320,010			\$8,012,247				
45-64	153,230	154,440	307,670	Brain Injury	112	\$7,431,671				
65-84	66,830	54,500	121,330	Total COP/Wvrs	6,390 \$	\$175,087,529	Type Bed & Breakfast		Facilities	
85+	15,360	6,840	22,210					t		
Total	577,100	580,460	1,157,560						247	
				were paid as local match/overmatch			Hotels, Motels			
•	icity Femal			using COP funds. This amount is			Tourist Rooming	186 1,065		
	· · · · · · · · · · · · · · · · · · ·							Pools		
Afr.Amer. 16,240 21,040 37,280 Amer. Ind. 2,290 2,640 4,940				l e e e e e e e e e e e e e e e e e e e			Restaurants	3,110		
•					_		Body Art		56	
				include federa			ļ			
Asian	13,230	13,490	26,720	Eligible and	Clients	Costs	WIC I	PARTICIPANTS -		
Total	577,100	580,460	1,157,560	Eligible and					Number	
ļ			ļ	_	2,502 n/a Pregnant/Postpartum					
Poverty Estimates for 2005				(Family Care data not available)			Infants		7,300	
Estimate (%) (C.I.+/-)							Children, age			
All ages	_	not	ļ				Total		34,760	
Ages 0-1	/	availabl	e	Note: Eligible and waiting clients						
	F1.5-	M. F. D. T. CT.	ļ	·			NEW CASES OF CANCER IN 2006			
EMPLOYMENT				Waivers as ava	allable.		Primary Site			
Average wage for jobs covered							Breast		•	
by unemployment compensation N/A						Cervical Colorectal	29			
(place of work)									•	
I above Description	. Dati		Annual	Numerica II		0.4	Lung and Bronch		•	
Labor Force Estimates Average Civilian Labor Force 666,518				Nursing Homes		84	Prostate	648	•	
Civilian La		6	4.4%	Licensed beds Residents on De	og 21	7,029 6,152	Other sites Total	2,312 4,759	•	
		t xata	4.4%	Residents on De			IULAI 	4,/59	•	
5-yr avg. ı	membroliieu	L IALE	. 6	_			 Noto: Totals for	invociro com	iora onlii	
 Median HH income (2005)				per 1,000 population 39 Note: Totals for invasive cancer Rate is per 100,000 population						
Median HH income (2005) . Rank in median HH income (1-72) .							race is her inn	, ooo populatic)11.	
variv III [[[6	edian uu Ill	Come (1-72	, .				I			

Delivery Type		
Crude Live Birth Rate 12.7 Second 4,938 34 Married 10,078		
Centeral Fertility Rate State Fourth or higher Companial anomalies State Companial after State State Companial after State	Percent	
Second S	69	
Live births with reported congenital anomalies 327 2.28 2	31	
Divisit		
Delivery Type		
Delivery Type		
Delivery Type	Percent	
Vaginal after 1st trimester 12,422 85 Some high school 1,334	4	
Previous cesarean 206	9	
Other vaginal 10,549 72 No visits 67 <.5 College graduate 5,069 Primary cesarean 2,085 14 Unknown 142 1 Unknown 90 No Repeat cesarean 1,577 11 Prental Visits Births Percent No visits 67 <.5 of Mother Births Sirths Percent No visits 67 <.5 of Mother Births Percent River		
Other vaginal 10,549 72 No visits 67 <.5 College graduate 5,069 Primary cesarean 2,085 14 Unknown 142 1 Unknown 90 No Repeat cesarean 1,577 11 Prental Visits Births Percent No visits 67 <.5 of Mother Births Sirths Percent No visits 67 <.5 of Mother Births Percent River	26	
Primary cesarean 2,085	35	
Repeat cesarean	1	
Prenatal Visits	_	
Birthweight Births Percent No visits 67 <.5 of Mother Births <1,500 gm		
<pre><1,500 gm</pre>	Dercent	
1,500-2,499 gm 746 5.1 5-9 2,558 17 Nonsmoker 12,455 2,500+ gm 13,797 94.0 10-12 6,584 45 Unknown 63 Unknown 7 <.5 13+ 4,941 34		
2,500+ gm		
Unknown		
Low Birthweight (under 2,500 gm) Sirths Percent Births Percent Percen	<.5	
Low Birthweight (under 2,500 gm) 1st Trimester 2nd Trimester Other/U		
Race/Ethnicity Births Percent Births Perc		
White 12,128 83 675 5.6 10,523 87 1,209 10 396 Black/Afr.American 686 5 85 12.4 477 70 151 22 58 American Indian 98 1 9 9.2 75 77 17 17 17 6 Hispanic/Latino 1,184 8 55 4.6 866 73 247 21 71 Asian 575 4 50 8.7 476 83 86 15 13 Other/Unknown 8 <.5 1 12.5 5 63 1 13 2 Other/Unknown 8 <.5 1 12.5 5 63 1 13 2 Other/Unknown 8 Sirths Percent Births Percent Bir		
White 12,128 83 675 5.6 10,523 87 1,209 10 396 Black/Afr.American 686 5 85 12.4 477 70 151 22 58 American Indian 98 1 9 9.2 75 77 17 17 17 6 Hispanic/Latino 1,184 8 55 4.6 866 73 247 21 71 Asian 575 4 50 8.7 476 83 86 15 13 Other/Unknown 8 <.5 1 12.5 5 63 1 13 2 Colored Mother Births Rate Births Percent B	r/Unknown	
Black/Afr.American 686 5 85 12.4 477 70 151 22 58 American Indian 98 1 9 9.2 75 77 17 17 17 6 Hispanic/Latino 1,184 8 55 4.6 866 73 247 21 71 Asian 575 4 50 8.7 476 83 86 15 13 Other/Unknown 8 <.5 1 12.5 5 63 1 13 2 Low Birthweight Trimester of First Prenatal Visit Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/U Age of Mother Births Rate Births Percent Births Pe	Percent	
American Indian 98 1 9 9.2 75 77 17 17 17 6 Hispanic/Latino 1,184 8 55 4.6 866 73 247 21 71 Asian 575 4 50 8.7 476 83 86 15 13 Other/Unknown 8 <.5 1 12.5 5 63 1 13 2 Low Birthweight Trimester of First Prenatal Visit Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/U Age of Mother Births Rate Births Percent	3	
American Indian 98 1 9 9.2 75 77 17 17 17 6 Hispanic/Latino 1,184 8 55 4.6 866 73 247 21 71 Asian 575 4 50 8.7 476 83 86 15 13 Other/Unknown 8 <.5 1 12.5 5 63 1 13 2 Low Birthweight Trimester of First Prenatal Visit Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/U Age of Mother Births Rate Births Percent	8	
Hispanic/Latino 1,184 8 55 4.6 866 73 247 21 71 Asian 575 4 50 8.7 476 83 86 15 13 Other/Unknown 8 <.5 1 12.5 5 63 1 13 2 Low Birthweight Trimester of First Prenatal Visit Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/U Age of Mother Births Rate Births Percent Births Perce	6	
Age of Mother Births Rate Births Percent Births Per	6	
Other/Unknown 8 <.5 1 12.5 5 63 1 13 2 Low Birthweight Trimester of First Prenatal Visit Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/U Age of Mother Births Rate Births Percent Births A 2 2 4 193	2	
Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/U Age of Mother Births Rate Births Percent Births	25	
Fertility (under 2,500 gm) 1st Trimester 2nd Trimester Other/U Age of Mother Births Rate Births Percent Births		
<15		
<15		
15-17 298 13 25 8.4 193 65 84 28 . 18-19 762 48 58 7.6 542 71 177 23 . 20-24 3,146 72 228 7.2 2,484 79 510 16 . 25-29 4,566 119 246 5.4 3,977 87 454 10 . 30-34 3,732 107 186 5.0 3,360 90 274 7 . 35-39 1,814 47 108 6.0 1,579 87 170 9 . 40+ 350 8 24 6.9 281 80 42 12 .	Percent	
18-19 762 48 58 7.6 542 71 177 23 . 20-24 3,146 72 228 7.2 2,484 79 510 16 . 25-29 4,566 119 246 5.4 3,977 87 454 10 . 30-34 3,732 107 186 5.0 3,360 90 274 7 . 35-39 1,814 47 108 6.0 1,579 87 170 9 . 40+ 350 8 24 6.9 281 80 42 12 .	•	
20-24 3,146 72 228 7.2 2,484 79 510 16 . 25-29 4,566 119 246 5.4 3,977 87 454 10 . 30-34 3,732 107 186 5.0 3,360 90 274 7 . 35-39 1,814 47 108 6.0 1,579 87 170 9 . 40+ 350 8 24 6.9 281 80 42 12 .	•	
20-24 3,146 72 228 7.2 2,484 79 510 16 . 25-29 4,566 119 246 5.4 3,977 87 454 10 . 30-34 3,732 107 186 5.0 3,360 90 274 7 . 35-39 1,814 47 108 6.0 1,579 87 170 9 . 40+ 350 8 24 6.9 281 80 42 12 .		
30-34 3,732 107 186 5.0 3,360 90 274 7 . 35-39 1,814 47 108 6.0 1,579 87 170 9 . 40+ 350 8 24 6.9 281 80 42 12 .		
35-39 1,814 47 108 6.0 1,579 87 170 9 . 40+ 350 8 24 6.9 281 80 42 12 .		
40+ 350 8 24 6.9 281 80 42 12 .	•	
	•	
Unknown 3 * . * . * . *		
Teenage Births 1,068 27 * Data not reported if age or race category has less than 5	hin+h~	

Lyme	
REPORTED CASES OF COMMUTABLE DISEASES* Reprinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births. Perinatal death rates are per 1,000 live births. Peaths are to alculated for fewer than 20 deaths. ** Intervolped Campidates are per 1,000 live births. Peaths are not calculated for fewer than 20 deaths. ** Intervolped Campidates are not calculated for fewer than 20 deaths. ** Intervolped Campidates are not calculated for fewer than 20 deaths. ** Intervolped Campidates are not calculated for fewer than 20 deaths. ** Intervolped Campidates are not calculated for fewer than 20 deaths. ** Intervolped Campidates are not calculated for fewer than 20 deaths. ** Intervolped Campidates are not calculated for fewer than 20 deaths.	
REPORTED CASES OF COMMUTABLE DISEASES* Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.	
Disease	
Disease	
Campylobacter Enteritis 252	
Campylobacter Enteritis 252	
Giardiasis	te
Hepatitis Type A	
Hepatitis Type B**	
Hepatitis NANB/C	
Legionnaire's	
Lyme	17
Measles 0 20-34 165 67 Cerebrovascular Disease 515 44 Meningitis, Aseptic 50 35-54 823 239 Lower Resp. Disease 432 3' Meningitis, Bacterial 5 55-64 902 699 Pneumonia & Influenza 212 16 Mumps 10 65-74 1,319 1,818 Accidents 539 4' Pertussis 22 75-84 2,449 5,019 Motor vehicle 195 1' Salmonellosis 170 85+ 3,087 13,912 Diabetes 214 18 Shigellosis 63 Infect./Parasitic Dis. 115 10 Tuberculosis 7 Infant Suicide 141 12 * 2007 provisional data. ** Total Infant 87 5.9 ** Based on female population. *** Includes all positive HBsAg Neonatal 52 3.5 ** ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH Infant Mortali	23*
Meningitis, Aseptic 50	
Meningitis, Bacterial 5 55-64 902 699 Pneumonia & Influenza 212 18 Mumps 10 65-74 1,319 1,818 Accidents 539 4' Pertussis 22 75-84 2,449 5,019 Motor vehicle 195 1' Salmonellosis 170 85+ 3,087 13,912 Diabetes 214 18 Shigellosis 63 Infect./Parasitic Dis. 115 10 Tuberculosis 7 Infant Suicide 141 12 Mortality Deaths Rate Neonatal 5.9 * Based on female population. ** Includes all positive HBsAg Neonatal 52 3.5 * ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH Infant Mortality by Infant Mortality by OR CONTRIBUTING CAUSE OF DEATH	
Mumps	_
Salmonellosis 170 85+ 3,087 13,912 Diabetes 214 18 Shigellosis 63 Infect./Parasitic Dis. 115 10 Tuberculosis 7 Infant Suicide 141 12 ** 2007 provisional data. ** 2007 provisional data. ** Includes all positive HBsAg test results. ** Postneonatal 35 2.4 ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH ** Infant Mortality by	_
Salmonellosis 170 85+ 3,087 13,912 Diabetes 214 18 Shigellosis 63 Infect./Parasitic Dis. 115 10 Tuberculosis 7 Infant Suicide 141 12 ** 2007 provisional data. ** 2007 provisional data. ** Includes all positive HBsAg test results. ** Postneonatal 35 2.4 ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH ** Infant Mortality by	
Shigellosis 63 Infect./Parasitic Dis. 115 10 Tuberculosis 7 Infant Suicide 141 12 ** 2007 provisional data. Total Infant 87 5.9 * Based on female population. ** Includes all positive HBsAg test results. Postneonatal 35 2.4 ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH Infant Mortality by	
Tuberculosis 7 Infant Suicide 141 12 ** 2007 provisional data. Total Infant 87 5.9 ** Based on female population. ** Includes all positive HBsAg test results. Postneonatal 35 2.4 ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH Infant Mortality by	
Mortality Deaths Rate * 2007 provisional data.	
* 2007 provisional data. Total Infant 87 5.9 * Based on female population. ** Includes all positive HBsAg Neonatal 52 3.5 test results. Postneonatal 35 2.4 ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH Infant Mortality by	12
test results. Postneonatal 35 2.4 ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH Infant Mortality by	
test results. Postneonatal 35 2.4 ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH Infant Mortality by	
OR CONTRIBUTING CAUSE OF DEATH Infant Mortality by	
Infant Mortality by	G
Sexually Transmitted Disease Race of Mother Alcohol 186 16	
Chlamydia Trachomatis 3,068 White 69 5.7 Tobacco Use 1,555 13	
Genital Herpes 585 Black 8 . Other Drugs 108	9
Gonorrhea 635 Hispanic 6 .	
Syphilis 11 Asian 3 .	
Other/Unknown 1 MOTOR VEHICLE CRASHES	
Infant Mortality by Note: These data are based on location	ion
IMMUNIZATIONS Birthweight of crash, not on residence.	
<1,500 gm 27 209.3	
Children in Grades K-12 by 1,500-2,499 gm 19 . Type of Motor Persons Person	
Compliance Level 2,500+ gm 38 2.8 Vehicle Crash Injured Kille	led
Compliant 161,214 Unknown 3 . Total Crashes 10,404 20	208
	85
Percent Compliant 99.5 Perinatal With Citation:	
	4
	3
Neonatal 52 3.5 Motorcyclist 620	26
Fetal 90 6.1 Bicyclist 266	1
Pedestrian 213	7

					2007 HOSP	ITALIZATIONS					
			Average		Charge			Per	Average		Charge
DISEASE /		1,000	Stay	Average	Per	DISEASE /		1,000	Stay	Average	Per
AGE GROUP	Number		(Days)	Charge	Capita	AGE GROUP	Number	Pop	(Days)	Charge	Capita
Injury-Related						Alcohol-Relat					
Total	9,438	8.2		\$25,578	\$209	Total	1,619	1.4		\$11,909	\$17
<18	751	2.9	3.4	\$21,264	\$61	18-44	667	1.5		\$9,368	\$14
18-44	2,404	5.4	3.9	\$24,784	\$134	45-64	833	2.7	4.7	\$13,757	\$37
45-64	2,472	8.0	4.7	\$27,657	\$222	Pneumonia and	Influenza				
65+	3,811	26.6	5.1	\$25,581	\$679	Total	3,623	3.1	4.4	\$15,065	\$47
Injury: Hip	Fracture					<18	389	1.5		\$9,957	\$15
Total	1,052	0.9	5.5	\$29,438	\$27	45-64	630	2.0	4.1	\$15,916	\$33
65+	927	6.5	5.6	\$29,177	\$188	65+	2,317	16.1	4.7	\$15,662	\$253
Injury: Pois	sonings					Cerebrovascul	ar Disease				
Total	976	0.8	2.6	\$12,534	\$11	Total	2,489	2.2	4.3	\$22,913	\$49
18-44	518	1.2	2.3	\$11,172	\$13	45-64	573	1.9	4.3	\$28,381	\$53
					·	65+	1,804	12.6		\$19,702	\$248
Psychiatric						Asthma	•			,	•
Total	5,071	4.4	8.1	\$11,528	\$51	Total	773	0.7	3.1	\$10,521	\$7
<18	958	3.6		\$15,297	\$56	<18	182	0.7		\$5,913	\$4
18-44	2,448	5.5		\$9,206	\$51	18-44	192	0.4		\$10,798	\$5
45-64	1,166	3.8		\$10,975	\$42	45-64	202	0.7		\$13,187	\$9
65+	499	3.5		\$16,978	\$59	65+	197	1.4		\$11,775	\$16
		3.5		4207570	400	Other Chronic					410
Coronary Heart	- Disease					Total	1,266	1.1		\$14,806	\$16
Total	4,809	4.2	3 3	\$38,607	\$160	45-64	316	1.0		\$16,164	\$17
45-64	1,837	6.0		\$39,239	\$234	65+	901	6.3		\$13,955	\$88
65+	2,759	19.2		\$38,498	\$740]	701	0.5	1.2	ψ±5,755	Ç00
031	2,133	17.2	3.0	φ30,430	Ş740	Drug-Related					
Malignant Neop	olagme (Ca	ncera):	Δ]]			Total	550	0.5	5 9	\$8,367	\$4
Total	3,813	3.3		\$30,166	\$99	18-44	340	0.8			\$5
18-44	3,813			\$30,100	\$28	10-44	340	0.0	5.2	Ş0,7 1 0	ŞΟ
45-64	1,477	4.8		\$29,361	\$141	 Total Hospita	ligations				
65+	1,477	13.3		\$29,501	\$392	Total	114,851	99.2	3 0	\$18,283	¢1 811
Neoplasms: F						10ta1 <18	19,623				\$641
Total	ellare Bre 288	0.5		\$17,332	\$9	18-44	30,519			\$8,582	\$937
Neoplasms: (1.9	ų ⊥1, 334	ųΣ	18-44 45-64	25,754	00.0		\$13,622	
Total	460	0.4	7 6	\$37,337	\$15	45-64 65+	38,955			\$23,990	
10tai 65+	312				\$15 \$83	05+ 	30,935	∠/⊥.4	4.0	ŞΔ3,U48	ųυ, Δ33
		۷.۷	8.0	\$38,225	\$0 <i>5</i>	 	חם בינוביות אחדום	ם מסטדיי	יאד דיסאייד.	OMC*	
Neoplasms: I	_	0 2	E O	420 E20	ė1 O	1	13,294				
Total	379	0.3	5.8	\$30,630	\$10	Total	13,294			\$15,012	\$172
D: -1						<18				\$8,458	\$35
Diabetes	1 046		A 17	d 0 0 - 1 0	400	18-44	1,633			\$15,294	\$56
Total	1,246	1.1		\$20,510	\$22	45-64	2,787			7 = 7 , 5 0 0	\$159
65+	411	2.9	5.5	\$21,362	\$61	65+	7,776	54.2		\$14,962	\$811
						* Hospitalizatio					
						ambulatory care	can reduce	the Tik	kerinood	or nospi	tailzation