----- POPULATION ESTIMATES ------ LONG-TERM CARE ----- LOCAL HEALTH DEPARTMENTS -----Total 2007 Population 129,350 | Community Options and MA Waiver Per 10,000 Staffing - FTE Number Population Total FTEs 21.0 Population per square mile 300 1.6 County rank in population Clients Administrative 3.0 0.2 Costs 9 | COP Public health nurses 8.8 0.7 density (1-72) \$294,335 MA Waiver * Oral health prof. Envir. health prof. 1.0 0.1 Population growth 2003-2007 6,954 | CIP1A Develop. disabled 27 \$2,165,131 | Public health educ. 1.0 0.1 County rank in 5-year population growth (1-72) 5 | CIP1B Develop. disabled Nutritionist Other prof. staff 264 \$7,729,772 Female Male Total | CIP2 Elderly/phys. disab. adults | Age 0 - 1412,700 13,220 25,920 106 \$1,264,850 5,210 COP-W Elderly/phys. disab. adults 15-17 2,470 2,750 1,620 1,870
3,300 3,660
17,800 18,150
17,760 18,230
7,450 6,160 Funding Per capita
Total \$1,664,736 \$12.87 3,490 | 133 \$969,610 | 18-19 6,960 CLTS Disabled children 20-24 35,950 41 \$791,172 Local Taxes \$1,011,801 \$7.82 25-44 36,000 Brain Injury 10 \$694,548 | 13,600 Total COP/Wvrs 600 \$13,909,418 | 45-64 ---- LICENSED ESTABLISHMENTS, 2006 ----65-84 Facilities 1,570 640 2,220 Bed & Breakfast 85+ Total 64,670 64,680 129,350 \$353,626 of the above waiver costs Camps were paid as local match/overmatch Hotels, Motels 23 Tourist Rooming Race/ethnicity Female Male Total using COP funds. This amount is White 61,940 61,770 123,710 | not included in above COP costs. Pools 52 Afr.Amer. 740 780 1,520 352 Restaurants Amer. Ind. 200 150 350 * Waiver costs reported here Body Art Hispanic 1,080 1,320 2,400 include federal funding.
Asian 710 660 1,360 Clients Clients Costs ----- WIC PARTICIPANTS -----Total 64,670 64,680 129,350 Eligible and Waiting 202 n/a Pregnant/Postpartum 721 -----Poverty Estimates for 2005----- | (Family Care not provided in county) Infants 538 Children, age 1-4 Estimate (%) (C.I.+/-) 1.117 All ages 5.0% (0.9%) Total 2,376 Ages 0-17 5.6% (1.2%) | Note: Eligible and waiting clients will be phased into the COP and MA | -----NEW CASES OF CANCER IN 2006---------- EMPLOYMENT ------ Waivers as available. Primary Site Total Cases Rate 101 Average wage for jobs covered Breast 157.3 5 by unemployment compensation \$35,210 Cervical 7.8 Colorectal 64 49.8 (place of work) Lung and Bronchus 71 Annual 55.3 132.4 Labor Force Estimates Average | Nursing Homes 5 | Prostate 85 581 | Total 648 Civilian Labor Force 74,452 | Licensed beds 250.7 Unemployment rate 4.3% Residents on Dec.31
5-yr avg. unemployment rate 4.5% Residents age 65 or older 648 504.6 per 1,000 population 35 Note: Totals for invasive cancers only. Rate is per 100,000 population. Median HH income (2005) \$61,282 Rank in median HH income (1-72) 4

| NATALITY | | | | | | | | | | | |
|-------------------------------------|-----------------------------|------------------|--------------------|---------------|-----------------------------------|----------------|--|---------------|--------------|-------------|--|
| TOTAL LIVE BIRTHS | | 1,518 | Birth O | rder | Births | Percent | Marital | Status | | | |
| | | | First | | 614 | 40 | of Moth | er | Births | Percent | |
| Crude Live Birth Rate 11.7 | | Second | | 517 | 34 | Married | | 1,195 | 79 | | |
| General Fertility Rate 60.2 | | Third | | 263 | 17 | Not married | | | 21 | | |
| | | Fourth or higher | | | | Unknow | | 0 | | | |
| Live births with reported | | | Unknov | _ | 0 | 0 | | | | | |
| congenital anomalies 21 1.4% | | 21 1.4% | | | - | - | Educati | on | | | |
| | | | | | | | of Moth | | Births | Percent | |
| Delivery Type | elivery Type Births Percent | | 1st Prenatal Visit | | Births | Percent | | tary or le | | <.5 | |
| Vaginal after | 211 0112 | 1 01 00110 | | | 1,354 | | | igh school | | 4 | |
| previous cesarean | 13 | 1 | 2nd trimester | | 115 | 8 | High school 343 Some college 473 | | 23 | | |
| Forceps | 15 | 1 | 3rd trimester | | 25 | 2 | Some c | ollege | 343 473 | 31 | |
| Other vaginal | 1 081 | 71 | | | 5 | <.5 | Colleg | e graduate | 625 | 41 | |
| Primary cesarean | | | Unknown | | | 1 | | n | | | |
| | 177 | | UIIVIIOMII | | 19 | _ | OIIXIIOW | 11 | J | \. 5 | |
| Kepeat Cesarean | 1// | 12 | Drenata | l Wisits | Birtha | Percent | Smoking | Status | | | |
| Birthweight | Birtha | Dercont | Prenatal Visits | | BITCHS 5 | verdent <.5 | | status er | Births | Dergont | |
| <1,500 gm | 11 | | No visits | | 9 | 1 | Smoker | | 199 | 13 | |
| 1,500 gm 1,500-2,499 gm | | | 1-4 | | | - | | | | _ | |
| | | | 5-9 | | 133 571 | | | ker | | _ | |
| 2,500+ gm | 1,419 | 93.5 | 10-12 | | _ | | Unknow | n | 0 | 0 | |
| Unknown | 0 | Ü | 13+ | | 760 | 50 | | | | | |
| | | | Unknov | vn | 40 | 3 | | | | | |
| | | | | nweight | | Trimest | er of Fir | st Prenata | l Visit | | |
| | | | | | | | 2nd Trimester Othe Births Percent Birth | | | c/Unknown | |
| Race/Ethnicity | Births F | ercent | Births | Percent | Births | Percent | Births | Percent | Births | Percent | |
| | 1,413 | 93 | 91 | 6.4 | 1.270 | 90 | 97 | 7 | 46 | 3 | |
| Black/Afr.American | | | | | 7 | | 2 | | | | |
| | 1.0 | 1 | 2 | | 5 | | | | | | |
| Hispanic/Latino | 56 | 4 | | 8.9 | 48 | 86 | 7 | | | | |
| Asian | 30 | 2 | | 3.3 | 24 | 80 | | | | | |
| Other/Unknown | 0 | 0 | | • | | | O | 20 | • | • | |
| | | | · | · | · | | · | · | | · | |
| | | | Low Birthweight | | Trimester of First Prenatal Visit | | | | | | |
| Fertility Age of Mother Births Rate | | (under 2,500 gm) | | 1st Trimester | | 2nd Trimester | | Other/Unknown | | | |
| Age of Mother | Births | Rate | Births 1 | Percent | Births | Percent | Births | Percent | Births | Percent | |
| <15 | | | | | | | | | | | |
| 15-17 | 17 | 7 | 1 | | 9 | 53 | 6 | | 2 | 12 | |
| 18-19 | 46 | | 4 | | 37 | 80 | 8 | | 1 | | |
| 20-24 | 259 | 78 | 14 | | 210 | 81 | 32 | 12 | 17 | | |
| 25-29 | | 132 | 29 | | 436 | - | | 6 | | | |
| 30-34 | 464 | 124 | 32 | 6.9 | 429 | 92 | 24 | 5 | 11 | 2 | |
| 35-39 | 214 | 44 | 14 | 6.5 | 199 | 93 | 11 | 5 | 4 | 2 | |
| 40+ | 42 | 7 | 5 | 11.9 | 34 | 81 | 5 | 12 | 3 | 7 | |
| | 42 | | 5 | 11.9 | 34 | ОΤ | 3 | 12 | 3 | / | |
| Unknown | U | | • | • | • | • | • | • | • | • | |
| Teenage Births | 63 | 15 | | * Data not | reported | if age or | race cate | gorv has 1 | ess than 5 | births. | |
| 10011490 DIT 0110 | 0.5 | 10 | | Data 1100 | - CPO1 CCG | . II age of | race cate | 2017 1100 I | CDD CITAII D | ×11 C110. | |

| MORBIDITY | | | | MC | RTALITY | | | | | |
|--------------------------------|--|---|--------------|--|--------------------------------------|------------|---------|--|--|--|
| | | | | | per 100,000 population. | | | | | |
| | | neonatal, and postneonatal death rates are per 1,000 live births. | | | | | | | | |
| REPORTED CASES OF COMMUTABLE | Perinatal and fetal death rates are per 1,000 live births plus | | | | | | | | | |
| | fetal deaths. Rates are not calculated for fewer than 20 deaths. | | | | | | | | | |
| Disease | Number | TOTAL DEATHS | | 924 | Selected | | | | | |
| Campylobacter Enteritis | | | e | 714 | Underlying Cause | Deaths | Rate | | | |
| Giardiasis | 16 | | | | Heart Disease (total) | 191 | 148 | | | |
| Hepatitis Type A | <5 | | | | Ischemic heart disease | 121 | 94 | | | |
| Hepatitis Type B** | 8 | Age | Deaths | Rate | Cancer (total) | 232 | 179 | | | |
| Hepatitis NANB/C | 26 | 1-4 | | | Trachea/Bronchus/Lung | 59 | 46 | | | |
| Legionnaire's | <5 | 5-14 | 6 | 34 | Colorectal | 18 | | | | |
| Lyme | <5 | 15-19 | 5-19 6 | | Female Breast | 25 | 39* | | | |
| Measles | 0 | 20-34 | 15 68 | | Cerebrovascular Disease | e 60 | 46 | | | |
| Meningitis, Aseptic | ningitis, Aseptic <5 | | 35-54 65 153 | | Lower Resp. Disease | 42 | 32 | | | |
| Meningitis, Bacterial | | | 102 | 703 | Pneumonia & Influenza | 21 | 16 | | | |
| Mumps | 0 | 65-74 | 150 | 1,820 | Accidents | 61 | 47 | | | |
| Pertussis | 11 | 75-84 | 244 | 4,552 | Motor vehicle | 12 | | | | |
| Salmonellosis | 23 | 85+ | 331 | 14,910 | Diabetes | 25 | 19 | | | |
| Shigellosis | 10 | | | | Infect./Parasitic Dis. | 21 | 16 | | | |
| Tuberculosis | <5 | Infant | | | Suicide | 15 | | | | |
| | | Mortality | Deaths | Rate | | | | | | |
| * 2007 provisional data. | | Total Infant | 5 | • | * Based on female popul | lation. | | | | |
| ** Includes all positive HBsAg | | Neonatal 4 . | | | | | | | | |
| test results. | | Postneonatal 1 . | | | ALCOHOL AND DRUG ABUSE AS UNDERLYING | | | | | |
| | | | | | OR CONTRIBUTING CAUS | SE OF DEAT | ГН | | | |
| | | Infant Mortality by | | | | | | | | |
| Sexually Transmitted Disease | | Race of Mother | | | Alcohol 18 | | | | | |
| Chlamydia Trachomatis | 110 | White | 5 | | Tobacco Use | 154 | 119 | | | |
| Genital Herpes | 51 | Black | • | • | Other Drugs | 13 | • | | | |
| Gonorrhea | 22 | Hispanic | | | | | | | | |
| Syphilis | <5 | Asian | | | | | | | | |
| | | Other/Unknown | • | ٠ | MOTOR VEHICLE | E CRASHES | | | | |
| | Infant Mortality b | У | | Note: These data are based on location | | | | | | |
| IMMUNIZATIONS | Birthweight | | | of crash, not on residence. | | | | | | |
| | | <1,500 gm | 4 | | | | | | | |
| Children in Grades K-12 by | | 1,500-2,499 gm | | | Type of Motor | Persons I | Persons | | | |
| Compliance Level | | 2,500+ gm | 1 | | Vehicle Crash | Injured | Killed | | | |
| Compliant | 23,898 | Unknown | • | • | Total Crashes | 1,182 | 10 | | | |
| Non-compliant | 68 | | | | Alcohol-Related | 140 | 5 | | | |
| Percent Compliant | 99.7 | Perinatal | | | With Citation: | | Ì | | | |
| | | Mortality | Deaths | Rate | For OWI | 106 | 0 | | | |
| | | Total Perinatal | 11 | • | For Speeding | 106 | 0 | | | |
| | | Neonatal | 4 | • | Motorcyclist | 65 | 4 | | | |
| | | Fetal | 7 | | Bicyclist | 17 | 0 | | | |
| | | | | | Pedestrian | 18 | 0 | | | |

Charge Per Average Per Average Charge DISEASE / 1,000 Stay Average Per 1,000 Stay Average Per DISEASE / AGE GROUP Number Pop (Days) Charge Capita AGE GROUP Number Pop (Days) Charge Capita Alcohol-Related Injury-Related: All 328 2.5 3.5 \$8,251 146 3.1 2.6 \$5,691 164 4.6 3.7 \$8,998 Total 1,018 7.9 4.7 \$28,933 \$228 Total \$21 72 2.3 3.4 \$22,163 \$51 <18 18-44 \$18 215 4.6 4.4 \$30,913 289 8.0 4.8 \$31,242 18-44 45-64 \$143 \$41 45-64 Pneumonia and Influenza \$251 Total 65+ 442 27.9 5.0 \$27,564 \$770 375 2.9 4.4 \$15,717 \$46 51 1.6 2.4 \$6,664 Injury: Hip Fracture <18 \$11 74 2.1 4.3 \$17,644 223 14.1 5.0 \$17,678 Total 96 0.7 5.7 \$32,185 \$24 45-64 \$36 65+ 89 5.6 5.8 \$32,443 \$183 65+ \$249 Injury: Poisonings Cerebrovascular Disease Total 94 0.7 2.1 \$10,787 \$8 Total 334 2.6 4.1 \$21,408 \$55 81 2.3 3.6 \$22,851 239 15.1 4.4 \$20,836 18-44 46 1.0 2.2 \$10,466 \$10 45-64 \$51 65+ \$315 Asthma Psychiatric 623 4.8 6.9 \$9,606 \$46 113 3.6 8.8 \$11,663 \$42 Total 64 0.5 3.3 \$10,335 20 0.6 1.6 \$4,193 Total \$5 <18 <18 \$3 18-44 276 5.9 5.7 \$7,612 \$45 166 4.6 6.6 \$9,098 \$42 45-64 68 4.3 9.4 \$15,524 \$67 65+ Other Chronic Obstructive Pulmonary Disease 102 0.8 4.1 \$13,598 Coronary Heart Disease Total \$11 Total 679 5.2 3.5 \$48,711 \$256 45-64 260 7.2 3.3 \$49,960 \$361 65+ 375 23.7 3.7 \$47,754 \$1132 12 . . . 45-64 87 5.5 4.2 \$13,480 65+ \$74 Drug-Related 73 0.6 10.3 \$10,559 Malignant Neoplasms (Cancers): All Total \$6 Total 512 4.0 5.5 \$33,063 \$131 18-44 43 0.9 3.5 \$22,933 \$21 45-64 224 6.2 5.3 \$35,046 \$218 65+ 239 15.1 6.0 \$32,287 \$488 18-44 46 1.0 5.5 \$7,164 \$7 Total Hospitalizations Total 14,437 111.6 4.0 \$20,468 \$2,284 2,353 75.6 3.3 \$9,098 \$687 <18 18-44 Neoplasms: Female Breast (rates for female population) Total 39 0.6 2.2 \$24,863 \$15 3,634 78.3 3.2 \$14,579 \$1,142 3,532 98.1 4.1 \$27,149 \$2,664 4,918 310.9 4.7 \$25,462 \$7,915 Neoplasms: Colo-rectal 45-64 58 0.4 7.7 \$33,945 \$15 Total 65+ 36 2.3 8.5 \$35,914 65+ \$82 Neoplasms: Lung ----- PREVENTABLE HOSPITALIZATIONS* -----Total 51 0.4 4.2 \$24,554 1,396 10.8 3.9 \$14,614 \$158 \$10 Total

 <18</td>
 138
 4.4
 2.0
 \$7,382
 \$33

 18-44
 154
 3.3
 3.0
 \$11,716
 \$39

 45-64
 300
 8.3
 4.0
 \$17,781
 \$148

 65+
 804
 50.8
 4.3
 \$15,228
 \$774

 Diabetes 45-64 111 0.9 4.9 \$21,340 \$18 Total 65+ 34 2.1 6.4 \$23,359 \$50 * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.