

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----		----- LOCAL HEALTH DEPARTMENTS -----			
Total 2007 Population				381,230	Community Options and MA Waiver as HSRS reports costs for services		Staffing - FTE		Per 10,000
County population rank (1-72)				3			Number	Population	
Population per square mile				686			Total FTEs	42.5	1.1
County rank in population density ( 1-72)				2	Clients Costs		Administrative	5.0	0.1
Population growth 2003-2007				8,357	COP		Public health nurses	19.3	0.5
County rank in 5-year population growth (1-72)				4	MA Waiver *		Oral health prof.	.	.
Age					CIP1A Develop. disabled		Envir. health prof.	.	.
Female					61 \$4,318,665		Public health educ.	0.6	0.0
Male					CIP1B Develop. disabled		Nutritionist	.	.
Total					573 \$15,238,104		Other prof. staff	3.8	0.1
0-14				37,680	CIP2 Elderly/phys. disab. adults		Technical/paraprof.	6.2	0.2
15-17				7,650	145 \$2,587,874		Support staff	7.7	0.2
18-19				5,180	COP-W Elderly/phys. disab. adults		Funding		
20-24				5,720	455 \$7,521,347		Total	\$3,324,346	Per capita \$8.71
25-44				9,740	CLTS Disabled children		Local Taxes	\$1,952,520	\$5.12
45-64				10,560	202 \$3,207,201		----- LICENSED ESTABLISHMENTS, 2006 -----		
65-84				48,610	Brain Injury		Type		
85+				55,280	23 \$1,177,756		Facilities		
Total				110,410	Total COP/Wvrs 1,481 \$34,608,312		Bed & Breakfast		
Race/ethnicity					\$2,674,483 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.		Camps		
Female					* Waiver costs reported here include federal funding.		Hotels, Motels		
Male					Clients Costs		Tourist Rooming		
Total					Eligible and Waiting		Pools		
White				178,630	823 n/a		Restaurants		
Afr. Amer.				2,580	(Family Care not provided in county)		Body Art		
Amer. Ind.				520	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.		----- WIC PARTICIPANTS -----		
Hispanic				6,290			Number		
Asian				4,970			Pregnant/Postpartum		
Total				193,000			Infants		
-----Poverty Estimates for 2005-----							Children, age 1-4		
Estimate (%) (C.I.+/-)							Total		
All ages				3.8% (0.6%)			-----NEW CASES OF CANCER IN 2006-----		
Ages 0-17				4.1% (0.9%)			Primary Site		
----- EMPLOYMENT -----							Total Cases		
Average wage for jobs covered by unemployment compensation (place of work)				\$43,917			Rate		
Labor Force Estimates				Annual Average	Nursing Homes		Breast		
Civilian Labor Force				217,945	16		Cervical		
Unemployment rate				4.0%	Licensed beds		Colorectal		
5-yr avg. unemployment rate				4.1%	Residents on Dec.31		Lung and Bronchus		
Median HH income (2005)				\$67,557	Residents age 65 or older per 1,000 population		Prostate		
Rank in median HH income (1-72)				2	31		Other sites		
							Total		
							Note: Totals for invasive cancers only. Rate is per 100,000 population.		

NATALITY

TOTAL LIVE BIRTHS		4,067		Birth Order		Births	Percent	Marital Status	
Crude Live Birth Rate	10.7	First	1,584	39	of Mother	Births	Percent		
General Fertility Rate	57.1	Second	1,434	35	Married	3,342	82		
Live births with reported congenital anomalies	58 1.4%	Third	698	17	Not married	725	18		
		Fourth or higher	350	9	Unknown	0	0		
		Unknown	1	<.5	Education of Mother	Births	Percent		
Delivery Type	Births Percent	1st Prenatal Visit	Births	Percent	Elementary or less	54	1		
Vaginal after previous cesarean	52 1	1st trimester	3,716	91	Some high school	154	4		
Forceps	58 1	2nd trimester	271	7	High school	706	17		
Other vaginal	2,924 72	3rd trimester	34	1	Some college	875	22		
Primary cesarean	575 14	No visits	24	1	College graduate	2,255	55		
Repeat cesarean	458 11	Unknown	22	1	Unknown	23	1		
Birthweight	Births Percent	Prenatal Visits	Births	Percent	Smoking Status of Mother	Births	Percent		
<1,500 gm	43 1.1	No visits	24	1	Smoker	377	9		
1,500-2,499 gm	218 5.4	1-4	30	1	Nonsmoker	3,675	90		
2,500+ gm	3,804 93.5	5-9	313	8	Unknown	15	<.5		
Unknown	2 <.5	10-12	1,882	46					
		13+	1,740	43					
		Unknown	78	2					

Race/Ethnicity	Births Percent		Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
	Births	Percent	Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
White	3,518	87	216	6.1	3,230	92	220	6	68	2
Black/Afr.American	55	1	3	5.5	45	82	8	15	2	4
American Indian	16	<.5	1	6.3	14	88	1	6	1	6
Hispanic/Latino	249	6	16	6.4	215	86	30	12	4	2
Asian	227	6	25	11.0	211	93	11	5	5	2
Other/Unknown	2	<.5	*	.	*	.	*	.	*	.

Age of Mother	Fertility		Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit					
	Births	Rate	Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
<15	2	--	*	.	*	.	*	.	*	.
15-17	36	5	1	2.8	27	75	8	22	1	3
18-19	97	19	7	7.2	69	71	26	27	2	2
20-24	506	52	38	7.5	435	86	60	12	11	2
25-29	1,170	120	59	5.0	1,072	92	71	6	27	2
30-34	1,385	138	79	5.7	1,309	95	56	4	20	1
35-39	712	55	53	7.4	669	94	29	4	14	2
40+	159	10	24	15.1	133	84	21	13	5	3
Unknown	0	--	.	.	.	.	.	.	.	.

Teenage Births 135 11 \* Data not reported if age or race category has less than 5 births.

----- MORBIDITY -----		----- MORTALITY -----							
REPORTED CASES OF COMMUTABLE DISEASES*		Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.							
Disease	Number	TOTAL DEATHS			2,731		Selected		
Campylobacter Enteritis	69	Crude Death Rate			716		Underlying Cause	Deaths	Rate
Giardiasis	34					Heart Disease (total)	626	164	
Hepatitis Type A	0					Ischemic heart disease	388	102	
Hepatitis Type B**	8	Age	Deaths	Rate		Cancer (total)	708	186	
Hepatitis NANB/C	71	1-4	1	5		Trachea/Bronchus/Lung	201	53	
Legionnaire's	<5	5-14	4	8		Colorectal	53	14	
Lyme	16	15-19	13	48		Female Breast	58	30*	
Measles	0	20-34	43	71		Cerebrovascular Disease	143	38	
Meningitis, Aseptic	11	35-54	202	166		Lower Resp. Disease	134	35	
Meningitis, Bacterial	0	55-64	268	592		Pneumonia & Influenza	63	17	
Mumps	0	65-74	417	1,650		Accidents	157	41	
Pertussis	15	75-84	822	4,689		Motor vehicle	40	10	
Salmonellosis	61	85+	943	12,540		Diabetes	61	16	
Shigellosis	15					Infect./Parasitic Dis.	26	7	
Tuberculosis	<5					Suicide	40	10	
		Infant							
		Mortality	Deaths	Rate					
* 2007 provisional data.		Total Infant	18	.		* Based on female population.			
** Includes all positive HBsAg test results.		Neonatal	13	.					
		Postneonatal	5	.					
		Infant Mortality by				ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH			
Sexually Transmitted Disease		Race of Mother				Alcohol	27	7	
Chlamydia Trachomatis	376	White	12	.		Tobacco Use	483	127	
Genital Herpes	159	Black	2	.		Other Drugs	27	7	
Gonorrhea	44	Hispanic	2	.					
Syphilis	5	Asian	2	.					
		Other/Unknown	.	.					
		Infant Mortality by				----- MOTOR VEHICLE CRASHES -----			
		Birthweight				Note: These data are based on location of crash, not on residence.			
		<1,500 gm	9	.		Type of Motor Vehicle Crash	Persons Injured	Persons Killed	
Children in Grades K-12 by Compliance Level		1,500-2,499 gm	2	.		Total Crashes	3,074	31	
Compliant	73,453	2,500+ gm	7	.		Alcohol-Related	242	13	
Non-compliant	446	Unknown	.	.		With Citation:			
Percent Compliant	99.4					For OWI	212	3	
		Perinatal				For Speeding	510	0	
		Mortality	Deaths	Rate		Motorcyclist	149	6	
		Total Perinatal	27	6.6		Bicyclist	48	0	
		Neonatal	13	.		Pedestrian	30	1	
		Fetal	14	.					

## 2007 HOSPITALIZATIONS

2007 HOSPITALIZATIONS						2007 HOSPITALIZATIONS					
DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>						<b>Alcohol-Related</b>					
Total	3,423	9.0	5.0	\$26,924	\$242	Total	790	2.1	3.5	\$7,596	\$16
<18	210	2.3	3.7	\$22,783	\$52	18-44	324	2.5	3.1	\$5,676	\$14
18-44	624	4.9	4.1	\$24,127	\$117	45-64	384	3.5	3.6	\$8,540	\$30
45-64	883	8.0	5.2	\$30,776	\$246	<b>Pneumonia and Influenza</b>					
65+	1,706	33.9	5.3	\$26,463	\$897	Total	1,090	2.9	4.9	\$15,485	\$44
<b>Injury: Hip Fracture</b>						<18	109	1.2	2.7	\$7,461	\$9
Total	365	1.0	5.6	\$31,108	\$30	45-64	161	1.5	4.7	\$16,920	\$25
65+	332	6.6	5.6	\$30,611	\$202	65+	754	15.0	5.3	\$16,375	\$245
<b>Injury: Poisonings</b>						<b>Cerebrovascular Disease</b>					
Total	291	0.8	2.5	\$10,069	\$8	Total	1,080	2.8	3.9	\$20,594	\$58
18-44	153	1.2	2.3	\$9,210	\$11	45-64	225	2.0	4.3	\$25,194	\$51
<b>Psychiatric</b>						65+	809	16.1	3.8	\$18,810	\$302
Total	2,100	5.5	7.2	\$9,249	\$51	<b>Asthma</b>					
<18	457	5.0	5.9	\$10,293	\$51	Total	333	0.9	3.1	\$8,559	\$7
18-44	898	7.0	6.8	\$7,405	\$52	<18	83	0.9	1.9	\$5,025	\$5
45-64	488	4.4	8.4	\$10,042	\$44	18-44	69	0.5	2.7	\$6,685	\$4
65+	257	5.1	8.4	\$12,330	\$63	45-64	89	0.8	3.7	\$10,563	\$9
<b>Coronary Heart Disease</b>						65+	92	1.8	3.8	\$11,216	\$21
Total	2,004	5.3	3.4	\$40,436	\$213	<b>Other Chronic Obstructive Pulmonary Disease</b>					
45-64	759	6.9	2.8	\$40,173	\$276	Total	427	1.1	4.4	\$13,666	\$15
65+	1,183	23.5	3.8	\$40,838	\$960	45-64	76	0.7	4.1	\$11,692	\$8
<b>Malignant Neoplasms (Cancers): All</b>						65+	339	6.7	4.5	\$13,979	\$94
Total	1,678	4.4	6.1	\$33,086	\$146	<b>Drug-Related</b>					
18-44	120	0.9	6.2	\$40,418	\$38	Total	326	0.9	5.8	\$8,198	\$7
45-64	642	5.8	5.4	\$32,754	\$190	18-44	202	1.6	3.4	\$5,514	\$9
65+	898	17.8	6.6	\$31,578	\$563	<b>Total Hospitalizations</b>					
<b>Neoplasms: Female Breast (rates for female population)</b>						Total	43,131	113.1	4.3	\$19,897	\$2,251
Total	129	0.7	2.7	\$27,617	\$18	<18	6,415	69.6	3.3	\$8,613	\$599
<b>Neoplasms: Colo-rectal</b>						18-44	9,409	73.3	3.4	\$13,594	\$997
Total	172	0.5	8.4	\$40,701	\$18	45-64	9,935	90.0	4.4	\$25,540	\$2,298
65+	110	2.2	9.3	\$44,059	\$96	65+	17,372	345.2	5.1	\$24,249	\$8,370
<b>Neoplasms: Lung</b>						----- PREVENTABLE HOSPITALIZATIONS* -----					
Total	198	0.5	6.0	\$27,399	\$14	Total	4,413	11.6	4.5	\$16,123	\$187
<b>Diabetes</b>						<18	358	3.9	2.4	\$8,950	\$35
Total	396	1.0	5.5	\$22,090	\$23	18-44	448	3.5	4.0	\$14,294	\$50
65+	185	3.7	6.1	\$23,015	\$85	45-64	848	7.7	4.4	\$18,618	\$143
						65+	2,759	54.8	4.9	\$16,584	\$909
						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.					