	lone that cand		
Total 2007 Population 767,210	 Community Options and MA Waiver	 	000
County population rank (1-72) .	as HSRS reports costs for services	Staffing - FTE Number Populati	ion
Population per square mile .	_	:	. 4
County rank in population	Clients Costs	Administrative 32.3 0.	. 4
density (1-72) .	!	I .	. 1
	MA Waiver *	I and the second	. 0
Population growth 2003-2007 .	!	1 -	.3
County rank in 5-year	274 \$19,535,891	-	. 2
population growth (1-72)	CIP1B Develop. disabled	!	.1
populación growen (1 /2)	1,633 \$48,531,501	·	.7
Age Female Male Total	CIP2 Elderly/phys. disab. adults	·	.6
0-14 70,150 73,430 143,590			.8
15-17	· ·	Support Starr 04.0 0.	. 0
18-19	:	 Funding	:+-
	!	!	
· · · · · · · · · · · · · · · · · · ·	!	!	
25-44 92,960 99,540 192,500	1	Local Taxes \$11,247,622 \$14.6	
45-64 101,120 103,860 204,970		LICENSED ESTABLISHMENTS, 2006	
65-84 47,840 40,320 88,170		Type Facilitie	
85+ 11,410 5,340 16,750	!	!	50
Total 383,800 383,450 767,210	The state of the s		88
	were paid as local match/overmatch	I · · · · · · · · · · · · · · · · · · ·	33
Race/ethnicity Female Male Total	using COP funds. This amount is	Tourist Rooming 18	
White 367,800 365,880 733,690	•	I	21
Afr.Amer. 2,350 3,720 6,070	!	Restaurants 2,86	
Amer. Ind. 3,370 3,300 6,670	<u> </u>	Body Art	51
Hispanic 4,440 5,230 9,670	-		
Asian 5,830 5,320 11,140	•	WIC PARTICIPANTS	
Total 383,800 383,450 767,210	Eligible and	Numbe	
	Waiting 1,793 n/a	Pregnant/Postpartum 8,49	
Poverty Estimates for 2005	(Family Care data not available)	Infants 5,56	
Estimate (%) (C.I.+/-)		Children, age 1-4 14,24	12
All ages not		Total 28,29) 9
Ages 0-17 available	Note: Eligible and waiting clients		
	will be phased into the COP and MA	NEW CASES OF CANCER IN 2006	
EMPLOYMENT	Waivers as available.	Primary Site Total Cases Rat	:e
Average wage for jobs covered		Breast 430 .	
by unemployment compensation N/A		Cervical 9 .	
(place of work)		Colorectal 321 .	
Annual		Lung and Bronchus 448 .	
Labor Force Estimates Average	Nursing Homes 80	Prostate 515 .	
Civilian Labor Force 432,768	Licensed beds 6,300	Other sites 1,577 .	
Unemployment rate 4.9%	Residents on Dec.31 5,604	Total 3,300 .	
5-yr avg. unemployment rate . %	Residents age 65 or older		
	per 1,000 population 49	Note: Totals for invasive cancers only.	
Median HH income (2005) .	į	Rate is per 100,000 population.	
Rank in median HH income (1-72) .	İ	<u> </u>	
	'	, 	

----- POPULATION ESTIMATES ------ LONG-TERM CARE ------ LOCAL HEALTH DEPARTMENTS -----

				NATA	LITY						
TOTAL LIVE BIRTHS							Marital				
			First		3,694	38	of Moth	er	Births	Percent	
Crude Live Birth Rate 12.5		Second		3,109	32	of Mother Married		6,636	69		
General Fertility Rate 62.6		Third		1,623	17	Not ma	rried	2,963	31		
Live births with reported congenital anomalies 160 1.7%			Fourth or higher		1,174	12	Not married Unknown		3	<.5	
Live births with repo	orted		Unknown		. 2	<.5					
congenital anomalies	16	0 1.7%					Educati	on			
3							of Moth	er	Births	Percent	
Delivery Type	Births	Percent	1st Pre	natal Visit	Births	Percent	Flemen	tary or les	538	6	
Vaginal after			1st t	rimester	7,762	81	Some h	igh school	688	7	
previous cesarean	197	2	2nd t	rimester	1,405	15	High s	chool	2.613	27	
Forceps	111	1	3rd t	rimester	300	3	Some c	ollege	2.893	30	
Other vaginal	6.919	72	No vi	sits	48	<.5	Some high school High school Some college College graduate Unknown		2.802	29	
Primary cesarean	1.353	14	Unkno	wn	87	1	IInknown		68	1	
Repeat cesarean	1.021	11	3111110		<i>3 7</i>	_				_	
			Prenata	l Visits	Births	Percent	Smokina	Status			
Birthweight	Births	Percent	No vi	sits	47	< . 5	of Moth	er	Births	Percent	
<1.500 am	112	1 2	1-4	2200	398	4	Smoker	<u>-</u>	1.725	18	
1.500-2.499 cm	454	4 7	5-9		2.466	26	Nonemo	ker	7.860	82	
2 500+ cm	9 033	94 1	10-12		3 970	41	IInknow	n	17	< 5	
Inknown	2,033	- 5	13+		2 629	27	OIIIIIOW	.1	Δ,	1.5	
Olixilowii	3	1.5	IInkno	TATO	92	1					
	## Prenatal visits ## Per Cant No visits 47					Trimest	Trimester of First Prenatal Visit				
			(under 2	,500 gm)	1st Tr	imester	2nd Tr	imester	Other/	Unknown	
Race/Ethnicity White	Births F	ercent	Births	Percent	Births	Percent	Births	Percent	Births	Percent	
White	8,835	92	512	5.8	7,287	82	1,188	13	360	4	
Black/Afr.American	60	1	6	10.0	37	62	16	27	7	12	
American Indian	152	2	12	7.9	101	66	40	26	11	7	
Hispanic/Latino	272	3	16	5.9	167	61	72	26	33	12	
Asian	277	3	19	6.9	168	61	89	32	20	7	
Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	6	<.5	1	16.7	2	33	•		4	67	
			Low Birt	 hweight		Trimeat	er of Fir	et Drenatal	 Wiei+		
Fortility (under 2 500 c				500 gm)	Trimester of First Prenatal V 1st Trimester 2nd Trimester				Other/	IInknown	
Age of Mother	Dintha	Data	Dirtha	Dorgont	Dintha	Dorgont	Dintha	Dorgont	Dixtha	Percent	
<pre></pre>	5		211 0110		211 0113	40	211 0113	40	211 0110	1 01 00110	
15-17	158	9	11	7 0	89	56	59	37	•		
18-19	£10	43	30	7.3	37 <i>6</i>	70	ر 110	23	•	•	
20-24	2 384	77	140	7.3 6.3	1 836	77	424	2.5 1.0	•	•	
25-29	2,30 1	140	101	5.9	2 721	γ <i>γ</i>	405	12	•	•	
20-29 20-3 <i>4</i>	3,430 9 167	106	100	J.J A 7	2,/21 1 067	96	30E	10	•	•	
30-3 1 35-30	4,10 <i>1</i>	40	F.7	±./ 5.7	1,00/	90	120	12	•	•	
33-33	940 016	4± U	24	5./ 10 6	133	0 U	TZU	T 3	•	•	
Tinlen over	216 3	8	∠3 *	10.0	138		5 <i>2</i> *	. 24	•	•	
Unknown	3		^	•	^	•	*	•	^	•	
Teenage Births	682	23		* Data not	reported	if age or	race cate	gory has le	ess than 5	births.	

MORBIDITY			MO	RTALITY		
	Note: Death rates (except in	nfant) are	per 100,000 population.	Infant,	
				rates are per 1,000 live		
REPORTED CASES OF COMMUTABLE DISEASES*				are per 1,000 live births		
REFORTED CASES OF COMMUTABLE DISEASES	•			culated for fewer than 20	_	
	retal deaths.	. Rates a	are not cal	culated for lewer than 20	deaths.	
Disease Number	TOTAL DEATHS		6,318	Selected		
Campylobacter Enteritis 176	Crude Death Rat	te	824	Underlying Cause	Deaths	Rate
Giardiasis 84				Heart Disease (total)	1,539	201
Hepatitis Type A 8				Ischemic heart disease	956	125
Hepatitis Type B** 47	Age	Deaths	Rate	Cancer (total)	1.512	197
Hepatitis NANB/C 241	1-4	15	41	Trachea/Bronchus/Lung		
Legionnaire's 5	5-14	21	22	Colorectal	131	
Lyme 727	15-19	29	49	Female Breast		- -
	I			1		_
Measles 0	20-34	132	86	Cerebrovascular Disease		
Meningitis, Aseptic 21	35-54	509		Lower Resp. Disease	318	
Meningitis, Bacterial <5	55-64	648		Pneumonia & Influenza		
Mumps 0	65-74		1,825	Accidents	327	43
Pertussis 149	75-84	1,696	4,731	Motor vehicle	117	15
Salmonellosis 118	85+		13,493	Diabetes	153	20
Shigellosis 9		,	•	Infect./Parasitic Dis.	91	12
Tuberculosis 11	Infant			Suicide	102	13
	Mortality	Deaths	Rate	Bulletuc	102	13
* 2007 provisional data.				* Based on female popul	ation	
•	Total Infant Neonatal	32	2.4	" Based off Telliate popul	Lation.	
** Includes all positive HBsAg						
test results.	Postneonatal	20	2.1	ALCOHOL AND DRUG ABUSE		_
				OR CONTRIBUTING CAUS	SE OF DEA	TH
	Infant Mortality k	ру				
Sexually Transmitted Disease	Race of Mother			Alcohol	126	16
Chlamydia Trachomatis 1,485	White	47	5.3	Tobacco Use	995	130
Genital Herpes 430	Black			Other Drugs	53	7
Gonorrhea 148	Hispanic	1		i		
Syphilis 6	Asian	3		İ		
	Other/Unknown	1	•	MOTOR VEHICLE	CRASHES	
		_	•		CIGIDIIID	
	 Infant Mortality b	27.7		 Note: These data are ba	and on 1	ogotion
 	-	Эy		· ·		
IMMUNIZATIONS	Birthweight	0.4	014 0	of crash, not or	residen	ce.
	<1,500 gm	24		_		
Children in Grades K-12 by	1,500-2,499 gm	4	•	Type of Motor Vehicle Crash	Persons	Persons
Compliance Level	2,500+ gm	23		Vehicle Crash	Injured	Killed
Compliant 126,008	Unknown	1	•	Total Crashes	6,077	111
Non-compliant 621				Alcohol-Related	848	45
Percent Compliant 99.5	Perinatal			With Citation:		
<u> </u>	Mortality	Deaths	Rate	For OWI	704	7
İ	Total Perinatal			1	469	1
	Neonatal	32	3.2	Motorcyclist		
	Neonatal Fetal	47	4 9	Bicyclist	91	2
	l recar	1 /	- I . J	Pedestrian		3
I	 			redescriaii	<i>ээ</i>	J

DISEASE Number Pop Clays Charge Per ACE GROUP Number Pop Clays Capita ACE Clays ACE GROUP Number Pop Clays Capita ACE GROUP							ITALIZATIONS					
Number Pop Clays Charge Capita AGE GROUP Number Pop Clays Charge Capita				_		_				_		Charge
Total 5,090 6.6 4.2 \$21,289 \$141 Total 1,941 2.5 3.9 \$6,548 \$17 \$18 350 2.0 3.0 \$17,906 \$3.5 18-44 973 3.5 3.6 \$5,563 \$319 \$18-44 1,116 4.0 3.6 \$20,351 \$811 \$45-64 8.33 4.1 4.1 \$7,242 \$2.92 \$45-64 1,275 6.2 4.7 \$20,805 \$466 \$15,755 \$2.5 \$6.91 \$9.5 \$1.9 \$1.0 \$1.9 \$1.			•	_	_		•		-	_	_	
Total 5,090 6.6 4.2 \$21,289 \$141 Total 1,941 2.5 3.9 \$6,548 \$317	AGE GROUP	Number	Pop	(Days)	Charge	Capita	AGE GROUP	Number	Pop	(Days)	Charge	Capita
18	Injury-Related	d: All					 Alcohol-Relate	ed				
18-44	Total	5,090	6.6	4.2	\$21,289	\$141	Total	1,941	2.5	3.9	\$6,548	\$17
45-64	<18	350	2.0	3.0	\$17,906	\$35	18-44	973	3.5	3.6	\$5,363	\$19
Things: Hip Fracture	18-44	1,116	4.0	3.6	\$20,351	\$81	45-64	833	4.1	4.1	\$7,242	\$29
Total	45-64	1,275	6.2	4.3	\$23,932	\$149	Pneumonia and	Influenza				
Total 671 0.9 5.2 \$24,693 \$22 45-64 468 2.3 4.0 \$13,901 \$32 65+ 606 5.8 5.3 \$24,796 \$143 65+ 1.818 17.3 4.4 \$12,813 \$222 Injury: Poisonings Total 489 0.6 3.4 \$10.851 \$7 Total 1,386 1.8 3.9 \$17,359 \$31 18-44 273 1.0 3.5 \$10.107 \$10 45-64 249 1.2 4.1 \$24,392 \$30 65+ 1.102 10.5 3.8 \$15,356 \$161 Asthmatic Total 3,889 5.1 6.7 \$8,956 \$45 Total 406 0.5 2.8 \$7,409 \$4 **18 506 2.8 8.8 \$9,913 \$28 18-44 2,072 7.4 6.0 \$7,779 \$58 18-44 2,072 7.4 6.0 \$7,779 \$58 18-44 2,072 7.4 6.0 \$7,779 \$58 45-64 10.3 0.6 3.1 \$8,574 \$55 65+ 343 3.7 \$2 \$11,558 \$38 \$65+ 1.0 8 1.0 \$3.8 \$9,230 \$9 Other Chronic Obstructive Pulmonary Disease Total 2,066 3.8 3.5 \$33,846 \$128 45-64 1.055 5.2 \$3.0 \$35,449 \$184 45-64 1.056 5.2 \$3.0 \$35,449 \$184 45-64 1.056 5.2 \$3.0 \$35,449 \$184 45-64 1.056 5.2 \$3.0 \$35,449 \$184 45-64 1.056 5.5 \$3.5 \$27,283 \$72 18-44 151 0.5 5.5 \$27,283 \$72 18-44 2.00 0.9 6.9 \$6,948 \$6 18-44 151 0.5 5.5 \$27,283 \$72 18-44 151 0.5 5.5 \$25,571 \$280 Total 1,06 10.5 5.5 \$26,571 \$280 Total 1,06 10.5 5.5 \$27,338 \$13 65+ 1,06 10.5 5.5 \$3,338 \$13 65+ 1,00 1.8 7.6 \$37,341 \$68 Neoplasms: Female Breast (rates for female population) Total 1,070 \$1.0 2.9 \$6,105 \$385 Total 290 0.4 7.2 \$35,338 \$13 65+ 200 0.9 0.4 7.2 \$35,338 \$13 65+ 200 0.9 0.4 7.2 \$35,338 \$13 65+ 200 0.9 0.8 \$3.0 \$10,488 \$130 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30 18-44 89 3.2 2.7 \$9,332 \$30	65+	2,349	22.4	4.7	\$20,805	\$466	Total	2,712	3.5	4.1	\$12,221	\$43
Second Second	Injury: Hip	Fracture					<18	262	1.5	2.5	\$6,391	\$9
Total 489 0.6 3.4 \$10.851 \$7 Total 1.386 1.8 3.9 \$17.359 \$31 18-44 273 1.0 3.5 \$10.107 \$10	Total	671	0.9	5.2	\$24,693	\$22	45-64	468	2.3	4.0	\$13,901	\$32
Total	65+	606	5.8	5.3	\$24,796	\$143	65+	1,818	17.3	4.4	\$12,813	\$222
New Commany Heart Disease Total 2,906 3.8 3.5 3.8 3.5 3.8 3.5 3.8 3.8 3.5 3.8 3.	Injury: Pois	sonings					Cerebrovascula	ar Disease				
New Commany Heart Disease Total 2,906 3.8 3.5 3.8 3.5 3.8 3.5 3.8 3.8 3.5 3.8 3.5 3.8 3.	Total	489	0.6	3.4	\$10,851	\$7	Total	1,386	1.8	3.9	\$17,359	\$31
Psychiatric	18-44	273					45-64					
Psychiatric					, ,	·	65+	1,102				
Total 3,889 5.1 6.7 \$8,956 \$45	Psychiatric						1	•				·
Coronary Heart Disease	_	3,889	5.1	6.7	\$8,956	\$45	1	406	0.5	2.8	\$7,409	\$4
18-44	<18						I .					
## 45-64 968 4.7 7.0 \$10,052 \$47 45-64 113 0.6 3.1 \$8,574 \$5 \$65 343 3.3 7.2 \$11,558 \$38 65 108 1.0 3.8 \$9,230 \$9 \$9 \$0 \$0 \$10,052 \$47 \$11,558 \$38 \$65 \$108 1.0 3.8 \$9,230 \$9 \$9 \$0 \$0 \$0 \$1.0							1					
65+ 343 3.3 7.2 \$11,558 \$38 65+ 108 1.0 3.8 \$9,230 \$9							1					
Other Chronic Obstructive Pulmonary Disease							I .					
Coronary Heart Disease Total 2,906 3.8 3.5 \$33,846 \$128		3 13	5.5		711,000	400	1					4-2
Total 2,906 3.8 3.5 \$33,846 \$128	Coronary Heart	t Disease					•			_		\$14
## 45-64	_		3.8	3.5	\$33.846	\$128	I .					
Malignant Neoplasms (Cancers): All							1					
Malignant Neoplasms (Cancers): All]	030	0.2	3.0	VII/323	₩,±
Malignant Neoplasms (Cancers): All Total 2,026 2.6 5.3 \$27,283 \$72 18-44 260 0.9 6.9 \$6,948 \$6 18-44 151 0.5 4.7 \$26,117 \$14 45-64 750 3.7 5.1 \$28,435 \$104 65+ 1,106 10.5 5.5 \$26,571 \$280 Total 160 0.4 1.8 \$16,507 \$7 Neoplasms: Female Breast (rates for female population) Total 290 0.4 7.2 \$35,338 \$13 65+ 190 1.8 7.6 \$37,341 \$68 Neoplasms: Lung Total 199 0.3 6.2 \$28,708 \$7 Total 290 0.4 7.2 \$35,435 \$104 Neoplasms: Lung Total 290 0.3 6.2 \$28,708 \$7 Total 290 0.3 6.2 \$28,708 \$7 Total 290 0.3 6.2 \$28,708 \$7 Total 390 0.3 6.2 \$28	031	1,713	10.5	3.7	Q33,221	Ψ 512	 Drug-Related					
Total 2,026 2.6 5.3 \$27,283 \$72 18-44 260 0.9 6.9 \$6,948 \$6 18-44 151 0.5 4.7 \$26,117 \$14 45-64 750 3.7 5.1 \$28,435 \$104 Total Hospitalizations 65+ 1,106 10.5 5.5 \$26,571 \$280 Total 71,162 92.8 3.6 \$14,818 \$1,374 Neoplasms: Female Breast (rates for female population) Total 160 0.4 1.8 \$16,507 \$7 18-44 18,438 66.2 3.0 \$10,742 \$711 Neoplasms: Colo-rectal Total 290 0.4 7.2 \$35,338 \$13 65+ 26,169 249.3 4.3 \$18,463 \$4,603 65+ 190 1.8 7.6 \$37,341 \$68 Neoplasms: Lung Total 199 0.3 6.2 \$28,708 \$7 Total 9,156 11.9 3.6 \$10,889 \$130 C18 672 3.8 2.0 \$5,166 \$19 Diabetes Total 576 0.8 3.8 \$14,048 \$11 45-64 1,828 8.9 3.5 \$12,098 \$108 65+ 190 1.8 4.9 \$14,918 \$27 65+ 5,758 54.9 4.0 \$11,416 \$626 * Hospitalizations for conditions where timely and effects	Malignant Neor	nlagmg (Ca	ncers):	Δ11				422	0.6	7 9	\$8 451	\$5
18-44					\$27 283	\$72	1					
45-64 750 3.7 5.1 \$28,435 \$104 Total Hospitalizations 65+ 1,106 10.5 5.5 \$26,571 \$280 Total 71,162 92.8 3.6 \$14,818 \$1,374 Neoplasms: Female Breast (rates for female population) Total 160 0.4 1.8 \$16,507 \$7 18-44 18,438 66.2 3.0 \$10,742 \$711 Neoplasms: Colo-rectal 45-64 15,285 74.6 3.9 \$19,918 \$1,485 Total 290 0.4 7.2 \$35,338 \$13 65+ 26,169 249.3 4.3 \$18,463 \$4,603 65+ 190 1.8 7.6 \$37,341 \$68 Neoplasms: Lung Total 199 0.3 6.2 \$28,708 \$7 Total 9,156 11.9 3.6 \$10,889 \$130 Total 576 0.8 3.8 \$14,048 \$11 45-64 1,828 8.9 3.5 \$12,098 \$108 65+ 190 1.8 4.9 \$14,918 \$27 65+ 5,758 54.9 4.0 \$11,416 \$626 * Hospitalizations for conditions where timely and effects *							10 44	200	0.5	0.5	\$0,540	ŲΟ
65+ 1,106 10.5 5.5 \$26,571 \$280 Total 71,162 92.8 3.6 \$14,818 \$1,374 Neoplasms: Female Breast (rates for female population) <18 11,270 63.1 2.9 \$6,105 \$385 Total 160 0.4 1.8 \$16,507 \$7 18-44 18,438 66.2 3.0 \$10,742 \$711 Neoplasms: Colo-rectal 45-64 15,285 74.6 3.9 \$19,918 \$1,485 Total 290 0.4 7.2 \$35,338 \$13 65+ 26,169 249.3 4.3 \$18,463 \$4,603 65+ 190 1.8 7.6 \$37,341 \$68 Neoplasms: Lung Total 199 0.3 6.2 \$28,708 \$7 Total 9,156 11.9 3.6 \$10,889 \$130 S10 S10 S10 S10 S10 S10 S10 S10 S10 S1							 Total Hognital	izations				
Neoplasms: Female Breast (rates for female population) <18 11,270 63.1 2.9 \$6,105 \$385 Total 160 0.4 1.8 \$16,507 \$7 18-44 18,438 66.2 3.0 \$10,742 \$711 Neoplasms: Colo-rectal 45-64 15,285 74.6 3.9 \$19,918 \$1,485 Total 290 0.4 7.2 \$35,338 \$13 65+ 26,169 249.3 4.3 \$18,463 \$4,603 65+ 190 1.8 7.6 \$37,341 \$68 \$68 \$65+ 26,169 249.3 4.3 \$18,463 \$4,603 \$4,603 \$65+ \$65+ 26,169 249.3 4.3 \$18,463 \$4,603 \$4,603 \$65+ <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>. –</td> <td></td> <td>92.8</td> <td>3 6</td> <td>¢14 Q1Q</td> <td>¢1 374</td>							. –		92.8	3 6	¢14 Q1Q	¢1 374
Total 160 0.4 1.8 \$16,507 \$7							1					
Neoplasms: Colo-rectal 45-64 15,285 74.6 3.9 \$19,918 \$1,485 Total 290 0.4 7.2 \$35,338 \$13 65+ 26,169 249.3 4.3 \$18,463 \$4,603 65+ 190 1.8 7.6 \$37,341 \$68 PREVENTABLE HOSPITALIZATIONS*	_				_	_	1					
Total 290 0.4 7.2 \$35,338 \$13 65+ 26,169 249.3 4.3 \$18,463 \$4,603 65+ 190 1.8 7.6 \$37,341 \$68 Neoplasms: Lung Total 199 0.3 6.2 \$28,708 \$7 Total 9,156 11.9 3.6 \$10,889 \$130 \$180 \$100 \$100 \$100 \$100 \$100 \$100 \$10				1.0	\$10,507	<i>ې ۱</i>	1					
65+ 190 1.8 7.6 \$37,341 \$68 Neoplasms: Lung Total 199 0.3 6.2 \$28,708 \$7 Total 9,156 11.9 3.6 \$10,889 \$130 <pre></pre>				7 2	¢2E 220	ė1 o	1					
Neoplasms: Lung							65+	20,109	249.3	4.3	\$10,403	\$4,003
Total 199 0.3 6.2 \$28,708 \$7 Total 9,156 11.9 3.6 \$10,889 \$130 \$100 \$100 \$100 \$100 \$100 \$100 \$100			1.8	7.0	\$37,341	\$08			HOODE	7 T T T 7 T T T	ONIC #	
Control Cont	-		0.3	6 2	୯ ୦୦ ७००	ĊП	1					
Diabetes 18-44 898 3.2 2.7 \$9,332 \$30 Total 576 0.8 3.8 \$14,048 \$11 45-64 1,828 8.9 3.5 \$12,098 \$108 65+ 190 1.8 4.9 \$14,918 \$27 65+ 5,758 54.9 4.0 \$11,416 \$626 * Hospitalizations for conditions where timely and effects	Total	199	0.3	6.2	৯∠8,/∪8	Ş /	•					
Total 576 0.8 3.8 \$14,048 \$11 45-64 1,828 8.9 3.5 \$12,098 \$108 65+ 190 1.8 4.9 \$14,918 \$27 65+ 5,758 54.9 4.0 \$11,416 \$626	Diabatas						I .					
65+ 190 1.8 4.9 \$14,918 \$27 65+ 5,758 54.9 4.0 \$11,416 \$626 * Hospitalizations for conditions where timely and effects		F76	0 0	2 0	d14 040	ė11	1					
* Hospitalizations for conditions where timely and effects							1					
	65+	190	1.8	4.9	\$14,918	\$27						
ambulatory care can reduce the likelihood of hospitalization							ambulatory care c	an reduce	tne lik	erinood	or nospit	talization