

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----		----- LOCAL HEALTH DEPARTMENTS -----		
Total 2008 Population				Community Options and MA Waiver		Staffing - FTE		
County population rank (1-72)				as HSRS reports costs for services		Number		
Population per square mile						Per 10,000		
County rank in population density (1-72)						Population		
Population growth 2004-2008				COP		Total FTEs		
County rank in 5-year population growth (1-72)				MA Waiver *		Administrative		
				CIP1A Develop. disabled		Public health nurses		
				CIP1B Develop. disabled		Oral health prof.		
				CIP2 Elderly/phys. disab. adults		Envir. health prof.		
				COP-W Elderly/phys. disab. adults		Public health educ.		
				CLTS Disabled children		Nutritionist		
				Brain Injury		Other prof. staff		
				Total COP/Wvrs		Technical/paraprof.		
						Support staff		
						Funding		
						Per capita		
						Total		
						Local Taxes		
						----- LICENSED ESTABLISHMENTS -----		
						Type		
						Facilities		
						Bed & Breakfast		
						Camps		
						Hotels, Motels		
						Tourist Rooming		
						Pools		
						Restaurants		
						Body Art		
						----- WIC PARTICIPANTS -----		
						Number		
						Pregnant/Postpartum		
						Infants		
						Children, age 1-4		
						-----		
						Do not speak English		
						Speak English		
						-----		
						Total		
						-----NEW CASES OF CANCER IN 2007-----		
						Primary Site		
						Total Cases		
						Rate		
						Breast		
						Cervical		
						Colorectal		
						Lung and Bronchus		
						Prostate		
						Other sites		
						Total		
						Note: Totals for invasive cancers only.		
						Rate is per 100,000 population.		

NATALITY

TOTAL LIVE BIRTHS			505			Birth Order		Births		Percent		Marital Status of Mother		Births		Percent		
Crude Live Birth Rate	10.6		First	197		39		Married	311		62							
General Fertility Rate	59.3		Second	173		34		Not married	193		38							
Live births with reported congenital anomalies	11	2.2%	Third	87		17		Unknown	1		<.5							
			Fourth or higher	48		10												
			Unknown	0		0												
Delivery Type	Births Percent		1st Prenatal Visit		Births Percent		Education of Mother		Births Percent									
Vaginal after previous cesarean	8	2	1st trimester		406		80		Elementary or less		26		5					
Forceps	0	0	2nd trimester		71		14		Some high school		58		11					
Other vaginal	386	76	3rd trimester		25		5		High school		181		36					
Primary cesarean	58	11	No visits		1		<.5		Some college		161		32					
Repeat cesarean	53	10	Unknown		2		<.5		College graduate		75		15					
									Unknown		4		1					
Birthweight	Births Percent		Prenatal Visits		Births Percent		Smoking Status of Mother		Births Percent									
<1,500 gm	7	1.4	No visits		1		<.5		Smoker		124		25					
1,500-2,499 gm	25	5.0	1-4		18		4		Nonsmoker		379		75					
2,500+ gm	473	93.7	5-9		135		27		Unknown		2		<.5					
Unknown	0	0	10-12		261		52											
			13+		85		17											
			Unknown		5		1											
Race/Ethnicity			Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit													
	Births Percent		Births Percent		1st Trimester		2nd Trimester		Other/Unknown		Births Percent		Births Percent		Births Percent		Births Percent	
White	457	90	31	6.8	375	82	63	14	19	4								
Black/Afr.American	20	4	.	.	16	80	1	5	3	15								
American Indian	10	2	1	10.0	5	50	3	30	2	20								
Hispanic/Latino	12	2	.	.	6	50	4	33	2	17								
Asian	5	1	.	.	4	80	.	.	1	20								
Other/Unknown	1	<.5	*	.	*	.	*	.	*	.								
Age of Mother			Low Birthweight (under 2,500 gm)		Trimester of First Prenatal Visit													
	Births Fertility Rate		Births Percent		1st Trimester		2nd Trimester		Other/Unknown		Births Percent		Births Percent		Births Percent		Births Percent	
<15	0	--	.	.	.	.	.	.	.	.								
15-17	5	6	1	20.0	1	20	3	60	1	20								
18-19	39	61	3	7.7	28	72	6	15	5	13								
20-24	167	122	10	6.0	130	78	27	16	10	6								
25-29	145	99	10	6.9	128	88	12	8	5	3								
30-34	106	84	5	4.7	86	81	17	16	3	3								
35-39	32	24	3	9.4	25	78	6	19	1	3								
40+	10	6	.	.	8	80	.	.	2	20								
Unknown	1	--	*	.	*	.	*	.	*	.								
Teenage Births	44	29	* Data not reported if age or race category has fewer than 5 births.															

MORBIDITY

MORTALITY

CONFIRMED CASES OF COMMUNICABLE DISEASES (2008)

Disease	Number
Campylobacter Enteritis	11
Giardiasis	6
Hepatitis Type A	0
Hepatitis Type B*	<5
Hepatitis NANB/C	18
Legionnaire's	0
Lyme	64
Measles	0
Meningitis, Aseptic	0
Meningitis, Bacterial	<5
Mumps	0
Pertussis	<5
Salmonellosis	5
Shigellosis	0
Tuberculosis	0
E-Coli 0157	<5
E-Coli, Non-0157	0
Cryptosporidiosis	10
Streptococcus Pneum Invasive	<5
All Streptococcal Diseases	<5
Blastomycosis	<5
Haemophilus flu, Invasive	0
Ehrlichiosis/Anaplasmosis	<5
Malaria	0
Listeriosis	0
* Includes all positive HBsAg test results.	
Sexually Transmitted Disease	
Chlamydia Trachomatis	81
Gonorrhea	5
Syphilis	0

IMMUNIZATIONS

Children in Grades K-12 by Compliance Level	Number
Compliant	8,182
Non-compliant	115
Percent Compliant	98.6

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS		452
Crude Death Rate		952
Age	Deaths	Rate
1-4	.	.
5-14	.	.
15-19	2	.
20-34	9	.
35-54	27	199
55-64	36	572
65-74	67	1,631
75-84	127	4,657
85+	183	14,353

Infant Mortality		
	Deaths	Rate
Total Infant	1	.
Neonatal	.	.
Postneonatal	1	.

Infant Mortality by Race of Mother		
	Deaths	Rate
White	1	.
Black	.	.
Hispanic	.	.
Asian	.	.
Other/Unknown	.	.

Infant Mortality by Birthweight		
	Deaths	Rate
<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	1	.
Unknown	.	.

Perinatal Mortality		
	Deaths	Rate
Total Perinatal	1	.
Neonatal	.	.
Fetal	1	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	101	213
Ischemic heart disease	68	143
Cancer (total)	100	211
Trachea/Bronchus/Lung	25	53
Colorectal	9	.
Female Breast	2	.*
Cerebrovascular Disease	27	57
Lower Resp. Disease	37	78
Pneumonia & Influenza	19	.
Accidents	15	.
Motor vehicle	9	.
Diabetes	20	42
Infect./Parasitic Dis.	6	.
Suicide	5	.

\* Based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

	Deaths	Rate
Alcohol	4	.
Tobacco Use	96	202
Other Drugs	2	.

MOTOR VEHICLE CRASHES

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	339	10
Alcohol-Related	45	3
With Citation:		
For OWI	40	0
For Speeding	15	0
Motorcyclist	13	1
Bicyclist	4	0
Pedestrian	6	1

2008 HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>						<b>Alcohol-Related</b>					
Total	390	8.2	4.3	\$20,864	\$171	Total	110	2.3	4.8	\$7,350	\$17
<18	25	2.5	2.4	\$13,252	\$33	18-44	60	3.9	3.6	\$5,176	\$20
18-44	60	3.9	3.1	\$17,365	\$67	45-64	39	2.8	6.1	\$9,799	\$27
45-64	105	7.5	4.3	\$23,117	\$174	<b>Pneumonia and Influenza</b>					
65+	200	24.7	4.9	\$21,682	\$535	Total	277	5.8	3.9	\$11,233	\$66
<b>Injury: Hip Fracture</b>						<18	36	3.6	2.5	\$7,457	\$27
Total	58	1.2	4.9	\$21,220	\$26	45-64	43	3.1	3.7	\$12,421	\$38
65+	53	6.5	4.9	\$21,245	\$139	65+	186	22.9	4.3	\$11,886	\$273
<b>Injury: Poisonings</b>						<b>Cerebrovascular Disease</b>					
Total	28	0.6	4.6	\$15,437	\$9	Total	118	2.5	3.8	\$19,599	\$49
18-44	11	.	.	.	.	45-64	33	2.4	4.6	\$27,272	\$64
<b>Psychiatric</b>						65+	80	9.9	3.3	\$14,085	\$139
Total	313	6.6	7.8	\$8,608	\$57	<b>Asthma</b>					
<18	34	3.4	8.3	\$8,546	\$29	Total	23	0.5	2.9	\$7,785	\$4
18-44	168	10.8	7.0	\$7,633	\$83	<18	11	.	.	.	.
45-64	78	5.6	9.5	\$10,317	\$58	18-44	1	.	.	.	.
65+	33	4.1	6.9	\$9,593	\$39	45-64	6	.	.	.	.
<b>Coronary Heart Disease</b>						65+	5	.	.	.	.
Total	279	5.9	3.3	\$37,221	\$219	<b>Other Chronic Obstructive Pulmonary Disease</b>					
45-64	96	6.9	2.9	\$39,595	\$272	Total	100	2.1	3.8	\$12,108	\$25
65+	179	22.1	3.5	\$36,016	\$795	45-64	29	2.1	3.2	\$13,229	\$27
<b>Malignant Neoplasms (Cancers): All</b>						65+	67	8.3	4.2	\$11,975	\$99
Total	183	3.9	5.6	\$28,155	\$109	<b>Drug-Related</b>					
18-44	13	.	.	.	.	Total	27	0.6	4.0	\$6,003	\$3
45-64	60	4.3	5.2	\$30,257	\$130	18-44	19	.	.	.	.
65+	109	13.4	6.0	\$28,441	\$382	<b>Total Hospitalizations</b>					
<b>Neoplasms: Female Breast (rates for female population)</b>						Total	5,542	116.7	3.7	\$16,093	\$1,878
Total	12	.	.	.	.	<18	782	79.0	3.0	\$7,079	\$560
<b>Neoplasms: Colo-rectal</b>						18-44	1,223	78.8	3.0	\$9,911	\$781
Total	26	0.5	7.5	\$34,411	\$19	45-64	1,190	85.2	4.1	\$22,202	\$1,893
65+	15	.	.	.	.	65+	2,347	289.4	4.2	\$19,220	\$5,561
<b>Neoplasms: Lung</b>						<b>----- PREVENTABLE HOSPITALIZATIONS* -----</b>					
Total	23	0.5	4.4	\$24,323	\$12	Total	809	17.0	3.7	\$11,374	\$194
<b>Diabetes</b>						<18	64	6.5	2.3	\$6,578	\$43
Total	65	1.4	3.7	\$14,687	\$20	18-44	61	3.9	2.5	\$8,311	\$33
65+	23	2.8	3.6	\$11,892	\$34	45-64	165	11.8	4.0	\$14,277	\$169
						65+	519	64.0	3.9	\$11,403	\$730

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.