POPULATION E	ESTIMATES -		LONG-TERM CARE LOCAL HEALTH DEPAR	
Total 2008 Population	1	56,110	Community Options and MA Waiver as HSRS reports costs for services  Clients Costs  COR COR CONTROL OF THE Administrative 2 Public health nurses 4	Per 10,000 er Population
County population ra	ank (1-72)	26	as HSRS reports costs for services   Total FTEs 9	6 1.7
County population ra Population per squar County rank in popul density (1-72)	e mile	73	Clients Costs Public health nurses 4  COP 9 \$114,041 Oral health prof.  MA Waiver * Envir. health prof. 0	0 0.4
County rank in popul	Lation		Clients Costs   Public health nurses 4	6 0.8
density (1-72)		25	COP 9 \$114,041   Oral health prof.	
, , , ,			COP 9 \$114,041 Oral health prof.  MA Waiver * Envir. health prof. 0	8 0.1
Population growth 200	4-2008	1.202	CIP1A Develop. disabled Public health educ.	
I County nonly in E year				
population growth	(1-72)	29	CIP1B Develop. disabled Other prof. staff 1	0 0.2
population given an	– /		13 \$504,571 Nutritionist CIP1B Develop. disabled Other prof. staff 1 131 \$2,224,977 Technical/paraprof. 0	8 0.1
Age Female	Male	Total	CIP2 Elderly/phys. disab. adults Support staff 0	4 0.1
0-14 4 930	5 200	10,130	24 \$020.015	
15-17 1 020	5,200 1,120 770	2,130	COP-W Elderly/phys. disab. adults Funding	Per capita
19-10 740	770	1,510	64 \$514,854 Total \$720,3	'O \$12 23
10-19 740	1,630	3,100	CLTS Disabled children   Local Taxes   \$372,60	υ ψιζ.ου νε Φε.ε.
20-24 1,460	1,630 8,020	15,100	40	ο φυ.υ <del>4</del>
25-44 7,060	0,020		40 \$300,444 LICENSED ESTABLISHMEN	Cooili+ioo
Age Female 0-14 4,930 15-17 1,020 18-19 740 20-24 1,480 25-44 7,080 45-64 7,850 65-84 3,660 85+ 870 Total 27,620	8,360 2,990	16,210 6,650	43 \$568,444 LICENSED ESTABLISHMEN Total COP/Wvrs 302 \$4,476,266 Bed & Breakfast Camps	ractifites
05-84 3,000	2,990		Total COP/WVI'S SUZ \$4,470,200 Bed & BireakTaSt	11
1 00 <sup>+</sup> 07 600	410	1,280	than one of the chara waiven costs. Hetala Matala	18 50
10tai 27,020	28,500	56,110	\$432,936 of the above waiver costs Hotels, Motels	10
Doog /othorigity Fomely	Molo	Totol	were paid as local match/overmatch Tourist Rooming	10
Race/ethnicity remain	Mare	10191	Total COP/Wvrs 302 \$4,476,266 Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools not included in above COP costs.  Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools Restaurants Body Art	81
White 20,030	27,000	53,630	not included in above COP costs. Restaurants	230
ATT.AMET. 180	520	700	* Waiven coats paperted have	. 1
Allier. Ind. 110	700	200	* Waiver costs reported here WIC PARTICIPANTS	Number
HISPANIC 520	700	1,220	include rederal funding.	
ASIAN 180	140	310	Clients Costs Pregnant/Postpartum	415
10ta1 27,620	28,500	50,110	Eligible and Infants	309
Davienty Fetimes	for 000	\ <del>7</del>	were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.  * Waiver costs reported here include federal funding. Clients Costs Eligible and Waiting 106 n/a Family Care 374 \$6,651,297  Note: In 2008 this county operated  winder the Family Care weiver	/12
Poverty Estimate	.es 101. 200	)/	Family care 3/4 \$0,051,29/	07
ESTI	11e (%) (U	/.I.T/-)	Note: In 2000 this county appeared	1 067
All ages Ages 0-17	1.0% (I	.46)	Note: In 2008 this county operated under the Family Care waiver.  Do not speak English Speak English	1,207
Ages 0-17	9.76 (2	2.3%)	Eligible and waiting clients are Total	
EMDL OVA	/ENT		under the Family Care waiver. Eligible and waiting clients are phased into Family Care. Hence, clients can incur costs for both COP/waivers and Family Care.  Total NEW CASES OF CANCER OF CAN	1,436
Avanaga waga fan iaba	oovened		clients can incur costs for both  NEW CASES OF CANCER	N 2007
hy unomployment compor	covereu	00 570	COD weivene and Femily Cone	.N 2007
(place of work)	ιδαίτυτι φο	52,570	COP/Walver's and ramily dare.	5 Rale
(prace or work)	٨	lanua I	Diedal 4.	100.0
Labon Fonce Fotimetes	A.,	Alliuat	Nuncing Homes E Coloneatel 20	0.0
Labor Force Estimates Civilian Labor Force Unemployment rate 5-yr avg. unemployment	AV	reraye	Null String Hollies S   COTOLECTAT St	01.9
OTATITALI FADOL LOLCE	3	4 00.	Decidents on Dec 21 207   Decidents on Dec 21 207   Decidents	91.0
Tonemproyment rate	noto	4.9%	Restudints on Dec. 31 39/ Prostate 38	104.4
3-yr avg. unemproymen	. rate	4.0%	Composition of the contract of the composition of t	∠აე.ა 
Median HH income (2007	7)	55 201	Nursing Homes 5 Cervical 6 Colorectal 36 Licensed beds 511 Lung and Bronchus 57 Residents on Dec.31 397 Prostate 36 Other sites 137 per 1,000 population 46 Total 296 Note: Totals for invasive calls	. 024.4
Rank in median HH inc	) ゆつ voma (1-79)	0	Rate is per 100,000 popular	
I Hally III median nn Inc	Joine (1-72)		nate 15 per 100,000 popula	

PAGE 2

					NATA	J TTY					
1	TOTAL LIVE BIRTHS		652	Birth O	rder	Births	Percent	Marital	Status		
	TOTAL LIVE BITTIO		002					of Moth		Births	Percent
	Crude Live Birth Rate		11.6	Secon	d h or higher wn	266 211	32	Marrie		451	69
	General Fertility Rate			Third	u .	110	17		rried	201	31
	deficial for cliffy flac	•	00.2	Fourt	h or higher	65	10	Unknow	n	201	0
	live hirths with reno	rted		Unkno	wn	00	.0	Ontinow		Ū	Ū
	Live births with repo congenital anomalies	1 (()	1 1 7%	OHKHO	VVI I	· ·	J	Educati	on		
	congenital anomalies	'	1 1.70					of Moth		Births	Percent
	Delivery Type	Rinthe	Darcant	1ct Dro	natal Visit	Rinthe	Percent	Flomon	tary or les	o 27	4
	Vaginal often				rimester	543	83	CTGIIIGI	igh cohool	3 Z1	6
	provious occapoan	7	4	and t	nimoster	76	10	Uiah c	obool	210	34
	Forces	,	1	2110 L	nimester	70	12	night s	011001	100	28
	Other veginel	467	70	No vi	oito	22	, E	Collec	o aboduoto	102	29
	previous cesarean Forceps Other vaginal Primary cesarean	102	16	NO VI	rimester rimester rimester sits wn	2	\.S	Unknow	tary or les igh school chool ollege e graduate	100	29
	Populary Cesarean	102	10	Ulikilo	WII	9	ı	Ulikilow	11	•	•
	Repeat cesarean	08	10	Deces	1 //: -: +-	Dintho	Danaant	Cmalcina	Ctatus		
	Di athwai aht	Dintho	Donoon+		l Visits	3	Percent <.5	SHOKING	Status	Births	Percent
	Birthweight	BTLCHS	rencent	No vi 1-4	SILS	ა 11	<.5 2	OI MOTH	er	PTI. CIIS	19
	<1,500 gill	40	1.4	1-4				Sillokei.	ادمه	123	19
	<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	40 604	0.1	5-9 10-12		148 263	23 40	NOMSHIO	ker n	528	81
	2,500+ gill	004	92.0	10-12			33	Ulikilow	П	ı	<.5
	UNKNOWN	U	U	13+		214	2				
				UNKNO	wn	13	2				
- 1 -											
- 1				Low Dint	hwo i ah+		Trimoct	on of Ein	c+ Dronatal	Vici+	
				Low Birt	hweight	10+ Tn	Trimest	er of Fir	st Prenatal	Visit	Unknown
	Doog/Ethnigity	Dintho D	lonoon+	Low Birt (under 2	hweight ,500 gm)	1st Tr	Trimest	2nd Tr	imester	Other/	Unknown
	Race/Ethnicity	Births F	Percent	Low Birt (under 2 Births	hweight ,500 gm) Percent	1st Tr Births	Trimest imester Percent	2nd Tr	imester	Other/	Percent
	Race/Ethnicity White	Births F	Percent 93	Low Birt (under 2 Births 44	hweight ,500 gm) Percent 7.3	1st Tr Births 507	Trimest imester Percent 84	2nd Tr	imester	Other/	Unknown Percent 5
	Race/Ethnicity White Black/Afr.American	Births F 606 2	Percent 93 <.5	Low Birt (under 2 Births 44 *	hweight ,500 gm) Percent 7.3	1st Tr Births 507	Trimest imester Percent 84	2nd Tr	imester	Other/	Percent
	Race/Ethnicity White Black/Afr.American American Indian	Births F 606 2 8	Percent 93 <.5 1	Low Birt (under 2 Births 44 *	hweight ,500 gm) Percent 7.3 25.0	1st Tr Births 507 *	Trimest imester Percent 84 100	2nd Tr Births 68 *	imester Percent 11	Other/ Births 31 *	Percent 5
	Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino	Births F 606 2 8 31	Percent 93 <.5 1 5	Low Birt (under 2 Births 44 * 2	hweight ,500 gm) Percent 7.3 25.0 3.2	1st Tr Births 507 * 8 24	Trimest imester Percent 84 100 77	2nd Tr Births 68 *	imester Percent 11 16	Other/	Percent
	Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Asian	Births F 606 2 8 31 5	Percent 93 <.5 1 5	Low Birt (under 2 Births 44 * 2 1	hweight ,500 gm) Percent 7.3 25.0 3.2	1st Tr Births 507 * 8 24 3	Trimest imester Percent 84 100 77 60	2nd Tr Births 68 * 5 2	imester Percent 11	Other/ Births 31 *	Percent 5
	Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	Births F 606 2 8 31 5	Percent 93 <.5 1 5 1	Low Birt (under 2 Births 44 * 2 1	hweight ,500 gm) Percent 7.3 25.0 3.2	1st Tr Births 507 * 8 24 3	Trimest imester Percent 84 . 100 77 60	2nd Tr Births 68 *	imester Percent 11 16	Other/ Births 31 *	Percent 5
	Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	Births F 606 2 8 31 5 0	Percent 93 <.5 1 5 1	(under 2 Births 44 * 2 1	,500 gm) Percent 7.3 . 25.0 3.2 .	1st Tr Births 507 * 8 24 3	Trimest imester Percent 84 . 100 77 60	2nd Tr Births 68 * 5 2	imester Percent 11 16 40	Other/Births 31 * 2	Percent 5
-	Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown			(under 2 Births 44 * 2 1	,500 gm) Percent 7.3 . 25.0 3.2 .	1st Tr Births 507 * 8 24 3	Trimest imester Percent 84 . 100 77 60	2nd Tr Births 68 * 5 2	imester Percent 11 16 40 . st Prenatal	Other/Births 31 *	Percent 5
       		Fe	rtility	(under 2 Births 44 * 2 1	,500 gm) Percent 7.3 . 25.0 3.2 .	1st Tr Births 507 * 8 24 3	Trimest imester Percent 84 . 100 77 60 . Trimest imester Percent	2nd Tr Births 68 * 5 2	imester Percent 11 16 40 . st Prenatal	Other/Births 31 * . 2	Percent 5 . 6 Unknown
       	Age of Mother	Fe Births	ertility Rate	(under 2 Births 44 * 2 1	,500 gm) Percent 7.3 . 25.0 3.2 .	1st Tr Births 507 * 8 24 3	Trimest imester Percent 84 . 100 77 60 . Trimest imester Percent	2nd Tr Births 68 * 5 2	imester Percent 11 16 40 . st Prenatal	Other/Births 31 * . 2	Percent 5
-	Age of Mother <15	Fe Births O	ertility Rate 	(under 2 Births 44  * 2 1 Low Birt (under 2 Births	,500 gm) Percent 7.3 . 25.0 3.2	1st Tr Births	imester Percent	2nd Tr Births 68 * 5 2	imester Percent 11 16 40 . st Prenatal imester Percent .	Other/Births 31 * . 2	Percent 5 . 6 Unknown
_	Age of Mother <15 15-17	Fe Births 0 7	ertility Rate  7	(under 2 Births 44  * 2 1 Low Birt (under 2 Births	,500 gm) Percent 7.3 . 25.0 3.2	1st Tr Births 6	imester Percent	2nd Tr Births 68 * 5 2 er of Fir 2nd Tr Births	imester Percent 11 16 40 . st Prenatal imester Percent . 14	Other/Births 31 * 2 Visit Other/Births	Percent 5 . 6 Unknown Percent .
-	Age of Mother <15 15-17 18-19	Fe Births 0 7 31	ertility Rate  7	(under 2 Births 44  * 2 1 Low Birt (under 2 Births	,500 gm) Percent 7.3 . 25.0 3.2	1st Tr Births 6 22	imester Percent 86 71	2nd Tr Births 68 * 5 2 er of Fir 2nd Tr Births 1	imester Percent 11 16 40 . st Prenatal imester Percent . 14 16	Other/Births 31 * 2 . Visit Other/Births . 4	Percent 5 . 6 Unknown Percent . 13
_	Age of Mother <15 15-17 18-19 20-24	Fe Births 0 7 31 154	ertility Rate  7 42 104	(under 2 Births 44  * 2 1 Low Birt (under 2 Births 1 3 7	,500 gm) Percent 7.3 . 25.0 3.2	1st Tr Births 6 22 120	imester Percent	2nd Tr Births 68 * 5 2 er of Fir 2nd Tr Births 1 5	imester Percent 11 16 40 . st Prenatal imester Percent . 14 16 16	Other/Births 31 * 2 . Visit Other/Births . 4 9	Percent 5 . 6 Unknown Percent . 13 6
-	Age of Mother <15 15-17 18-19 20-24 25-29	Fe Births 0 7 31 154 213	ertility Rate  7 42 104 134	(under 2 Births 44  * 2 1 Low Birt (under 2 Births 1 3 7 14	,500 gm) Percent 7.3 . 25.0 3.2	1st Tr Births 6 22 120 183	imester Percent	2nd Tr Births 68 * 5 2 er of Fir 2nd Tr Births 1 5 25 24	imester Percent 11	Other/Births 31 * 2 . Visit Other/Births . 4 9 6	Percent
-	Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Fe Births 0 7 31 154 213 162	ertility Rate 7 42 104 134 105	(under 2 Births 44  * 2 1 Low Birt (under 2 Births 1 3 7 14 13	,500 gm) Percent 7.3 . 25.0 3.2	1st Tr Births 6 22 120 183 143	imester Percent	2nd Tr Births 68 * 5 2 er of Fir 2nd Tr Births 1 5 25 24 12	imester Percent 11 16 40 . st Prenatal imester Percent . 14 16 16 11 7	Other/Births 31 * 2 . Visit Other/Births . 4 9 6 7	Percent
-	Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 0 7 31 154 213 162 68	ertility Rate 7 42 104 134 105 37	(under 2 Births 44  * 2 1 Low Birt (under 2 Births 1 3 7 14	,500 gm) Percent 7.3 . 25.0 3.2	1st Tr Births 6 22 120 183 143 57	imester Percent	2nd Tr Births 68 * 5 2 er of Fir 2nd Tr Births 1 5 25 24 12 5	imester Percent 11 16 40 st Prenatal imester Percent 14 16 16 11 7 7	Other/Births 31 * 2 . 2 . Visit Other/Births . 4 9 6 7 6	Percent
	Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 0 7 31 154 213 162 68 17	ertility Rate 7 42 104 134 105	(under 2 Births 44  * 2 1 Low Birt (under 2 Births 1 3 7 14 13	,500 gm) Percent 7.3 . 25.0 3.2	1st Tr Births 6 22 120 183 143	imester Percent	2nd Tr Births 68 * 5 2 er of Fir 2nd Tr Births 1 5 25 24 12	imester Percent 11 16 40 . st Prenatal imester Percent . 14 16 16 11 7	Other/Births 31 * 2 . Visit Other/Births . 4 9 6 7	Percent
	Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 0 7 31 154 213 162 68	ertility Rate 7 42 104 134 105 37 8	(under 2 Births 44  * 2 1 Low Birt (under 2 Births 1 3 7 14 13	,500 gm) Percent 7.3 . 25.0 3.2	1st Tr Births 6 22 120 183 143 57	imester Percent	2nd Tr Births 68 * 5 2 er of Fir 2nd Tr Births 1 5 25 24 12 5	imester Percent 11 16 40 st Prenatal imester Percent 14 16 16 11 7 7	Other/Births 31 * 2 . 2 . Visit Other/Births . 4 9 6 7 6	Percent

	te 78 02 50
Campylobacter Enteritis 14 Crude Death Rate 895 Underlying Cause Deaths Rate	78 02
Giardiasis 5   Heart Disease (total) 100	
Hepatitis Type A	50
Hepatitis Type B* <5   Age Deaths Rate Cancer (total) 140 2 Hepatitis NANB/C 12 1-4 1 . Trachea/Bronchus/Lung 37	66
Legionnaire's 0 5-14 1 . Colorectal 16	
Lyme 32 15-19 6 . Female Breast 10	.*
Méasles 0 20-34 12 . Cerebrovascular Disease 29 Meningitis, Aseptic 0 35-54 40 227 Lower Resp. Disease 30	52 53
Meningitis, Aseptic 0 35-54 40 227 Lower Resp. Disease 30 Meningitis, Bacterial 0 55-64 60 871 Pneumonia & Influenza 8	ეკ
Mumps	57
Pertussis <5   75-84   140   5.313   Motor vehicle   12	
Colmonollogia	
Salimonellosis 5 857 102 12,617 Diapetes 7 Shigellosis 10 Infant Option 102 12,617 Diapetes 7 Shigellosis 7 Shigel	
Tuberculosis	
E-Coli 0157 <5 Mortality Deaths Rate E-Coli,Non-0157 0 Total Infant 4 . * Based on female population.	
E-Coli, Non-0157 0 Total Infant 4 . * Based on female population.	
Cryptosporidiosis 11 Neonatal 3 . Streptococcus Pneum Invasive <5 Postneonatal 1 . ALCOHOL AND DRUG ABUSE AS UNDERLYII	_
Streptococcus Pneum Invasive <5   Postneonatal 1 .   ALCOHOL AND DRUG ABUSE AS UNDERLYING All Streptococcal Diseases <5   OR CONTRIBUTING CAUSE OF DEATH	u
Blastomycosis <5   Infant Mortality by	
Haemonhilus flu Invasive 0 Race of Mother Alcohol 12	
Ehrlichiosis/Anaplasmosis 0   White 4 .   Tobacco Use 84	50
Malaria	
Listeriosis 0 Hispanic	
Asian	
* Includes all positive HBsAg Other/Unknown MOTOR VEHICLE CRASHES test results.	
Sexually Transmitted Disease Birthweight Of crash, not on residence.  Chlamydia Trachomatis 102   Sign of crash	ion
Gonorrhea 13 1,500-2,499 gm Type of Motor Persons Persons	one
Gonorrhea 13 1,500-2,499 gm Type of Motor Persons	
Inknown 1 Total Crashes 508	9
IMMUNIZATIONS Perinatal Alcohol-Related 59	1
Children in Crades K 12 by Montality Doaths Date For OWI 50	0
Compliance Level Total Perinatal 8 For Speeding 95	1
Compliant 11,355 Neonatal 3 . Motorcyclist 24	2
Non-compliant 156   Fetal 5 .   Bicyclist 6	0
Percent Compliant 98.6   Pedestrian 10	0

						ITALIZATIONS					
		Per	Average		Charge				Average		Charge
DISEASE /		1,000	Stay	Average		DISEASE /		1,000	Stay	Average	Per
AGE GROUP	Number	Pop	(Days)	Charge	Capita	AGE GROUP	Number	Рор	(Days)	Charge	Capita
Injury-Related:	: A11					Alcohol-Relate	d				
Total	628	11.2	4.8	\$26,963	\$302	Total	119	2.1	4.3	\$9,960	\$21
<18	33	2.7	2.4	\$16,340	\$44	18-44	57	2.9	4.0	\$6,275	\$18
18-44	151	7.7	4.2	\$26,721	\$205	45-64	57	3.5	4.4	\$11,429	\$40
45-64	155	9.6		\$27,586	\$264	Pneumonia and				···, ·=-	Ψ
65+	289	36.4	5.6		\$1019	Total	243	4.3	4.2	\$15,861	\$69
Injury: Hip F			0.0	ΨΞ.,σσσ	Ψ.σ.σ	<18	23	1.9	2.0	\$6,117	\$11
Total	68	1.2	6.2	\$31,948	\$39	45-64	55	3.4	4.2	\$18,645	\$63
65+	61	7.7	6.3	\$32,290	\$248	65+	147	18.5	4.6	\$16,191	\$300
Injury: Poiso			0.0	Ψ02,200	Ψ2 10	Cerebrovascula		1010	110	Ψ10,101	φοσσ
Total	64	1.1	2.0	\$10,046	\$11	Total	171	3.0	3.8	\$21,443	\$65
18-44	36	1.8	1.8	\$9,833	\$18	45-64	37	2.3	4.3	\$27,857	\$64
10 11	00		110	φο,σσσ	Ψισ	65+	129	16.3	3.6	\$19,390	\$315
Psychiatric						Asthma	.20	.0.0	0.0	Ψ.σ,σσσ	ΨΟΙΟ
Total	305	5.4	6.1	\$9,705	\$53	Total	46	0.8	3.3	\$10,132	\$8
<18	47	3.8	7.1	\$12,570	\$48	<18	11	•	0.0	Ψ10,102	ΨΟ
18-44	146	7.4	4.8	\$7,410	\$55	18-44	6	:		•	•
45-64	86	5.3	6.0	\$9,750	\$52	45-64	16	•	•	•	•
65+	26	3.3	11.7	\$17,264	\$57	65+	13	•	•	•	•
99 :	20	0.0	,	Ψ17,204	ΨΟΊ	Other Chronic		e Pulmo	nary Di		•
Coronary Heart	Disease					Total	116	2.1	4 3	\$16,037	\$33
Total	305	5.4	3 2	\$40,952	\$223	45-64	37	2.3		\$12,525	\$29
45-64	113	7.0		\$42,174	\$294	65+	73	9.2	4.1	\$14,620	\$135
65+	178	22.4		\$40,503	\$909	00.	70	3.2	7.1	Ψ14,020	Ψ100
051	170	22.7	0.4	Ψ40,300	Ψ909	Drug-Related					
Malignant Neopl	aeme (Car	ncare):	Δ11			Total	47	0.8	4.6	\$6,806	\$6
Total	245	4.4	5.0	\$30,948	\$135	18-44	30	1.5	5.0	\$6,029	\$9
18-44	19		3.0	ΨΟΟ, 940	Ψ100	10-44	30	1.5	3.0	Ψ0,029	ΨΘ
45-64	106	6.5	1.7	\$31,755	\$208	Total Hospital	izatione				
65+	112	14.1	7.7 5.3	\$28,371	\$400	Total		129.3	3.0	\$19,865	\$2,568
Neoplasms: Fe			tae for	female n		<18	1,045	85.3	3.0	\$8,730	\$744
Total	18			•	• •	18-44	1,749	88.7	3.2	\$13,864	\$1,230
Neoplasms: Co			•	•	•	45-64	1,838	113.4	4.1		\$2,894
Total	38	0.7	8 N	\$38,939	\$26	65+	2,622	330.4	4.5	\$23,319	\$8,043
65+	20	2.5	0.0	\$37,219	\$20 \$94	051	2,022	330.4	4.5	Ψ24,042	φο,040
Neoplasms: Lu		2.5	0.4	ψυ1,219	ΨΞΉ	P	DEMENTARI E	ноертт	ΔΙ ΤΖΛΤΤ	ONG*	
Total	28 28	0.5	ΛΩ	\$30,224	\$15	Total	HEVENTABLE 904	16.1		\$15,877	\$256
ιστατ	20	0.5	+.0	Ψυυ, ΖΖ4	ΨΙΟ	10ta1   <18	61	5.0	2.6	\$10,353	\$52
Diabetes						18-44	86	4.4	4.0	\$17,510	\$76
Total	74	1.3	1 1	\$23,675	\$31	45-64	230	14.2	3.7		\$217
65+	33	4.2	4.4 5.6	\$23,075	\$97	65+	527	66.4	0.1	\$16,492	\$1,095
05+	33	4.2	5.0	Ψ20,070	φυι	* Hospitalization			4.0	ψ10,492 imply and	
						ambulatory care c	an reduce	+ho 1il	wiler e t.	of hoeni	talization
						ambutatory care c	an reduce	CUIC TTL	CTTHOOG	or mosht	