POPULATION ESTIMATES -		LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS	
Total 2008 Population County population rank (1-72) Population per square mile County rank in population density (1-72)	29,690	Community Options and MA Waiver as HSRS reports costs for services	Per 10,00 Staffing - FTE Number Population Total FTEs 12.2 4.0	on
Population per square mile	44 61	as make reports costs for services		
County rank in population	0.	Clients Costs COP 6 \$62,230 MA Waiver *	Public health nurses 5.1 1.7	7
density (1-72)	31	COP 6 \$62,230	Oral health prof Envir. health prof Public health educ. 1.0 0.3	
Partial areas areas to 0004 0000	744	MA Waiver *	Envir. health prof	,
County rank in 5-year	744	OILIV DEACTOR! GISUNIEG	Nutritionist	5
County rank in 5-year population growth (1-72)	37	CIP1B Develop, disabled	Other prof. staff 1.1 0.4	1
		82 \$2,384,123	Technical/paraprof. 1.7 0.6	3
Age Female Male	Total	CIP2 Elderly/phys. disab. adults	Support staff 2.3 0.8	3
Age Female Male 0-14 2,040 2,090 15-17 450 540 18-19 320 370 20-24 640 720 25-44 2,850 3,120 45-64 5,210 5,010 65-84 2,930 2,580 85+ 560 250 Total 15,010 14,680	4,130	31 \$442,746	Funding Per capit	
18-19 320 370	990 680	COP-W Elderly/phys. disab. adults 66 \$321,352	Total \$983 689 \$32 46	.a 3
20-24 640 720	1.360	CLTS Disabled children	Local Taxes \$683,638 \$22,56	ŝ
25-44 2,850 3,120	5,970	16 \$148,434 Brain Injury 5 \$230,805 Total COP/Wvrs 211 \$3,828,438	Funding Per capit Total \$983,689 \$32.46 Local Taxes \$683,638 \$22.56 LICENSED ESTABLISHMENTS	
45-64 5,210 5,010	10,220	Brain Injury 5 \$230,805	Type Facilities Bed & Breakfast 34	3
65-84 2,930 2,580	5,520	Total COP/WVrs 211 \$3,828,438	Bed & Breakfast 34	1
Total 15 010 14 680	29 690	\$170,011 of the above waiver costs	Camps 24 Hotels, Motels 199 Tourist Rooming 440 Pools 224	ት ጋ
			Tourist Rooming 440	Ś
Race/ethnicity Female Male	Total	using COP funds. This amount is	Pools 224	Į.
White 14,580 14,220	28,800	using COP funds. This amount is not included in above COP costs. * Waiver costs reported here include federal funding. Clients Costs Eligible and Waiting 93 n/a (Family Care not provided in county)	Pools 224 Restaurants 244 Body Art 0 WIC PARTICIPANTS Number Pregnant/Postpartum 239 Infants 159	ļ
Afr.Amer. 60 90	150	* Waiven costs negotial hors	Body Art 0)
Allier. Ind. 100 1	200 400	' walver costs reported here	Number	•
Asian 80 50	130	Clients Costs	Pregnant/Postpartum 239)
Total 15,010 14,680	29,690	Eligible and	Pregnant/Postpartum 239 Infants 159)
		Waiting 93 n/a	Children, age 1-4 405	5
Poverty Estimates for 200)7	(Family Care not provided in county)		
ESTIMATE (%) (U	,.I.+/-) 6%\		Do not speak English 51 Speak English 721] •
Ares 0-17 12.0% (2	.0%) P.9%)	Note: Eligible and waiting clients will be phased into the COP and MA	Speak English 721	1
FMPLOYMENT		will be phased into the COP and MA Waivers as available.	Total 803	
Average wage for jobs covered			NEW CASES OF CANCER IN 2007	-
by unemployment compensation \$2	27,783		Primary Site Total Cases Rate	ڊ
(place of work)			Breast 23 154.9)
I abon Fonce Estimates	vorage vonual	Nursing Homes	Colorectal 1 6.7	, =
Labor Force Estimates Av Civilian Labor Force 1 Unemployment rate 5-yr avg. unemployment rate	7.140	Nursing Homes 3 Licensed beds 228 Residents on Dec.31 191 Residents age 65 or older per 1,000 population 28	Primary Site Total Cases Rate Breast 23 154.9 Cervical 1 6.7 Colorectal 21 71.5 Lung and Bronchus 19 64.7 Prostate 31 213.2 Other sites 94 319.9 Total 189 643.2	, 7
Unemployment rate	5.2%	Residents on Dec.31 191	Prostate 31 213.2	2
5-yr avg. unemployment rate	5.5%	Residents age 65 or older	Other sites 94 319.9)
		per 1,000 population 28	Total 189 643.2	2
Median HH income (2007) \$4 Rank in median HH income (1-72)	18,14/ 29		Note: Totals for invasive cancers only. Rate is per 100,000 population.	

				NATA	LITY					
TOTAL LIVE BIRTHS		253		der		Percent		Status		
			First		104	41		er	Births	Percent
Crude Live Birth Rate	э	8.5	Second	or higher เ	93	37	Marrie	d	182	72
General Fertility Rat	te	59.4	Third		39	15	Not ma	rried	70	28
1			Fourth	or higher	17	7	Unknow		1	<.5
Live births with repo	orted		Unknowr	า	0	0				
Live births with repo		6 2.4%					Educati	on		
							of Moth		Births	Percent
Delivery Type	Births	Percent	1st Prena	atal Visit	Births	Percent		tary or les		2
l Vaninal after			1st tri	mester	216	85	Some h	igh school	23	9
nnovious seconos	6	2	2nd tri	mester	31	12	High s	chool	85	34
Forcens	2	1	3rd tri	mester	5	2		ollege	85 64	25
Other vaginal	175	69	No visi	†s	1	<.5	Colled	e graduate	73	29
Forceps Other vaginal Primary cesarean	37	15	Unknowr	Lmester Lmester Lts	'n	0	Unknow	n gradaate	3	1
Repeat cesarean	33	13	OHKHOWI	'	U	U	OHKHOW	11	J	'
Ticpcat desailean	00	10	Prenatal	Visits	Rirthe	Percent	Smokino	Status		
Birthweight	Births	Percent	No visi			_	of Moth		Births	Percent
<1 500 am	סדו נווס	U 8	1-4		1 6 43 100	\.3 2	Smoker		31	12
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	15	5.0	5-9		43	17	Nonemo	ker	220	87
1,500-2,499 giii	10	0.9	5-9 10-12		100	40	Unknow	Ker	220	1
Z,500+ giii	230	93.3	10-12 13+		100	40 40	Ulikilow	11	2	ı
UNKNOWN	U	U								
			Unknowr	ı	3	1				
			Low Birthy	veiaht		Trimest	er of Fir	st Prenatal	Vieit	
			/	SOO am)	1et Tr	imester	2nd Tr	imaetar	Other/	Unknown
Bace/Ethnicity	Rirths F	Percent	Rirths Pa	arcent	Rirths	Percent	Rirths	Percent	Rirths	Percent
White	23/	02	14	ercent 6.0	204	87	24	10	6	3
Rlack/Afr American		32	17	0.0			4	10	U	U
		- 1	*		*		*		*	
American Indian	2	1	*		*		*	•	*	•
American Indian	2 2	1 1 6	* *		* *		*		*	:
American Indian Hispanic/Latino	2 2 14	1 1 6	* * 2 *	14.3	* * 8 *			43	* * • *	· ·
American Indian Hispanic/Latino Asian Other/Unknown	2 2 14 1	1 1 6 <.5	* * 2 *		8		*	43	* * *	· · ·
American Indian Hispanic/Latino Asian Other/Unknown	2 2 14 1 0	1 1 6 <.5 0	* * 2 *	14.3	8		*	43	* * *	:
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	2 2 14 1 0	1 1 6 <.5 0	* * 2 * *	14.3	8 *	57	* 6 *		* * *	:
American Indian Hispanic/Latino Asian Other/Unknown			* 2 * Low Birthy	14.3	8 *	57	* 6 *			
	Fe	rtility	(under 2,5	14.3 veight 500 gm)	8 *	57 Trimest imester	* 6 * er of Fir 2nd Tr	st Prenatal imester	Other/	
Age of Mother	Fe Births	ertility Rate	(under 2,5	14.3	8 *	57	* 6 * er of Fir 2nd Tr	st Prenatal imester	Other/	Unknown Percent
Age of Mother	Fe Births O	ertility Rate 	(under 2,5 Births Pe	14.3 veight 500 gm) ercent	8 * 1st Tr Births	57 Trimest imester Percent	* 6 * er of Fir 2nd Tr Births	st Prenatal imester Percent	Other/	
Age of Mother <15 15-17	Fe Births 0 5	ertility Rate 11	(under 2,5 Births Pe	14.3 weight 500 gm) ercent	8 * Births	57 Trimest imester Percent	* 6 * er of Fir 2nd Tr Births	st Prenatal imester Percent	Other/	Percent
Age of Mother <15 15-17 18-19	Fe Births 0 5 10	ertility Rate 11	(under 2,5 Births Pe	14.3 weight 500 gm) ercent 20.0 20.0	8 * Births	57 Trimest imester Percent 40 70	* 6 * er of Fir 2nd Tr Births 3	st Prenatal imester Percent 60 20	Other/	
Age of Mother <15 15-17 18-19 20-24	Fe Births 0 5 10 56	ertility Rate 11 32 88	(under 2,5 Births Pe	14.3 weight 500 gm) ercent 20.0 20.0 3.6	8 *	57 Trimest imester Percent 40 70 88	t 6 * er of Fir 2nd Tr Births 3 2	st Prenatal imester Percent 60 20 13	Other/ Births 1	Percent : 10
Age of Mother <15 15-17 18-19 20-24 25-29	Fe Births 0 5 10 56 81	ertility Rate 11 32 88 122	(under 2,5 Births Pe	14.3 	8 * 	57 Trimest imester Percent 40 70 88 88	er of Fir 2nd Tr Births 3 2 7	st Prenatal imester Percent 60 20 13	Other/	Percent : 10 4
Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Fe Births 0 5 10 56 81 67	ertility Rate 11 32 88 122 114	(under 2,5 Births Pe	14.3 	8 * 	57 	er of Fir 2nd Tr Births 3 2 7 7	st Prenatal imester Percent 60 20 13 9	Other/ Births 1	Percent : 10
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 0 5 10 56 81 67 26	ertility Rate 11 32 88 122 114 37	(under 2,5 Births Pe 1 2 2 4 2 5		8 * 	57 	* 6 * er of Fir 2nd Tr Births 3 2 7 7 5 6	st Prenatal imester Percent 60 20 13 9 7	Other/ Births 1	Percent : 10 4
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 0 5 10 56 81 67 26 7	ertility Rate 11 32 88 122 114 37 8	(under 2,5 Births Pe 1 2 2 4 2 5	veight 500 gm) ercent 20.0 20.0 3.6 4.9 3.0 19.2 14.3	8 * 	57 	er of Fir 2nd Tr Births 3 2 7 7	st Prenatal imester Percent 60 20 13 9	Other/ Births 1	Percent : 10 4
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 0 5 10 56 81 67 26	ertility Rate 11 32 88 122 114 37	(under 2,5 Births Pe 1 2 2 4 2 5		8 * 	57 	* 6 * er of Fir 2nd Tr Births 3 2 7 7 5 6	st Prenatal imester Percent 60 20 13 9 7	Other/ Births 1	Percent : 10 4
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 0 5 10 56 81 67 26 7	ertility Rate 11 32 88 122 114 37 8	(under 2,5 Births Pe 1 2 2 4 2 5 1	14.3 	8 * 	57 	* 6 * er of Fir 2nd Tr Births 3 2 7 7 5 6 1	st Prenatal imester Percent 60 20 13 9 7 23 14	Other/Births	Percent 10 4 1

MORBIDITY				MO	RTALITY		
		Note: Death rates	except in	nfant) are	per 100,000 population.	Infant.	ı
		neonatal and	nostneor	natal death	rates are per 1,000 liv	e births.	
CONFIRMED CASES OF		Perinatal and	d fetal de	ath rates	are per 1,000 live birth	e nlue	
COMMUNICABLE DISEASES (2008)		fotal deaths	Dotos	one not col	culated for fewer than 2	O doothe	
CONNINIONICABLE DISEASES (2008)		Tetal deaths.	. nates a	ale not car	Culated for rewer than 2	o deaths.	
	Number	TOTAL DEATHS		312	Selected		
Campylobacter Enteritis	5	TOTAL DEATHS Crude Death Rat	te	1,051	Underlying Cause	Deaths	Rate
Giardiasis	<5			•	Heart Disease (total)	80	269
Hepatitis Type A	0				Ischemic heart diseas	e 48	162
Hepatitis Type B*	<5	Age	Deaths	Rate	Cancer (total)	76	256
Hepatitis NANB/C	<5	1-4			Cancer (total) Trachea/Bronchus/Lung	12	
Legionnaire's	Ō	5-14	-	•	Colorectal	7	
Lyme	ŏ	15-19	2	•	Colorectal Female Breast Cerebrovascular Diseas	7	.*
Measles	Ö	20-34	6	•	Carabrovascular Diseas	e 18	•
Meningitis, Aseptic	0	35-54	22	265	Lower Poor Discose	18	•
	0	55-64	22	203 754	Lower Resp. Disease Pneumonia & Influenza	5	.
Meningitis, Bacterial	0		39	265 754			•
Mumps		65-74	43 75	1,244	Accidents	17	•
Pertussis	0				Motor vehicle		.
Salmonellosis	0	85+	124	15,252	Diabetes Infect./Parasitic Dis.	4	
Shigellosis	0				Infect./Parasitic Dis.	8	
Tuberculosis	0	Infant			Suicide	5	.
E-Coli 0157	<5	Mortality	Deaths	Rate			
E-Coli,Non-O157	0	Mortality Total Infant Neonatal	1		* Based on female popu	lation.	
Cryptosporidiosis	<5	Neonatal	1				
Streptococcus Pneum Invasive	6	Postneonatal		•	ALCOHOL AND DRUG ABUSE	AS UNDERL	YING
All Streptococcal Diseases	0				OR CONTRIBUTING CAL	SE OF DEAT	Ή
Blastomycosis	<5	Infant Mortality k	OV				
Haemophilus flu. Invasive	<5	Race of Mother	,		Alcohol	8	. 1
Ehrlichiosis/Anaplasmosis	Ö	White	1		Tobacco Use	44	148
Malaria	Ō	Black	_	_	Other Drugs	2	
Listeriosis	Ö	Hispanic	-	-		_	•
210(0) 10010	Ŭ		•	•			
* Includes all positive HBsAg		Asian Other/Unknown	•	•	MOTOR VEHICL	E CRASHES	
test results.		Other / Orknown	•	•	WOTON VEHICL	L OHAOHLO	
test results.		Infant Mortality k	nv.		Note: These data are b	ased on lo	cation
Sexually Transmitted Disease		Birthweight	y y		of crash, not of		
Chlamydia Trachomatis	59	1 -4 F00 am	1		01 01 0311, 1100 0	ii i coraciio	
Gonorrhea	<5	1 500 giii	ı	•	Type of Moton	Doncono D	oncono
	<5 <5	1,500 gm 1,500-2,499 gm 2,500+ gm	•	•	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Persons P	
Syphilis	<5	2,500+ giii	•	•	Venitore Chash	Injured	
TAMALINITZATIONIO		Unknown	•	•	TOTAL CHASTIES	195	5
IMMUNIZATIONS		Daminot - 1			Alconol-Related	26	3
		Perinatal	5	5 .	With Citation:		
Children in Grades K-12 by		Mortality	Deaths	Rate	For OWI	23	1
Compliance Level		Total Perinatal	1		For Speeding Motorcyclist	28	0
Compliant	3,862	Neonatal	1	•	Motorcyclist	10	1
Non-compliant	82	Total Perinatal Neonatal Fetal		•	Bicyclist	4	0
Compliant Non-compliant Percent Compliant	97.9				Pedestrian	4	0

DISEASE / AGE GROUP N	lumber	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	ITALIZATIONS DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average	Charge Per Capita
Injury-Related: <i>A</i>	111	·	, ,	•	•	Alcohol-Relate	Ч	·	,	•	·
Total	296	10.0	4.0	\$23,588	\$235	Total	73	2.5	3.1	\$9,622	\$24
<18	17	10.0	7.0	Ψ20,000	ΨΣΟΟ	18-44	20	2.5	3.0	\$10,578	\$26
18-44	38	4.7	2.7	\$22,379	\$10 6	45-64	48	4.7	3.2	\$9,380	\$44
45-64	69	6.8		\$27,259	\$184	Pneumonia and			012	φοίουσ	ΨΙΙ
65+	172	27.2	4.1	\$21,858	\$594	Total	132	4.4	4.6	\$18,825	\$84
Injury: Hip Fra				ΨΞ.,σσσ	Ψου .	<18	16			ψ.σ,σ <u>=</u> σ	
Total	50	1.7	4.9	\$29,513	\$50	45-64	25	2.4	4.5	\$20,447	\$50
65+	41	6.5		\$28,407	\$184	65+	84	13.3	5.0	\$20,123	\$267
Injury: Poisoni		0.0		Ψ=0,	Ψ.σ.	Cerebrovascula			0.0	Ψ20, ·20	Ψ20.
Total	9		_	_		Total	86	2.9	3.6	\$20,328	\$59
18-44	5		-	-		45-64	15		_	· .	
	•	-	-	-	-	65+	67	10.6	3.5	\$17,439	\$185
Psychiatric						Asthma				<i>+</i> ,	Ψ.σσ
Total	79	2.7	8.3	\$11,307	\$30	Total	8	_	_		_
<18	8			• ,		<18	Ō	-			
18-44	26	3.2	8.8	\$8,392	\$27	18-44	3				
45-64	25	2.4		\$13,017	\$32	45-64	3	-	_	_	_
65+	20	3.2	7.9	\$13,303	\$42	65+	2	-			
				+ · · · , · · · ·	*	Other Chronic		e Pulmo	onarv Dis	sease	
Coronary Heart Di	sease					Total	49	1.7		\$16,479	\$27
Total	128	4.3	3.4	\$42,623	\$184	45-64	6				
45-64	47	4.6		\$41,157	\$189	65+	41	6.5	4.0	\$15,384	\$100
65+	79	12.5	3.7	\$44,053	\$550					+ · · · , - · ·	*
				+ · · · ,	*	Drug-Related					
Malignant Neoplas	sms (Cai	ncers):	All			Total	6				
Total	1 <u>5</u> 5	5.Ź	5.5	\$30,169	\$158	18-44	3				
18-44	6			. ,							
45-64	57	5.6		\$31,780	\$177	Total Hospital	izations				
65+	91	14.4	5.9	\$28,858	\$415	l Total '	3,291	110.9	4.0	\$19,834	\$2,199
Neoplasms: Fema	ale Brea		tes for	femále po		<18	[′] 387	75.7	3.2	\$9,735	\$737
Total	16			.'	. ,	18-44	493	61.5	3.1	\$12,220	\$751
Neoplasms: Colo	-rectai					45-64	756	74.0	4.3	\$25,415	\$1,880
Total	20	0.7	6.8	\$34,776	\$23	65+	1,655	261.5	4.3		\$5,730
65+	14						,			,	• •
Neoplasms: Lung	1					P	REVENTABLE	HOSPI	[ALIZATIO	ONS*	
Total	´ 26	0.9	6.0	\$29,557	\$26	Total	470	15.8	4.0		\$252
				• •	•	<18	30	5.9	2.2	\$9,360	\$55
Diabetes						18-44	18	2.2		\$10,342	\$23
Total	43	1.4	4.3	\$18,560	\$27	45-64	94	9.2		\$18,559	\$171
65+	20	3.2	5.7	\$24,277	\$77	65+	328	51.8	4.2	\$16,035	\$831
				. ,		* Hospitalization	s for cond	itions	where t	imelv and	effecti
						ambulatory care c	an reduce	the lil	celihood	of hosnit	talizati