| POPULATION ESTIMATES | | LONG-TERM CARE | LOCAL HEALTH DEPARTMENTS | | | |
|--|----------|--|--|--|--|--|
| | | | Per 10,000 | | | |
| Total 2008 Population County population rank (1-72) Population per square mile County rank in population density (1-72) | 51,000 | Community Options and MA Waiver | Staffing - FTE Number Population Total FTEs 23.9 4.7 Administrative 3.0 0.6 Public health nurses 4.2 0.8 | | | |
| County population rank (1-72) | 28 | as HSRS reports costs for services | Total FTEs 23.9 4.7 | | | |
| Population per square mile | 44 | | Administrative 3.0 0.6 | | | |
| County rank in population | | Clients Costs | Public health nurses 4.2 0.8 | | | |
| density (1-72) | 39 | TOP 16 \$270,421 | | | | |
| | | MA Waiver * CIP1A Develop. disabled 13 \$911,768 | Oral health prof | | | |
| Population growth 2004-2008 | 651 | CIP1A Develop. disabled | Public Health educ | | | |
| County rank in 5-year | | 13 \$911,768 | Nutritionist | | | |
| Population growth 2004-2008 65 County rank in 5-year population growth (1-72) 4 | | CIPIB Develop, disabled | Other prof. staff 9.0 1.8 | | | |
| | | 89 \$1,022,331 | Nutritionist | | | |
| Age Female Male | Total | CIP2 Elderly/phys. disab. adults | Support staff 4.5 0.9 | | | |
| 0-14 4,060 4,400 | 8,460 | 90 \$1,334,871 | Funding Burnstite | | | |
| 15-17 1,230 1,510 | 2,740 | COP-W Elderly/phys. disab. adults | Funding Per capita | | | |
| 18-19 890 1,100 | 1,990 | 49 \$888,707 | 10tal \$1,248,471 \$24.34 | | | |
| 20-24 2,060 3,220 | 5,280 | CLTS Disabled children | Funding Per capita Total \$1,248,471 \$24.34 Local Taxes \$472,862 \$9.22 | | | |
| 25-44 5,170 5,540 | 10,710 | 12 \$83,089 | LICENSED ESTABLISHMÉNTS | | | |
| Age Female Male 0-14 4,060 4,400 15-17 1,230 1,510 18-19 890 1,100 20-24 2,060 3,220 25-44 5,170 5,540 45-64 6,740 6,850 65-84 3,770 3,110 85+ 970 380 Total 24,890 26,110 | 13,590 | 12 \$83,689 Brain Injury 4 \$172,093 Total COP/Wvrs 275 \$5,283,900 | Type Facilities | | | |
| 65-84 3,770 3,110 | 6,890 | 10tal COP/WVrs 275 \$5,283,900 | Bed & Breakfast 3 | | | |
| 85+ 970 380 | 1,350 | COOF 070 of the chove weiven coot | Bed & Breakfast 3 Camps 16 Hotels, Motels 22 Tourist Rooming 7 Pools 26 Restaurants 207 Body Art 7 | | | |
| Total 24,890 26,110 | 51,000 | | Hotels, Motels 22 Tourist Rooming 7 | | | |
| Race/ethnicity Female Male | Total | using COP funds. This amount is not included in above COP costs. | Pools 26 | | | |
| Mbi+o 24 270 25 220 | 10 Lai | not included in above COD costs | Pootsuponts 20 | | | |
| White 24,370 25,230 | 49,600 | not included in above cor costs. | Body Art 7 | | | |
| ATT. Allier. 130 410 | 90 | not included in above COP costs. * Waiver costs reported here include federal funding. Clients Costs Eligible and Waiting 57 n/a (Family Care not provided in county) | Restaurants 207 Body Art 7 WIC PARTICIPANTS Number Pregnant/Postpartum 523 Infants 348 | | | |
| Hienanic 190 210 | 300 | include federal funding | Number | | | |
| Asian | 390 | Cliente Costs | Pregnant/Postpartum 523 Infants 348 | | | |
| Total 24 890 26 110 | 51 000 | Fligible and | Infants 348 | | | |
| 24,030 20,110 | 31,000 | Waiting 57 n/a | Children age 1-4 1 063 | | | |
| Poverty Estimates for 200 | 77 | (Family Care not provided in county) | Children, age 1-4 1,063 | | | |
| Fstimate (%) (| C.T.+/-) | (rumilly our e not provided in oddiney) | Do not speak English 41 | | | |
| All ages 11.7% (3) | 1.9%) | | Speak English 1.828 | | | |
| Ages 0-17 14.2% (3 | 3.4%) | Note: Eligible and waiting clients | Do not speak English 41 Speak English 1,828 | | | |
| 1.900 0 11 | , | will be phased into the COP and MA | Total 1,934 | | | |
| EMPLOYMENT | | Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available. | , | | | |
| Average wage for jobs covered | | | NEW CASES OF CANCER IN 2007 | | | |
| by unemployment compensation \$2 | 29,552 | | l | | | |
| (place of work) | , | | Breast 25 101.8 | | | |
| · · · · · · · · · · · · · · · · · · · | Annual | | Cervical 3 12.2 | | | |
| Labor Force Estimates A | verage | Nursing Homes 9 | Colorectal 21 41.7 | | | |
| Civilian Labor Force | 28,141 | Licensed beds 626 | Lung and Bronchus 27 53.6 | | | |
| Unemployment rate | 4.6% | Residents on Dec.31 547 | Prostate 18 69.8 | | | |
| Civilian Labor Force Unemployment rate 5-yr avg. unemployment rate | 4.6% | Residents age 65 or older | Other sites | | | |
| | | per 1,000 population 61 | Primary Site Total Cases Rate Breast 25 101.8 Cervical 3 12.2 Colorectal 21 41.7 Lung and Bronchus 27 53.6 Prostate 18 69.8 Other sites 73 144.9 Total 167 331.5 Note: Totals for invasive cancers only. | | | |
| Median HH income (2007) \$4 | 42,830 | | | | | |
| Rank in median HH income (1-72) |) 52 | | Rate is per 100,000 population. | | | |
| | | | | | | |

| | | | NATA | ALTTY | | | | |
|--|---------------------|---------|---|----------------|-------------------|-----------------------------|-----------|--|
| TOTAL LIVE BIRTHS | | 605 | Birth Order First | Births 235 | Percent 39 | Marital Status of Mother | Births | Percent |
| Crude Live Birth Rate | | 11.9 | Second | 163 | 27 | Married | 423 | 70 |
| General Fertility Rat | | 64.8 | Third | 124 | 20 | Not married | 182 | 30 |
| denotal for cliffly had | ·C | 04.0 | Fourth or higher | 83 | | Unknown | 0 | 0 |
| l Live hirthe with reno | rtad | | Unknown | 0 | 0 | OHKHOWH | J | U |
| Live births with repo congenital anomalies | i teu | 7 1.2% | OHKHOWH | U | U | Education | | |
| Congenital anomalies | | 1 1.20 | | | | of Mother | Births | Percent |
| Dolivony Type | Dintho | Percent | 1st Prenatal Visit | Dintho | Percent | | | 8 |
| Delivery Type | BTLCHS | Percent | ist Prenatal Visit | BTI. CIIS | Percent | Elementary or les | 55 46 | |
| Vaginal after | 0 | 0 | 1st trimester 2nd trimester 3rd trimester No visits Unknown | 459 | 76 | Some high school | 25 | 4 |
| _previous cesarean | ō | 0 | 2nd trimester | 114 | 19 | High school Some college | 146 | 24 |
| Forceps | 5 | _1 | 3rd trimester | 25 | 4 | Some collede | 232 | 38 |
| Other vaginal | 453 78 | 75 | No visits | 3 | <.5 | College graduate | 154 | 25 |
| | 78 | 13 | Unknown | 4 | 1 | Unknown | | |
| Repeat cesarean | 69 | 11 | | | | | | |
| | | | Prenatal Visits | Births | Percent | Smoking Status | | |
| Birthweight | Births | Percent | No visits | 3 | <.5 | of Mother | Births | Percent |
| <1.500 am | 4 | 0.7 | 1-4 | 34 | 6 | Smoker | 73 | 12 |
| 1,500-2,499 gm 2,500+ gm | 4 31 570 0 | 5.1 | 5-9 | 168 | 28 | Nonsmoker | 532 | 88 |
| 2.500+ gm | 570 | 94.2 | 10-12 | 261 | 43 | Unknown | 0 | 0 |
| Unknown | 0 | 0 | 13+ | 133 | 22 | | • | , and the second |
| | ŭ | ŭ | Unknown | 6 | _ <u>-</u> _ | | | |
| | | | | | | | | |
| | | | Low Birthweight | | Trimest | er of First Prenatal | | |
| | | | (under 2,500 gm) | 1st Tr | imester | 2nd Trimester | Other/ | 'Unknown |
| Race/Ethnicity | Births F | ercent | `Births Percent | Births | Percent | Births Percent | Births | Percent |
| White | 583 | 96 | 34 5.8 | 444 | 76 | 107 18 | 32 | 5 |
| Black/Afr.American | 5 | 1 | | 4 | 80 | 1 20 | | |
| American Indian | Ō | Ó | | | | | _ | _ |
| Hispanic/Latino | 11 | 2 | | 6 | 55 | 5 45 | _ | _ |
| Asian | 11 6 | 1 | 1 16.7 | 5 | 83 | 1 17 | • | • |
| Other/Unknown | ő | Ó | | | 00 | , | • | • |
| | | | | . . | · | | | |
| | | | Low Birthweight | | Trimest | er of First Prenatal | Visit | |
| | Fe | rtility | (under 2,500 gm) | 1st Tr | imester | 2nd Trimester | | 'Unknown |
| Age of Mother | Births | Rate | `Births Percent´ | Births | Percent | Births Percent | | Percent |
| <15 | 0 | | | | | | | |
| 15-17 | 10 | 8 | 1 10.0 | 6 | 60 | 2 20 | 2 | 20 |
| 18-19 | 35 | 39 | 2 5.7 | 26 | 74 | 7 20 | 2 | 6 |
| 20-24 | 146 | 71 | 8 5.5 | 115 | 7 - 79 | 28 19 | 3 | 2 |
| 25-29 | 208 | 160 | 10 4.8 | 149 | 79 72 | 46 22 | 13 | 6 |
| 30-34 | 139 | 125 | 9 6.5 | 112 | 7 <i>2</i> 81 | 21 15 | | 4 |
| | | | | | | | 6 | 4 |
| 35-39 | 58 | 47 | 4 6.9 | 46 | 79 56 | 9 16 | 3 | 5 |
| 40+ | 9 | 6 | 1 11.1 | 5 | 56 | 1 11 | 3 | 33 |
| Unknown | 0 | | | | • | | • | • |
| Teenage Births | 45 | 21 | * Data not | reported | if age or | race category has fe | ewer than | 5 births. |

| MORBIDITY | | | | MOF | RTALITY | | |
|--|----------|--------------------------------------|--------------------|-----------------------------|--|----------------------|------------|
| CONFIDMED CASES OF | | Note: Death rates (neonatal, and | except in postneor | nfant) are ր natal death | per 100,000 population. rates are per 1,000 liv are per 1,000 live birth | Infant, e births. | |
| COMMUNICABLE DISEASES (2008) | | fetal deaths. | Rates | are not cal | culated for fewer than 2 | 0 deaths. | |
| | Number | TOTAL DEATHS Crude Death Rat | | 477 | Selected | | |
| Campylobacter Enteritis | 17 | Crude Death Rat | :e | 935 | Underlying Cause | Deaths | Rate |
| Giardiasis | <5 | | | | Heart Ďisease (total) | 107 | 210 |
| Hepatitis Type A Hepatitis Type B* | 0 <5 | 122 | Deaths | Rate | Ischemic heart diseas Cancer (total) | e 73 | 143 237 |
| Hepatitis Type B" Hepatitis NANB/C | <5 <5 | Age 1 - 4 | Deaths 1 | | Cancer (total) Trachea/Bronchus/Lung | 141 32 | 63 |
| Legionnaire's | 0 | 5-14 | 3 | | Colorectal | 12 | i i |
| Lyme | <5 | 15-19 | 2 | • | Colorectal Female Breast | 9 | .* |
| Measles | ŏ | 20-34 | 2 | | Cerebrovascular Diseas | e 27 | 53 |
| Meningitis, Aseptic | ŏ | 35 - 54 | 36 | 274 | Lower Resp. Disease | 35 | 69 |
| Meningitis, Bacterial | 0 | 55-64 | 43 | | Lower Resp. Disease Pneumonia & Influenza | 15 | . |
| Mumps | 0 | 65-74 | 86 | 2,105 | Accidents | 21 | 41 |
| Pertussis | 0 | 75-84 | 123 | 4,390 | Motor vehicle | 12 | . |
| Salmonellosis | 5 | 85+ | 179 | 13,249 | Diabetes | 12 | - |
| Shigellosis | 0 | T 6 t | | | Infect./Parasitic Dis. | 6 | • |
| Tuberculosis | 0 | Infant | Daatha | Data | Suicide | 10 | • |
| E-Coli 0157 | <5 0 | Mortality Total Infant | Deaths | Rate | * Based on female popu | lotion | |
| E-Coli,Non-0157 Cryptosporidiosis | 36 | Neonatal | 1 | • | i . Based on Tellate bobu | Tation. | |
| Streptococcus Pneum Invasive | <5 | Postneonatal | i | • | ALCOHOL AND DRUG ABUSE | AS LINDERI | VING |
| All Streptococcal Diseases | <5 | 1 03 theomatar | ' | • | OR CONTRIBUTING CAU | | |
| Blastomycosis | <5 | Infant Mortality b | v | | | 02 01 02/11 | |
| Haemophilus flu, Invasive | 0 | Race of Mother | - | | Alcohol | 5 | . |
| Ehrlichiosis/Anáplasmosis | 0 | White | 2 | | Tobacco Use | 72 | 141 |
| Malaria | 0 | Black | | | Other Drugs | 2 | . |
| Listeriosis | 0 | Hispanic | | | | | |
| A Tooling all modifies UDAA | | Asian Other/Unknown | | • | MOTOR VEHTOL | - OD 4 OU - O | |
| * Includes all positive HBsAg test results. | | Otner/Unknown | • | • | MOTOR VEHICL | E CRASHES | |
| | | Infant Mortality b | y | | Note: These data are b | | |
| Sexually Transmitted Disease | | Birthweight | | | of crash, not o | n residend | e. |
| Chlamydia Trachomatis | 84 | <1,500 gm | 1 | | | | |
| Gonorrhea Syphilis | 8 | 1,500-2,499 gm 2,500+ gm | : | • | Type of Motor | Persons P | ersons |
| Syphilis | <5 | | 1 | • | Vehicle Crash Total Crashes Alcohol-Related | Injured | Killed |
| IMMUNIZATIONS | | Unknown | • | • | IOTAL Crasnes | 349 | 4 |
| INNINIONIZALIONS | | Perinatal | | | With Citation: | 50 | ١ |
| Children in Grades K-12 by | | Mortality | Deaths | Rate | For OWI | 34 | 1 |
| Compliance Level | | Total Perinatal | 4 | | | 23 | o l |
| Compliant | 8,814 | Neonatal | 1 | • | For Speeding Motorcyclist | 22 | 0 |
| Non-compliant | ´ 31 | Total Perinatal Neonatal Fetal | 3 | | Bicyclist | 5 | 0 |
| Compliance Level Compliant Non-compliant Percent Compliant | 99.6 | | | | Pedestrian | 4 | 0 |
| | | | | | | | |

| | | Per | Average | | · 2008 HOSP. Charge | ITALIZATIONS | | Per | Average | | Charge |
|------------------|------------------|---------|---------|----------------|------------------------|------------------|--------------|--------|------------|----------------------|-------------------|
| DISEASE / | | 1,000 | Stay | Average | Per | DISEASE / | | 1,000 | Stay | Average | Per |
| | Number | Pop | (Days) | | Capita | AGE GROUP | Number | Pop | (Days) | Charge | Capita |
| Injury-Related: | Δ11 | | | | | Alcohol-Relat | ed | | | | |
| Total | 329 | 6.5 | 4.8 | \$28,607 | \$185 | Total | 58 | 1.1 | 3.3 | \$6,730 | \$8 |
| <18 | 40 | 3.6 | 4.3 | \$31,177 | \$111 | 18-44 | 26 | 1.4 | 2.2 | \$4,488 | \$6 |
| 18-44 | 71 | 3.9 | | \$27,059 | \$107 | 45-64 | 28 | 2.1 | 3.8 | \$7,488 | \$15 |
| 45-64 | 93 | 6.8 | | \$33,381 | \$228 | Pneumonia and | | 2.1 | 0.0 | Ψ1,400 | ΨΙΟ |
| 45-04 65+ | 125 | 15.2 | 5.1 | \$25,113 | \$381 | Total | 176 | 3.5 | 3.6 | \$12,059 | \$42 |
| Injury: Hip Fr | | 13.2 | 5.1 | Ψ25,115 | φυσι | <18 | 170 | 5.5 | 5.0 | Ψ12,009 | Ψ42 |
| Total | 32 | 0.6 | 4.7 | \$21,671 | \$14 | 45-64 | 24 | 1.8 | 3.5 | \$13,694 | \$24 |
| 65+ | 27 | 3.3 | 4.9 | \$21,925 | \$72 | 65+ | 121 | 14.7 | 3.9 | \$12,588 | \$185 |
| | | 3.3 | 4.9 | \$21,925 | ⊅ /∠ | Cerebrovascul | | 14.7 | 3.9 | Φ12,300 | φιου |
| Injury: Poison | 1111gs 25 | 0 E | 1.7 | ΦG 440 | \$3 | | | 1.7 | 3.4 | ¢17 E61 | \$31 |
| Total 18-44 | | 0.5 | | \$6,440 | · | Total 45-64 | 89 | 1.7 | 3.4 | \$17,561 | कुउ। |
| 18-44 | 5 | • | • | • | • | | 16 | ٠., | ••• | Φ45 OFC | 0400 |
| Daniel da Barda | | | | | | 65+ | 69 | 8.4 | 3.3 | \$15,356 | \$129 |
| Psychiatric | 0.45 | | | 440 400 | | Asthma | | | | 40.4 | • |
| Total | 215 | 4.2 | 7.3 | \$10,423 | \$44 | Total | 23 | 0.5 | 2.3 | \$9,178 | \$4 |
| <18 | 53 | 4.7 | 9.9 | \$12,803 | \$61 | <18 | 4 | | • | | |
| 18-44 | 111 | 6.2 | 5.6 | \$8,539 | \$53 | 18-44 | 4 | • | | | |
| 45-64 | 37 | 2.7 | 10.3 | \$12,971 | \$35 | 45-64 | 12 | • | | • | |
| 65+ | 14 | | • | | | 65+ | 3 | • | • | | |
| | | | | | | Other Chronic | | | | | |
| Coronary Heart D | | | | | | Total | 56 | 1.1 | 3.3 | \$11,066 | \$12 |
| Total | 164 | 3.2 | 3.1 | \$43,175 | \$139 | 45-64 | 10 | | | | |
| 45-64 | 74 | 5.4 | | \$47,069 | \$256 | 65+ | 46 | 5.6 | 3.2 | \$9,621 | \$54 |
| 65+ | 82 | 10.0 | 3.1 | \$40,163 | \$400 | | | | | | |
| | | | | ŕ | | Drug-Related | | | | | |
| Malignant Neopla | ısms (Caı | ncers): | All | | | Total | 5 | | | | |
| Total | 1 3 5 | 2.6 | 5.6 | \$30,373 | \$80 | 18-44 | 1 | | | | |
| 18-44 | 8 | | | . , | | | | | | | |
| 45-64 | 52 | 3.8 | 5.3 | \$31,664 | \$121 | Total Hospita | lizations | | | | |
| 65+ | 69 | 8.4 | 5.7 | \$28,464 | \$238 | Total | 4,299 | 84.3 | 3.6 | \$16,835 | \$1,419 |
| Neoplasms: Fem | | | tes for | female po | | <18 | 819 | 73.1 | 3.2 | \$10,788 | \$789 |
| Total | 2 | | | | | 18-44 | 1,060 | 59.0 | 2.9 | \$11,332 | \$668 |
| Neoplasms: Col | | | • | • | • | 45-64 | 906 | 66.7 | 4.0 | \$25,264 | \$1,684 |
| Total | .0 1 cota. 17 | _ | | | | 65+ | 1,514 | 183.8 | 4.0 | \$18,913 | \$3,476 |
| 65+ | 10 | • | • | • | • | | 1,014 | .00.0 | 7.0 | Ψ10,010 | ψ 5 , π, δ |
| Neoplasms: Lun | | • | • | • | • | | PREVENTABLE | HOSPIT | ΓΔΙ ΤΖΔΤΤ | ONS* | . |
| Total | 17 | | | | | Total | 568 | 11.1 | 3.2 | \$12,322 | \$137 |
| IULAI | 17 | • | • | • | • | 10ta1 <18 | 45 | 4.0 | 3.2 | \$19,717 | \$137 \$79 |
| Diabotos | | | | | | 18-44 | 45 47 | 2.6 | 3.2 2.1 | φι υ ,/1/ | \$79 \$25 |
| Diabetes | 44 | 0.0 | 2.0 | ¢16 /F6 | ¢12 | 45-64 | | | | \$9,743 | |
| Total | 41 | 0.8 | 2.8 | \$16,456 | \$13 | 45-64 65+ | 120 | 8.8 | 3.2 | \$13,566 | \$120 \$480 |
| 65+ | 13 | • | • | • | • | | 356 | 43.2 | 3.4 | \$11,308 | \$489 |
| | | | | | | * Hospitalizatio | iis tor cond | TT10NS | where t | TilleTA and | ettectl |
| | | | | | | ambulatory care | can reduce | rue TI | kettuood | or nospin | Lalizati |