POPULATION ESTIMATES		LONG-TERM CARE	LOCAL HEALTH DEPARTM	
Total 2008 Population County population rank (1-72) Population per square mile County rank in population density (1-72)	19,480 55 55	Community Options and MA Waiver as HSRS reports costs for services  Clients Costs	Staffing - FTE Number Total FTEs 6.6 Administrative 1.0 Public health nurses 2.8	3.4 0.5
density (1-72)	33		Oral health prof	0.5
Population growth 2004-2008 County rank in 5-year	148	CIP1A Develop. disabled 7 \$421,701	Nutritionist	
County rank in 5-year population growth (1-72)	57	CIP1B Develop. disabled 47 \$1,315,797	Other prof. staff 1.5	0.8
Age Female Male 0-14 1.690 1.730	Total 3,420	CIP2 Elderly/phys. disab. adults 19 \$188,892	Support staff .	•
15-17 330 350 18-19 230 280	680 510	COP-W Elderly/phys. disab. adults 15 \$213,780	Funding Total \$563,945 Local Taxes \$312,723	Per capita \$29.05
20-24 480 540 25-44 2,090 2,300	1,020 4,390	CLTS Disabled children	Local Taxes \$312,723	
45-64 2,930 2,950 65-84 1,620 1,370	5,880 2,990	11 \$107,021 Brain Injury 0 \$0 Total COP/Wvrs 99 \$2,262,706	Type Bed & Breakfast	Facilities 5
,	590 19,480	\$107,116 of the above waiver costs	Toursiat Dooming	16 44
Race/ethnicity Female Male	Total	were paid as local match/overmatch using COP funds. This amount is	Pools Restaurants	65 20 81
Afr.Amer. 50 80 Amer. Ind. 20 30	130	* Waiver costs reported here	Body Art	•
Hispanic 280 310 Asian 60 40	590 90	include federal funding. Clients Costs	Pregnant/Postpartum	Number 155
Total 9,770 9,710	19,480	were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.  * Waiver costs reported here include federal funding. Clients Costs Eligible and Waiting 21 n/a Family Care 93 \$802,960  Note: In 2008 this county operated	Infants Children, age 1-4	114 280
Poverty Estimates for 2007 Estimate (%) (C.	7 .I.+/-)	Family Care 93 \$802,960	Do not speak English	36
Estimates for 2007 Estimate (%) (C. All ages 9.1% (2. Ages 0-17 14.9% (3.	. 1%) . 6%)	Note: In 2008 this county operated under the Family Care waiver. Eligible and waiting clients are phased into Family Care. Hence, clients can incur costs for both COP/waivers and Family Care.	Do not speak English Speak English Total	494  549
EMPLOYMENT Average wage for jobs covered		phased into Family Care. Hence,	NEW CASES OF CANCED IN	2007
by unemployment compensation \$30 (place of work)			Primary Site Total Cases Breast 17	Rate 176.4
``	nnual erage	Nursing Homes 3	Cervical 2 Colorectal 14	20.8 72.9
Labor Force Estimates Ave Civilian Labor Force 10 Unemployment rate 5-yr avg. unemployment rate	0,415 5.4%	Licensed beds 197 Residents on Dec.31 159	Lung and Bronchus 20 Prostate 8	104.2 83.7
	5.6%	Nursing Homes 3 Licensed beds 197 Residents on Dec.31 159 Residents age 65 or older per 1,000 population 41	Primary Site Total Cases Breast 17 Cervical 2 Colorectal 14 Lung and Bronchus 20 Prostate 8 Other sites 52 Total 113	270.9 588.7
Median HH income (2007) \$47 Rank in median HH income (1-72)			Note: Totals for invasive cance Rate is per 100,000 populatio	ers only.

				NATA	ALITY					
TOTAL LIVE BIRTHS		218		der		Percent	Marital	Status		
			First		65	30	of Moth	er	Births	Percent
Crude Live Birth Rate	)	11.2	Second	or higher n	79	36	Marrie	d	152	70
General Fertility Rat	e	69.8	Third		36	17	Not ma	rried	65	30
•			Fourth	or higher	38	17	Unknow	n	1	
Live hirths with reno	nted		Unknow	n ii <u>rgiici</u>	00	1,	Ommow		•	
congenital anomalies	n teu	2 1 10	OHKHOW	11	U	U	Educati	on		
Live births with repo congenital anomalies		3 1.4%					of Moth		Births	Donoont
			dat Dasa	-4-1 1/2-24	Diate	D				Percent
Delivery Type	Births	Percent		atal Visit			ETemen	tary or les	s 35	1 <u>6</u>
Vaginal after	_		ist tr	imester	156	72	Some n	igh school	16	7
previous cesarean	7	3	2nd tr	ımester	38	17	High s	chool ollege e graduate	67	31
Forceps	4	2	3rd tr	imester	17	8	Some c	ollege	46	21
Other vaginal	166	76	No vis	its	2	1	Colleg	e graduate	51	23
Primary cesarean	22	10	Unknow	imester imester its n	5	2	Unknow	n	3	1
previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean	19	9								
			Prenatal	Visits	Births 2 9 45 105 52	Percent	Smokina	Status		
Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	Births	Percent	No vis	its	2	1	of Moth		Births	Percent
<1 500 am	2 2	0 0	1-4		ā	4	Smoker	· ·	38	17
1 500-2 400 cm	10	4.6	5-9		15	21	Nonemo	ker	170	82
1,500-2,499 giii	206	04.5	10-12		105	48	Unknow	N C I	179	<.5
Z,500+ gill	200	94.5	13+		103	24	UIIKIIUW	11		<b>\.</b> 5
UTIKTIOWIT	U	U		_	52	24				
			Unknow	•	•	_				
			Low Birth	weiaht		Trimest	er of Fir	st Prenatal imester Percent 17	Visit	
			(under 2.	500 am)	1st Tr	imester	2nd Tr	imester	Other/	Unknown
Race/Ethnicity	Births F	Percent	`Births Þ	ercent´	Births	Percent	Births	Percent	Births	Percent
White	196	90	8	4.1	142	72	34	17	20	10
Black/Afr American	1	<.5	*		*	· <del>-</del>	*		*	
American Indian	i	< 5	*	•	*	•	*	•	*	•
Hispanic/Latino	16	7	3	10.0	12	75	2	13	2	13
Acian	10	1	*	10.0	*	75	*	10	*	10
Othon / Unknown	1	, <u>I</u>	*	•	*	•	*	•	*	•
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown		<.5		•		·				
								st Prenatal imester	Visit	
		ertility	(under 2,	500 gm)	1st Tr	imester	2nd Tr	imester	Other/	Unknown
Age of Mother		Rate	Births Þ	ercent´	Births	Percent	Births	Percent	Births	Percent
<15	1		*		*		*		*	
15-17	4	12	*		*		*	•	*	-
18-19	16	70	2	12.5	11	69	3	19	2	13
20-24	44	92	2	4.5	29	66	11	25	4	9
		5∠	_	4.5	29 58	81	9	25 13	5	7
		1/5	7)							,
25-29	72	145	2	2.8						
25-29 30-34	72 55	127	2	3.6	39	71	9	16	7	13
25-29 30-34 35-39	72 55 23	127 43	2 2	3.6	39 17		9 3			
25-29 30-34 35-39 40+	72 55 23 2	127 43 3	2	3.6	39 17 *	71	9	16	7	13
25-29 30-34 35-39	72 55 23	127 43	2 2	3.6	39 17	71	9 3	16	7	13

Note: Death rates (except infant) are per 100,000 population. Infant, nenonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.    Disease	MORBIDITY				MOI	RTALITY		
CONFIRMED CASES OF COMMUNICABLE DISEASES (2008)  Disease Number Campylobacter Enteritis 6 Giardiasis 0 Hepatitis Type A 0 Hepatitis Type B 0 Hepatitis Type B 0 Hepatitis NANB/C 5 1.4 2	1		Note: Death rates (	except in	nfant) are i	per 100.000 population.	Infant.	1
Disease			neonatal. and	postneor	natal death	rates are per 1.000 liv	e births.	
Disease	CONFIRMED CASES OF		Perinatal and	l fetal de	eath rates	are per 1.000 live birth	s plus	
Disease	COMMUNICABLE DISEASES (2008)		fetal deaths.	Rates a	are not cal	culated for fewer than 2	O deaths.	
Campylobacter Enteritis	(2000)		rotal adatiio.				o dodeno:	
Glardiasis		Number	TOTAL DEATHS		255			
Glardiasis		_	Crude Death Rat	:e	1,309	Underlying Cause	Deaths	
Lyme						Heart Disease (total)	61	
Lyme						Ischemic heart diseas	e 31	
Lyme	Hepatitis Type B*		Age	Deaths	Rate	Cancer (total)	74	380
Lyme		5		2	•	Trachea/Bronchus/Lung	18	
Lyme						Colorectal	12	
Meningitis, Aseptic Meningitis, Bacterial Meningitis, Bacterial Mumps O 65-74 Meningitis, Bacterial O Mumps O 65-74 Meningitis, Bacterial O Mumps O 65-74 Meningitis, Bacterial O Mumps O 65-74 Meningitis, Bacterial O 65-74 Motor vehicle S Suicide 1 Motor vehicle S Suicide 1 Metet./Parasitic Dis, 4 Suicide  * Based on female population.  ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH OR CONTR				1		Female Breast	1	
Meningitis, Aseptic Meningitis, Bacterial Meningitis, Bacterial Mumps O 65-74 Meningitis, Bacterial O Mumps O 65-74 Meningitis, Bacterial O Mumps O 65-74 Meningitis, Bacterial O Mumps O 65-74 Meningitis, Bacterial O 65-74 Motor vehicle S Suicide 1 Motor vehicle S Suicide 1 Metet./Parasitic Dis, 4 Suicide  * Based on female population.  ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH OR CONTR						Cerebrovascular Diseas	e 20	103
Mumps065-74462,642Accidents12.Pertussis075-84645,116Motor vehicle3.Salmonellosis015-84645,116Motor vehicle3.Shigellosis01nfant17,888Diabetes2.Tuberculosis0InfantSuicide1.E-Coli, Non-01570Total Infant2E-Coli, Non-01570Neonatal1Cryptosporidiosis<5	Meningitis, Aseptic					Lower Resp. Disease	12	.
Mumps065-74462,642Accidents12.Pertussis075-84645,116Motor vehicle3.Salmonellosis015-84645,116Motor vehicle3.Shigellosis01nfant17,888Diabetes2.Tuberculosis0InfantSuicide1.E-Coli, Non-01570Total Infant2E-Coli, Non-01570Neonatal1Cryptosporidiosis<5	Meningitis, Bacterial		55-64	17		Pneumonia & Influenza	6	.
Salmonellosis	Mumps		65-74	46	2,642	Accidents	12	
Salmonellosis	Pertussis		75-84	64	5,116	Motor vehicle	3	.
E-Coli 0157			85+	105	17,888	Diabetes	2	.
E-Coli 0157	Shigellosis				•	Infect./Parasitic Dis.	4	
Streptococcus Pneum Invasive			Infant			Suicide	1	
Streptococcus Pneum Invasive		<5	Mortality	Deaths				
Streptococcus Pneum Invasive			Total Infant	2		* Based on female popu	lation.	
All Streptococcal Diseases Blastomycosis Haemophilus flu, Invasive Ehrlichiosis/Anaplasmosis Malaria Listeriosis  Includes all positive HBsAg test results.  Sexually Transmitted Disease Chlamydia Trachomatis  Alcohol Alcohol 2 Tobacco Use Other Drugs 2 Tothacco Use Other Drugs 3 Tothacco Use Other Drugs 3 Tothacco Use Other Drugs 4 Tothacco Use Other Drugs 5 Tothacco Use Other Drugs 7 Tothacco Us			i Neolialai	I	•			
Blastomycosis 0 Infant Mortality by Haemophilus flu, Invasive 0 Race of Mother 2 . Ehrlichiosis/Anaplasmosis 0 White 2 . Listeriosis 0 Black Listeriosis 0 Hispanic Asian * Includes all positive HBsAg test results.  * Includes all positive Disease Chlamydia Trachomatis 44 Conceptbes (550 gm			Postneonatal	1	•			
Haemophilus flu, Invasive						OR CONTRIBUTING CAU	SE OF DEAT	ΓH
Ehrlichiosis/Anáplasmosis 0 White 2 . Tobacco Use 50 257 Malaria 0 Black . Other Drugs 2 . Listeriosis 0 Hispanic Asian  * Includes all positive HBsAg test results.  Sexually Transmitted Disease Chlamydia Trachomatis 44 Caparabase Concerns.  * Infant Mortality by Birthweight of crash, not on residence.  * Infant Mortality by Birthweight of crash, not on residence.  * Infant Mortality by Birthweight of crash, not on residence.  * Infant Mortality by Birthweight of crash, not on residence.  * Infant Mortality by Birthweight of crash, not on residence.								
Malaria 0 Black Other Drugs 2	Haemophilus flu, Invasive					Alcohol	2	
Malaria 0 Black Other Drugs 2	Ehrlichiosis/Anaplasmosis		White	2		Tobacco Use	50	257
test results.  Infant Mortality by Sexually Transmitted Disease Chlamydia Trachomatis  44  Conception  Conception  A 500 0 400 gm  Conception  Type of Motor  Conception  Conception  Conception  Type of Motor  Type of Mo			Black			Other Drugs	2	
test results.  Infant Mortality by Sexually Transmitted Disease Chlamydia Trachomatis  44  Conception  Conception  A 500 0 400 gm  Conception  Type of Motor  Conception  Conception  Conception  Type of Motor  Type of Mo	Listeriosis	0	Hispanic					
test results.  Infant Mortality by Sexually Transmitted Disease Chlamydia Trachomatis  44  Conception  Conception  A 500 0 400 gm  Conception  Type of Motor  Conception  Conception  Conception  Type of Motor  Type of Mo			Asian					
Sexually Transmitted Disease Chlamydia Trachomatis Sexually Transmitted Disease Chlamydia Trachomatis Sexually Transmitted Disease S			Other/Unknown			MOTOR VEHICL	E CRASHES	
Sexually Transmitted Disease Birthweight of crash, not on residence.  Chlamydia Trachomatis 44 <1,500 gm	test results.					l		
Chlamydia Trachomatis 44 <1,500 gm				у				
Concerned Concerned Type of Motor Descent Descent Concerned	Sexually Transmitted Disease		Birthweight			of crash, not o	n residend	ce.
Gonorrhea <5   1,500-2,499 gm   Type of Motor Persons Persons   Syphilis 0   2,500+ gm 2 .   Vehicle Crash Injured Killed   Unknown   Total Crashes   131 0	Chlamydia Trachomatis	44	<1,500 gm	•	•			_
Syphilis 0 2,500+ gm 2 . Vehicle Crash Injured Killed   Unknown Total Crashes 131 0		<5	1,500-2,499 gm	:	•	lype of Motor	Persons F	
Unknown   Iotal Crashes 131 0	Syphilis	0	2,500+ gm	2		Venicle Crash	Injured	
	TAME IN 17 A TT ON 10		Unknown	•	•	lotal Crashes	131	- 1
IMMUNIZATIONS 8 0						ATCONOT-RETATED	8	0
Perinatal With Citation:	Obildon in Orașile II 40 l		Perinatal	Daniel -	Dot-	With Citation:		_
Children in Grades K-12 by Mortality Deaths Rate For OWI 9 0	Unitaren in Grades K-12 by		Mortality	Deaths	кате	For OWI	9	
Compliance Level Total Perinatal 4 . For Speeding 14 0 Compliant 3,545 Neonatal 1 . Motorcyclist 6 0	Compliance Level	0 545	Iotal Perinatal	4	•	For Speeding	14	
Compliant 3,545 Neonatal 1 . Motorcyclist 6 0	Compliant	3,545	Neonatal	1	•	Motorcyclist	6	
Non-compliant 67 Fetal 3 . Bicyclist 2 0 Percent Compliant 98.1 Pedestrian 5 0	Non-compliant	ος <del>1</del>	Гетат	3	•		2	
Children in Grades K-12 by Mortality Deaths Rate For OWI 9 0 Compliance Level Total Perinatal 4 . For Speeding 14 0 Compliant 3,545 Neonatal 1 . Motorcyclist 6 0 Non-compliant 67 Fetal 3 . Bicyclist 2 0 Percent Compliant 98.1	Percent Compliant	98.1					5	υ

						ITALIZATIONS					
		Per	Average		Charge			Per	Average		Charge
DISEASE /		1,000	Stay	Average	Per	DISEASE /		1,000	Stay	Average	Per
AGE GROUP	Number	Pop	(Days)	Charge	Capita	AGE GROUP	Number	Pop	(Days)	Charge	Capita
Injury-Related:	All					Alcohol-Relate	d				
Total	198	10.2	4.7	\$24,034	\$244	Total	34	1.7	2.9	\$5,547	\$10
<18	9			,		18-44	10				
18-44	26	4.4	2.9	\$19,848	\$87	45-64	21	3.6	2.9	\$5,501	\$20
45-64	55	9.4		\$27,362	\$256	Pneumonia and	Influenza			+- <b>,</b>	
65+	108	30.2	5.2	\$23,879	\$721	Total	90	4.6	4.4	\$11,398	\$53
Injury: Hip F		00.2	0.2	Ψ=0,0.0	Ψ. = .	<18	5				
Total	31	1.6	4.7	\$23,864	\$38	45-64	17		-	-	-
65+	30	8.4	4.7	\$23,944	\$201	65+	67	18.7	4.9	\$12,267	\$230
Injury: Poiso		011		Ψ20,011	Ψ201	Cerebrovascula		1017	110	Ψ12,207	Ψ200
Total	11					Total	70	3.6	3.9	\$17,164	\$62
18-44	6	•	•	•	•	45-64	9	0.0	0.5	Ψ17,104	Ψ02
10 44	O	•	•	•	•	65+	60	16.8	3.9	\$17,348	\$291
Psychiatric						Asthma	00	10.0	0.5	Ψ17,040	Ψ231
Total	56	2.9	5.5	\$7,764	\$22	Total	10				
<18	6	2.9	5.5	$\Psi I, I \cup 4$	ΨΖΖ	<18	10	•	•	•	•
18-44	27	4.6	6.9	\$8,676	\$40	18-44	2	•	•	•	•
45-64	13	4.0	0.9	Φο,070	Φ40	45-64	2	•	•	•	•
45-64 65+	10	•	•	•	•	65+	5	•	•	•	•
03+	10	•	•	•	•	Other Chronic		o Dulma	nony Di		•
Cananani, Haant	Diagon										ተባር
Coronary Heart		5.8	0.4	<b>COC 044</b>	<sub>Ф</sub>	Total	44	2.3	4.5	\$11,499	\$26
Total	113		3.4	\$36,044	\$209	45-64	8	8.9	3.9	ΦO 707	ф0 <del>7</del>
45-64	42	7.1	3.2	\$39,369	\$281	65+	32	8.9	3.9	\$9,737	\$87
65+	64	17.9	3.6	\$34,603	\$619	Davis Dalatad					
Maddana at Nasa						Drug-Related	_				
Malignant Neopl	Lasms (Ca	ncers):	ATT	400 010	<b>.</b>	Total	7	•	•		•
Total	83	4.3	4.8	\$26,640	\$114	18-44	1	•	•		•
18-44	6	_•_	_•_	• • • •	•••						
45-64	45	7.7	5.0	\$30,173	\$231	Total Hospital					
65+	32	8.9	4.5	\$19,885	\$178	Total	2,289	117.5	3.9	\$17,852	\$2,098
Neoplasms: Fe		ast (ra	tes for	temale po	pulation)	<18	289	70.4	3.0	\$7,366	\$519
Total	4					18-44	422	71.3	2.9	\$11,912	\$850
Neoplasms: Co		1				45-64	574	97.6	4.2		\$2,384
Total	12		•			65+	1,004	280.5	4.5	\$19,607	\$5,500
65+	9										
Neoplasms: Lu	ıng						REVENTABLE	HOSPI			
Total	8					Total	299	15.3	4.0	\$10,888	\$167
						<18	11	2.7	1.6	\$6,552	\$18
Diabetes						18-44	22	3.7	4.2	\$13,372	\$50
Total	17					45-64	53	9.0	4.3	\$13,527	\$122
65+	3					65+	213	59.5	4.0	\$10,198	\$607
						* Hospitalization	s for cond		where t	imelý and	effectiv
						ambulatory care c					