POPULATION ESTIMATES		LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS	
Total 2008 Population 1 County population rank (1-72)	163,040	as HSRS reports costs for services	Staffing - FTE Number Population Total FTEs 50.2 3.1	_
County population rank (1-72) Population per square mile County rank in population density (1-72)	598		Total FTEs 50.2 3.1 Administrative 1.0 0.1 Public health nurses 16.6 1.0 Oral health prof.	
Population growth 2004-2008	5,553	MA Waiver * CIP1A Develop. disabled 0 \$0 CIP1B Develop. disabled 0 \$0	Fubite Hearth educ. 0.0 0.0	
population growth (1-72)	7	CIP1B Develop. disabled	Nutritionist	
Age Female Male 0-14 16,280 17,200	33,480	0 \$0	Support start 4.4 0.3	
Age Female Male 0-14 16,280 17,200 15-17 3,340 3,790 18-19 2,360 2,570 20-24 5,310 5,460 25-44 23,210 24,060 45-64 20,830 20,740 65-84 8,610 6,580 85+ 1,900 810 Total 81,830 81,200	7,130 4,930 10,770	COP-W Elderly/phys. disab. adults 0 \$0 CLTS Disabled children	Funding Per capita Total \$6,393,026 \$39.44 Local Taxes \$2,137,314 \$13.19 LICENSED ESTABLISHMENTS	3
25-44 23,210 24,060 45-64 20,830 20,740	47,270 41,570	CLTS Disabled children 90 \$1,703,528 Brain Injury 0 \$0 Total COP/Wvrs 104 \$2,248,676	l lyne Facilities	
65-84 8,610 6,580 85+ 1,900 810	15,190 2,710	Total COP/Wvrs 104 \$2,248,676	Bed & Breakfast 1 Camps 11 Hotols Motols 20	
Race/ethnicity Female Male	Total	were paid as local match/overmatch using COP funds. This amount is	Tourist Rooming . Pools 59	
White 67,440 66,120 Afr.Amer. 5,150 5,130	133,560 10,280	not included in above COP costs.	Restaurants 491 Body Art 2	
Hispanic 7,630 8,470 Asian 1,310 1,150	16,100 2,460	include federal funding. Clients Costs	Number Pregnant/Postpartum 2,092	
Total 81,830 81,200	163,040	Eligible and Waiting 3 n/a	Bed & Breakfast	
Estimates for 2007 Estimate (%) (C. All ages 11.8% (1.	/ .I.+/-) .5%)	Note: In 2008 this county operated	Do not speak English 1,129 Speak English 5.490	
Ages 0-17 13.9% (2.	.6%)	under the Family Care waiver. Eligible and waiting clients are	Total 6,812	
Average wage for jobs covered by unemployment compensation \$36	6,356	Note: In 2008 this county operated under the Family Care waiver. Eligible and waiting clients are phased into Family Care. Hence, clients can incur costs for both COP/waivers and Family Care.	NEW CASES OF CANCER IN 2007 Primary Site Total Cases Rate	
I CDIACE OI WOCK)			Breast 101 124.2	
Labor Force Estimates Ave Civilian Labor Force 84 Unemployment rate 5-yr avg. unemployment rate	erage 4,778 5.3%	Licensed beds 1,090 Residents on Dec.31 922	Breast 101 124.2 Cervical 5 6.1 Colorectal 67 41.3 Lung and Bronchus 120 74.0 Prostate 125 154.8 Other sites 323 199.3 Total 741 457.2	
5-yr avg. unemployment rate Median HH income (2007) \$53	5.4%	Nursing Homes 9 Licensed beds 1,090 Residents on Dec.31 922 Residents age 65 or older per 1,000 population 42	Other sites 323 199.3 Total 741 457.2	
Rank in median HH income (1-72)	12		Note: Totals for invasive cancers only. Rate is per 100,000 population.	

				NAIA	N I I Y					
TOTAL LIVE BIRTHS		2,306	Birth Or	rder	Births	Percent	Marital	Status		
TOTAL LIVE BITTIO		2,000	First		932	40	of Mothe		Births	Percent
Crude Live Birth Rate	•	14.1	Second	1	734	32	Marrie		1,298	56
				ı .	734	32				
General Fertility Rat	ie .	67.4	Third		385			rried	1,007	44
1	_		Fourtr	n or higher	255	11	Unknowr	1	1	<.5
Live births with repo	orted		Unknov	vn	0	0				
congenital anomalies	2	21 0.9%					Education			
							of Mothe	er	Births	Percent
Delivery Type	Births	Percent	1st Pre	natal Visit	Births	Percent	Element	ary or les	s 68	3
Vaginal after				rimester	1,855	80	Some h	igh school	298	13
previous cesarean	1/	1					High so	shool	688	30
Forceps	4	<.5	2110 ti	rimester	60	14 3 1 2	Somo oc	chool ollege	627	27
Porceps	4 554	\.S	oru ti	Tille2 Cel.	00	3	0-11	riege	027	
Other vaginal Primary cesarean	1,554	67	No vis	SITS	24	1	Correge	e graduate		26
Primary cesarean	401	1/	Unknov	vn	48	2	Unknowr	1	18	1
Repeat cesarean	333	14								
			Prenata]	l Visits	Births	Percent	Smoking	Status		
Birthweight	Births	Percent	No vis		24	1	of Mothe	er	Births	Percent
<1.500 gm	35	1.5	1-4		50	2	Smoker		348	15
1 500-2 400 cm	164	7 1	5-9		044	13		ker		
2 500± am	2 105	01 3	10-12		1,068	46	Unknowr	\C	3	<.5
Z,500+ gill	2,103	91.5			701		UIIKIIUWI	1	J	\. 5
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	2	<.5	13+		721	31				
			Unknov	vn	132	6				
			Law Diati			T	c =:			
			Low Birtr	nweight		irimest		st Prenatal		
			(under 2	,500 gm)	_1st_Ir	ımester		imester		Unknown
Race/Ethnicity	Births F	ercent	`Births É			Percent		Percent		Percent
White	1,651	72	130	7.9	1,420	86	160	10	71	4
Black/Afr.American	223	10	38	17.0	[′] 136	61	56	25	31	14
American Indian	10	<.5	1	10.0	8	80	2	20		
112										
I Hispanic/Latino	381	17	30	7.9		68	94		27	7
Hispanic/Latino	381 37	17	30	7.9	260	68	94 6	25	27 2	7 5
White Black/Afr.American American Indian Hispanic/Latino Asian	381 37	17 2	30	7.9	260 29	78	6		2	7 5
Asian Other/Unknown	381 37 4	17 2 <.5	30		260 29 *	78	94 6 *	25		
Asian Other/Unknown	381 37 4	17 2 <.5			260 29	78	6 *	25 16	2 *	
Asian Other/Unknown		<.5	Low Right		260 29 *	78 	6 * :er of Firs	25 16 st Prenatal	2 * Visit	5
other/unknown	 Fε	<.5 ertility	Low Birth	 nweight .500 am)	260 29 * 	78 Trimest imester	6 * er of Firs 2nd Tr	25 16 st Prenatal imester	2 * Visit Other/	5 Unknown
Age of Mother	4 Fe Births	<.5 Prtility Rate	Low Birth (under 2, Births F	nweight ,500 gm) Percent	260 29 * 1st Tr Births	78 	6 * er of Firs 2nd Tri Births	25 16 st Prenatal imester	2 * Visit Other/	5
Age of Mother	Fe Births 2	<.5 ertility Rate	Low Birth (under 2, Births F	nweight ,500 gm) Percent	260 29 * 1st Tr Births *	78 Trimest imester Percent	6 * er of Firs 2nd Tr Births *	25 16 st Prenatal imester Percent	2 * Visit Other/ Births	5 Unknown Percent
Age of Mother <15 15-17	Fe Births 2 76	<.5 ertility Rate 23	Low Birth (under 2, Births F	nweight ,500 gm) Percent 14.5	260 29 * 1st Tr Births * 45	78 Trimest imester Percent	6 * er of Firs 2nd Tr Births * 25	25 16 st Prenatal imester Percent 33	2 * Visit Other/ Births *	5 Unknown Percent 8
Age of Mother	Fe Births 2 76 178	<.5 ertility Rate	Low Birth (under 2, Births F * 11	.500 gm) Percent 14.5 10.7	260 29 * 1st Tr Births * 45 114	78 Trimest imester Percent 59 64	er of First 2nd Transition 8 to 12 t	25 16 st Prenatal imester Percent 33 24	2 * Visit Other/ Births * 6 21	5 Unknown Percent 8 12
Age of Mother <15 15-17	Fe Births 2 76	<.5 ertility Rate 23	Low Birth (under 2, Births F	.500 gm) Percent 14.5 10.7	260 29 * 1st Tr Births * 45 114	78 Trimest imester Percent	6 * er of Firs 2nd Tr Births * 25	25 16 st Prenatal imester Percent 33 24	2 * Visit Other/ Births * 6 21	5 Unknown Percent 8 12
Age of Mother <15 15-17 18-19 20-24	Fe Births 2 76 178 581	<.5 ertility Rate 23 76 109	Low Birth (under 2, Births F * 11 19 46		260 29 * 1st Tr Births * 45 114 442	78 Trimest imester Percent 59 64 76	6 * er of Firs 2nd Tr Births * 25 43 97	25 16 st Prenatal imester Percent 33 24 17	2 * Visit Other/ Births * 6 21 42	5 Unknown Percent 8 12
Age of Mother <15 15-17 18-19 20-24 25-29	Fe Births 2 76 178 581 678	<.5 ertility Rate 23 76 109 115	Low Birth (under 2, Births F 11 19 46 50	nweight ,500 gm) Percent 14.5 10.7 7.9 7.4	260 29 * 1st Tr Births * 45 114 442 564	78 Trimest imester Percent 59 64 76 83	6 * er of Firs 2nd Tr Births * 25 43 97 82	25 16 st Prenatal imester Percent 33 24 17 12	2 * Visit Other/ Births * 6 21 42 32	5 Unknown Percent 8 12 7 5
Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Fe Births 2 76 178 581 678 493	<.5 ertility Rate 23 76 109 115 89	Low Birth (under 2, Births F 11 19 46 50 35	nweight ,500 gm) Percent 14.5 10.7 7.9 7.4 7.1	260 29 * 1st Tr Births * 45 114 442 564 436	78 Trimest imester Percent 59 64 76 83 88	6 * 2nd Tri 2nd Tri Births * 25 43 97 82 43	25 16 st Prenatal imester Percent 33 24 17 12 9	2 * Visit Other/ Births * 6 21 42 32 14	5 Unknown Percent 8 12 7 5
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 2 76 178 581 678 493 248	<.5 ertility Rate 23 76 109 115 89 44	Low Birth (under 2, Births F * 11 19 46 50 35 28	nweight ,500 gm) Percent 14.5 10.7 7.9 7.4 7.1	260 29 * 1st Tr Births * 45 114 442 564 436 217	78 Trimest imester Percent 59 64 76 83 88 88	6 * 2nd Tri Births * 25 43 97 82 43 19	25 16 st Prenatal imester Percent 33 24 17 12 9 8	2 * Visit Other/ Births * 6 21 42 32 14 12	5 Unknown Percent 8 12 7 5 3
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 2 76 178 581 678 493 248 49	<.5 ertility Rate 23 76 109 115 89 44 8	Low Birth (under 2, Births F 11 19 46 50 35 28 9	nweight ,500 gm) Percent 14.5 10.7 7.9 7.4 7.1	260 29 * 	78 Trimest imester Percent 59 64 76 83 88	6 * er of Firs 2nd Tri Births * 25 43 97 82 43 19 9	25 16 st Prenatal imester Percent 33 24 17 12 9	2 * Visit Other/ Births * 6 21 42 32 14 12 4	5 Unknown Percent 8 12 7 5
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 2 76 178 581 678 493 248	<.5 ertility Rate 23 76 109 115 89 44	Low Birth (under 2, Births F * 11 19 46 50 35 28	nweight ,500 gm) Percent 14.5 10.7 7.9 7.4 7.1	260 29 * 1st Tr Births * 45 114 442 564 436 217	78 Trimest imester Percent 59 64 76 83 88 88	6 * 2nd Tri Births * 25 43 97 82 43 19	25 16 st Prenatal imester Percent 33 24 17 12 9 8	2 * Visit Other/ Births * 6 21 42 32 14 12	5 Unknown Percent 8 12 7 5 3
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 2 76 178 581 678 493 248 49	<.5 ertility Rate 23 76 109 115 89 44 8	Low Birth (under 2, Births F 11 19 46 50 35 28 9	nweight ,500 gm) Percent 14.5 10.7 7.9 7.4 7.1	260 29 * 	78 	6 * er of Firs 2nd Tri Births 25 43 97 82 43 19 9	25 16 	2 * Visit Other/ Births * 6 21 42 32 14 12 4	5

PAGE 2

MORBIDITY							
		Note: Death rates (except in	itant) are	per 100,000 population. rates are per 1,000 liv	intant,	
CONFIRMED CASES OF		Doningtol and	l fotol de	iatai ueatii	are per 1,000 live birth	e pri cus.	
		fotol dootho	Dotoo	atii rates	culated for fewer than 2	o doo+po	
COMMUNICABLE DISEASES (2008)		Tetal deaths.	Rates a	are not car	Cutated for rewer than 2	o deaths.	
Disease	Number	TOTAL DEATHS		1,254	Selected		
Campylobacter Enteritis	27	Crude Death Rat	:e	² 769	Underlying Cause	Deaths	Rate
Giardiasis	8				Heart Ďisĕase (total)	333	204
Hepatitis Type A	5				Ischemic heart diseas		134
Hepatitis Type B*	16	Age	Deaths	Rate	Cancer (total)	268	164
Hepatitis NANB/C	87	1-4	3		Trachea/Bronchus/Lung		52
Legionnaire's	<5	5-14	6		Colorectal	24	15
Lyme	<5	15-19	7	-	Colorectal Female Breast	13	*
Measles	Ö	20-34	30	89	Cerebrovascular Diseas	e 75	46
Meningitis, Aseptic	Ö	35-54	126	254	Lower Resp. Disease		51
Meningitis, Bacterial	Ö	55-64	146	909	Pneumonia & Influenza	36	22
Mumps	ŏ	65-74	208	2,273	Accidents	73	45
Pertussis	< 5	75-84	300	4,971	Motor vehicle		12
Salmonellosis	27	85+	408	15,066	Diabetes		25
Shigellosis	22	55.	400	10,000	Infect /Parasitic Dis-	22	13
Tuberculosis	< 5	Infant			Diabetes Infect./Parasitic Dis. Suicide	15	
E-Coli 0157	<5	Mortality	Deaths	Rate	Garorae	10	•
E-Coli,Non-0157	<5	Total Infant	20	8.7	* Based on female popu	lation	
Cryptosporidiosis	10	Mortality Total Infant Neonatal Postneonatal	14		Bacca on remate popu	IUCIOII.	
Streptococcus Pneum Invasive		Postneonatal	, T		ALCOHOL AND DRUG ABUSE	AS LINDER	LYTNG
All Streptococcal Diseases	17	Tostileonatai	O	•	OR CONTRIBUTING CAU		
Blastomycosis	<5	Infant Mortality b	W		ON CONTRIBUTING CAC	OL OI DEA	
Haemophilus flu, Invasive	<5	Race of Mother	,		Alcohol	25	15
Ehrlichiosis/Anaplasmosis	0		17		Tobacco Use	236	145
Malaria	0	Rlack	1	•	Other Drugs	20	12
Listeriosis	0	Black Hispanic	2	•	Other brugs	20	12
L13(e) 10313	U	Asian	2	•			
Includes all positive HBsAg		Other/Unknown	•	•	MOTOR VEHICL	E CDV6FE	
test results.		Other / Orknown	•	•	WOTOR VEHICL	E UNASHES	
test results.		 Infant Mortality b	 /		Note: These data are b	asad on 1	ocation
Sexually Transmitted Disease		Birthweight	у		of crash, not o		
Chlamydia Trachomatis	639		7		or crash, not o	ii restueii	ce.
Gonorrhea	161	<1,500 gm	3	•	Type of Motor	Persons	Doncoro
	0	1,500-2,499 gm	9	•	Vobiolo Cnoch	Triunad	V:1104
Syphilis	U	2,500+ gm Unknown	9 1	•	Venitute Urasii	Injured	VTTTEQ
IMMUNIZATIONS		Ulikilowii	I	•	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	1,904	28 14
TIVIIVIOINIZATIONS		 Perinatal			With Citation:	222	14
Children in Credes V 10 her		Perinatal Mortality	Dootho	Do+o	With Citation: For OWI	179	^
Children in Grades K-12 by		Takal Dandaskal	Deaths	Rate	For Charling	1/9	0
Compliance Level	01 400	local Perimatal	20	11.2	For Speeding Motorcyclist	153	1
Compilant	31,492	Total Perinatal Neonatal Fetal	14	•	MOTORCYCLIST	77 05	8
Compliance Level Compliant Non-compliant Percent Compliant	397	гетат	12	•	Bicyclist Pedestrian	35	1
Percent Compliant	98.8	l			Pedestrian	40	4

		Per	Λνοροσο			ITALIZATIONS		Per	Ανοροσο		Changa
DISEASE /		1,000	Average Stay	Average	Charge Per	DISEASE /		1,000	Average Stav	Average	Charge Per
AGE GROUP	Numbon					AGE GROUP	Numbon	Pop			
AGE GROUP	Number	Pop	(Days)	Charge	Capita	AGE GROUP	Number	РОР	(Days)	Charge	Capita
Injury-Related						Alcohol-Relate					
Total	1,575	9.7	4.5	\$27,630	\$267	Total	318	2.0	4.1		\$23
<18	89	2.2	4.5	\$32,787	\$72	18-44	142	2.3	3.8	\$10,214	\$23
18-44	362	5.7	3.7	\$25,709	\$148	45-64	155	3.7	4.2	\$13,102	\$49
45-64	476	11.5	4.4	\$28,568	\$327	Pneumonia and	Influenza			·	
65+	648	36.2	5.1	\$27,306	\$989	Total	582	3.6	5.2	\$18,389	\$66
Injury: Hip I	racture			. ,		<18	63	1.6	3.2	\$11,920	\$18
Ťotál	154	0.9	5.4	\$31,538	\$30	45-64	127	3.1	4.8	\$18,903	\$58
65+	138	7.7	5.6	\$31,508	\$243	65+	343	19.2	5.9	\$19,986	\$383
Injury: Pois				, ,	+	Cerebrovascula				+ · · · , - · · ·	*
Total	225	1.4	2.5	\$11,611	\$16	Total	514	3.2	4.3	\$27,097	\$85
18-44	119	1.9	2.1	\$9,559	\$18	45-64	144	3.5	4.5	\$35,486	\$123
10 11	110			φοίουσ	Ψισ	65+	349	19.5	4.0	\$22,301	\$435
Psychiatric						Asthma	0.10	1010	110	Ψ22,001	Ψ100
Total	1,237	7.6	8.0	\$9,824	\$75	Total	249	1.5	3.6	\$11,025	\$17
<18	328	8.1	8.3	\$10,954	\$88	<18	44	1.1	1.8	\$4,847	\$5
18-44	508	8.1	7.5	\$8,436	\$68	18-44	53	0.8	3.3	\$10,695	\$9
45-64	329	7.9	8.7	\$9,861	\$78	45-64	82	2.0		\$11,002	\$22
45-04 65+	72	4.0	7.7		\$76 \$58	45-04 65+	70	3.9	5.0	\$15,184	\$59
05+	12	4.0	7.7	\$14,292	φυσ	Other Chronic					φυθ
Cananany Haant	Diagona						323				\$30
Coronary Heart		3.7	4 4	ΦΕΛ Ε1Ε	\$202	Total	323 79	2.0		\$15,245	
Total	603		4.1		\$202 \$344	45-64		1.9		\$13,148	\$25
45-64	259	6.2		\$55,263		65+	230	12.9	4.7	\$16,455	\$212
65+	309	17.3	4.6	\$54,900	\$948	Davis Dalatad					
Malianant Nasa	1 (0					Drug-Related	0.4	۰	- 0	Φ 7 445	Φ.4
Malignant Neop				44 5 7 0	4.10	Total	81	0.5	5.3	\$7,115	\$4
Total	558	3.4	6.2	\$41,572	\$142	18-44	54	0.9	4.6	\$5,935	\$5
18-44	40	0.6		\$43,688	\$28						
45-64	192	4.6	5.1	\$38,932	\$180	Total Hospita					
65+	306	17.1	6.7	\$40,392	\$691	Total	20,268	124.3	4.3	\$21,964	\$2,730
Neoplasms: Fo			ites for	temale po		<18	3,375	83.1	3.5	\$10,843	\$901
Total	48	0.6	2.4	\$30,387	\$18	18-44	5,169	82.1	3.4	\$16,637	\$1,366
Neoplasms: Co	olo-rectai					45-64	4,962	119.4	4.6	\$28,238	\$3,371
Total	71	0.4	9.9	\$57,654	\$25	65+	6,762	377.9	5.2	\$26,983	\$10197
65+	45	2.5	10.5	\$59,217	\$149		•			•	
Neoplasms: L	ung			•		[PREVENTABLE				
Total	55	0.3	6.4	\$41,807	\$14	Total	2,581	15.8	4.6	\$17,880	\$283
				•		<18	204	5.0	2.5	\$10,178	\$51
Diabetes						18-44	337	5.4		\$15,440	\$83
Total	224	1.4	5.0	\$22,909	\$31	45-64	625	15.0	4.4	\$18,331	\$276
65+	59	3.3		\$32,916	\$109	65+	1,415	79.1		\$19,372	\$1,532
= =		- · ·		= , - · -	T	* Hospitalization	ns for cond	itions	where t	imely and	effective
						ambulatory care					