POPULATION ESTIMATES		LONG-TERM CARE	LOCAL HEALTH DEPARTM	
Total 2008 Population County population rank (1-72) Population per square mile County rank in population density (1-72)	21,170 52	Community Options and MA Waiver as HSRS reports costs for services	Total FTEs 4.8	Per 10,000 Population 2.2
County rank in population	62	Clients Costs COP 7 \$61,624 MA Waiver *	Total FTEs 4.8 Administrative 1.0 Public health nurses 1.0	0.5 0.5
density (1-72)	29	COP 7 \$61,624 MA Waiver *	Oral health prof	
Population growth 2004-2008 County rank in 5-year		CIPIA Develop. Gisabled	Public hearth educ.	
population growth (1-72)	51	CIP1B Develop. disabled 56 \$1,354,226	Other prof. staff 1.8	0.8 0.0
Age Female Male 0-14 1.960 2.060	Total 4,030	CIP2 Elderly/phys. disab. adults	Support Starr	0.5
15-17 400 460 18-19 280 320	4,030 850 600	COP-W Elderly/phys. disab. adults 100 \$669,325	Funding Total \$345.815	Per capita \$16.19
Age Female Male 0-14 1,960 2,060 15-17 400 460 18-19 280 320 20-24 610 640 25-44 2,640 2,690 45-64 2,910 3,050 65-84 1,370 1,230 85+ 390 180 Total 10,550 10,620	1,240 5,320	CLTS Disabled children	Funding Total \$345,815 Local Taxes \$204,081 LICENSED ESTABLISHMENTS	\$9.56
45-64 2,910 3,050 65-84 1,370 1,230	5,960 2,600	35 \$610,651 Brain Injury 2 \$120,603 Total COP/Wvrs 230 \$3,611,501	Type Red & Breakfast	Facilities 6
85+ 390 180 Total 10,550 10,620	570	\$147 478 of the above waiver costs	Camps	14 16
	ŕ	35 \$610,651 Brain Injury 2 \$120,603 Total COP/Wvrs 230 \$3,611,501 \$147,478 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs. * Waiver costs reported here include federal funding.	Tourist Rooming	10
White 10,280 10,290	20,560	using COP funds. This amount is not included in above COP costs. * Waiver costs reported here include federal funding. Clients Costs Eligible and Waiting 4 n/a (Family Care not provided in county)	Restaurants	76 0
Amer. Ind. 40 30	70	* Waiver costs reported here	WIC PARTICIPANTS	Numbon
Asian 30 20	50	Clients Costs	Pregnant/Postpartum	171
10tai 10,550 10,620	21,170	Waiting 4 n/a	Infants Children, age 1-4	102 271
Poverty Estimates for 200 Estimate (%) (0	C.I.+/-)	(Family Čare not provided in county)	Do not speak English	59
Estimate (%) (0 All ages 7.3% (7 Ages 0-17 9.4% (2	1.3%) 2.1%)	Note: Eligible and waiting clients	Speak English Total	
EMPLOYMENT		will be phased into the COP and MA Waivers as available.	10tal	520
by unemployment compensation \$3	38,146		Primary Site Total Cases	Data
Labor Force Estimates Av	Annual verage	Nursing Homes 2	Cervical 1 Colorectal 11	9.6 52.3 52.3
Labor Force Estimates Available Civilian Labor Force Unemployment rate 5-yr avg. unemployment rate	4.3% 4.5%	Nursing Homes 2 Licensed beds 126 Residents on Dec.31 122 Residents age 65 or older	Breast 9 Cervical 1 Colorectal 11 Lung and Bronchus 11 Prostate 14 Other sites 45 Total 91	132.6 214.0
Median HH income (2007) \$5 Rank in median HH income (1-72)	53,356	per 1,000 population 36	Note: Totals for invasive cand Rate is per 100,000 population	cers only.

PAGE 2

			NAT	41 TTY				
TOTAL LIVE BIRTHS		212	Birth Order	Births	Percent	Marital Status		
TOTAL LIVE BITTIO			First	82	39	of Mother	Births	Percent
Crude Live Birth Rate	1	10.0	Second	67		Married	155	73
General Fertility Rat			Third	36	17	Not married	57	27
deficial referring has	.0	04.1	Third Fourth or higher Unknown	27	13	Unknown	0	-7
live hirths with reno	rted		Unknown	0	0	Omanown	· ·	· ·
Live births with repo	n ccu	3 1 1%	OHKHOWH	O	J	Education		
Congenital anomalies		0 1.40				of Mother	Births	Percent
Delivery Type	Rinthe	Parcent	1st Prenatal Visit	Rinthe	Percent	Elementary or le		2
Vaginal after	DII CIIS	i ei ceiic				Some high school		7
nrovious cosaroan	1	2	2nd trimester	30	9	High school	67	32
Vaginal after previous cesarean Forceps	1	<.5	3rd trimester	20	2	Some college	07 07	39
Othor vaginal	156	7.0	No vicito	1	<.5	High school Some college College graduate	44	21
Other vaginal Primary cesarean	130	14	1st trimester 2nd trimester 3rd trimester No visits Unknown	1	<.5	Unknown	44	
Repeat cesarean	24	13	OHKHOWH	'	\. 5	UIKIIUWII	•	•
Repeat desarean	21	13	Prenatal Visits	Dintho	Percent	Smoking Status		
Birthweight	Dintho	Donoont	No visits			Smoking Status of Mother	Births	Percent
DII CIWEIGIIC	Births	V E	1-4	1	\.5 1	Smoker	24	11
1 500 9III	11	0.5	5-9	39				89
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	200	5.Z	5-9 10-12	1 2 39 103	18 49	Nonsmoker Unknown	188	89 0
2,500∓ giii	200	94.3	13+	67	32	Ulikilowii	U	U
Ulikilowii	U	U	Unknown		0			
			UIKIIUWII	U	U			
			Low Ricthweight		Trimost	er of First Prenata	 1 Vieit	
			Low Birthweight	1et Tr	Trimest	er of First Prenata	l Visit	Unknown
Pace/Ethnicity	Rirthe F	Parcent	Low Birthweight (under 2,500 gm)	1st Tr	Trimest imester	er of First Prenata 2nd Trimester	l Visit Other/	Unknown
Race/Ethnicity	Births F	Percent	Low Birthweight (under 2,500 gm) Births Percent	1st Tr Births	Trimest imester Percent	er of First Prenata 2nd Trimester Births Percent	l Visit Other/ Births	Percent
Race/Ethnicity White	Births F	Percent 95	Births Percent 12 6.0	1st Tr Births 178	Trimest imester Percent 89	er of First Prenata 2nd Trimester Births Percent 17 8	l Visit Other/ Births 6	Unknown Percent 3
Race/Ethnicity White Black/Afr.American	Births F 201 0	Percent 95 0	Low Birthweight (under 2,500 gm) Births Percent 12 6.0	1st Tr Births 178	Trimest imester Percent 89	er of First Prenata 2nd Trimester Births Percent 17 8	l Visit Other/ Births 6	Percent
Race/Ethnicity White Black/Afr.American American Indian	Births F 201 0 1	Percent 95 0 <.5	Births Percent 12 6.0 	Births 178	Percent 89	Births Percent 17 8 	l Visit Other/ Births 6	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino	Births F 201 0 1 9	Percent 95 0 <.5 4	Births Percent 12 6.0 	Births 178	Trimest imester Percent 89	Births Percent 17 8 	l Visit Other/ Births 6	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Asian	Births F 201 0 1 9	Percent 95 0 <.5 4 <.5	Births Percent 12 6.0 	Births 178	Percent 89	Births Percent 17 8 	l Visit Other/ Births 6	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	201 0 1 9 1 0	95 0 <.5 4 <.5 0	Births Percent 12 6.0 	Births 178	Percent 89	Births Percent 17 8 	l Visit Other/ Births 6 *	Percent
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	201 0 1 9 1 0	95 0 <.5 4 <.5 0	Births Percent 12 6.0	Births 178	Percent 89	Births Percent	Births 6 *	Percent
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	201 0 1 9 1 0	95 0 <.5 4 <.5 0	Births Percent 12 6.0	Births 178	Percent 89	Births Percent	Births 6 *	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	201 0 1 9 1 0	95 0 <.5 4 <.5 0 	Births Percent 12 6.0	Births 178	Percent 89	Births Percent	Births 6 *	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother	201 0 1 9 1 0 	95 0 <.5 4 <.5 0 ertility Rate	Births Percent 12 6.0	Births 178	Percent 89	Births Percent 17 8 2 22 * er of First Prenata 2nd Trimester Births Percent	Births 6 *	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15	201 0 1 9 1 0 Fe Births	95 0 <.5 4 <.5 0 ertility Rate	Births Percent 12 6.0	Births 178	Percent 89	Births Percent	Births 6 *	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17	201 0 1 9 1 0 Fe Births 0 4	95 0 <.5 4 <.5 0 ertility Rate 10	Births Percent 12 6.0 * Low Birthweight (under 2,500 gm) Births Percent	Births 178	Percent 89 78 Trimest imester Percent	Births Percent 17 8 2 22 * er of First Prenata 2nd Trimester Births Percent *	Births 6 *	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19	201 0 1 9 1 0 Fe Births 0 4 6	95 0 <.5 4 <.5 0 	Births Percent 12 6.0 Low Birthweight (under 2,500 gm) Births Percent 1 16.7	Births 178	Percent 89 78 Trimest imester Percent 50	Births Percent 17 8 2 22 *	Births 6	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24	201 0 1 9 1 0 Fe Births 0 4 6 47	95 0 <.5 4 <.5 0 	Births Percent 12 6.0 * Low Birthweight (under 2,500 gm) Births Percent 1 16.7 4 8.5	Births 178	Percent 89 78 Trimest imester Percent 50 83	Births Percent 17 8 2 22 * er of First Prenata 2nd Trimester Births Percent 3 50 6 13	Births 6	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	201 0 1 9 1 0 Fe Births 0 4 6 47 75	95 0 <.5 4 <.5 0 	Births Percent 12 6.0 * Low Birthweight (under 2,500 gm) Births Percent 1 16.7 4 8.5 3 4.0	Births 178 	Percent 89 78 . Trimest imester Percent . 50 83 93	Births Percent 17 8 2 22 * er of First Prenata 2nd Trimester Births Percent * 3 50 6 13 4 5	Births 6	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	201 0 1 9 1 0 Fe Births 0 4 6 47 75 53	95 0 <.5 4 <.5 0 	Births Percent 12 6.0 * Low Birthweight (under 2,500 gm) Births Percent 1 16.7 4 8.5 3 4.0 3 5.7	Births 178 	Percent 89 78 Trimest imester Percent . 50 83 93 92	Births Percent 17 8	Births 6	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	201 0 1 9 1 0 Fe Births 0 4 6 47 75 53 23	95 0 <.5 4 <.5 0 ertility Rate 10 22 78 116 92 35	Births Percent 12 6.0 * Low Birthweight (under 2,500 gm) Births Percent 1 16.7 4 8.5 3 4.0	Births 178 	Percent 89 78 . Trimest imester Percent . 50 83 93	Births Percent 17 8 2 22 * er of First Prenata 2nd Trimester Births Percent * 3 50 6 13 4 5	Births 6	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	201 0 1 9 1 0 	95 0 <.5 4 <.5 0 	Births Percent 12 6.0 * Low Birthweight (under 2,500 gm) Births Percent 1 16.7 4 8.5 3 4.0 3 5.7	Births 178 	Percent 89 78 Trimest imester Percent . 50 83 93 92	Births Percent 17 8	Births 6	Percent 3
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	201 0 1 9 1 0 Fe Births 0 4 6 47 75 53 23	95 0 <.5 4 <.5 0 ertility Rate 10 22 78 116 92 35 5	Births Percent 12 6.0 * Low Birthweight (under 2,500 gm) Births Percent 1 16.7 4 8.5 3 4.0 3 5.7	Births 178 	Percent 89 78 Trimest imester Percent . 50 83 93 92	Births Percent 17 8	Births 6	Percent 3

MORBIDITY				MOR	RTALITY		
	- 1				er 100,000 population.		1
	İ	neonatal. and	postneon	atal death	rates are per 1,000 live	e births.	
CONFIRMED CASES OF	i	Perinatal and	fetal de	ath rates a	are per 1,000 live birth	s plus	
COMMUNICABLE DISEASES (2008)	ŀ	fetal deaths	Pates a	re not calc	culated for fewer than 20) deaths	ł
OUMMONIONEE DISEASES (2000)		retar deaths.	naces a	ile not card	diated for rewer than 20	deaths.	
Disease Num	mber	TOTAL DEATHS		167	Selected		
Campylobacter Enteritis	8	Crude Death Rat	е	789 l	Underlying Cause	Deaths	Rate
Giardiasis	<5				Heart Disease (total)	54	255
Hepatitis Type A	ŏ l				Ischemic heart disease	35	165
Hepatitis Type B*	ŏ	Age	Deaths	Rate	Cancer (total)	36	170
Hepatitis NANB/C	ŏΙ	1-4	1		Ischemic heart disease Cancer (total) Trachea/Bronchus/Lung	13	.,.
Legionnaire's	ŏ	5-14			Colorectal	2	
Lyme	ŏ	15-19	•	•	Colorectal Female Breast	2	.*
Measles	ŏ	20-34	9	•	Cerebrovascular Disease	e 13	•
	ő	35-54		•	Lower Book Diceson	8	•
Meningitis, Aseptic	0		9	772	Lower Resp. Disease Pneumonia & Influenza	6	•
Meningitis, Bacterial	0	55-64	20	1 600	Annidonia & Influenza	0	
Mumps		65-74	26		Accidents	4	
Pertussis	<5	75-84	50	4,682	Motor vehicle]	
Salmonellosis	<5	85+	59	10,297	Diabetes]	
Shigellosis	0	. .			Infect./Parasitic Dis.	1	
Tuberculosis	0	Infant			Suicide	2	
E-Coli 0157	<5	Mortality	Deaths	Rate			
E-Coli,Non-0157	<5	Mortality Total Infant Neonatal	2		* Based on female popul	Lation.	
Cryptosporidiosis	0	Neonatal _	2				
Streptococcus Pneum Invasive	<5	Postneonatal			ALCOHOL AND DRUG ABUSE		
All Streptococcal Diseases	<5				OR CONTRIBUTING CAUS	SE OF DEAT	H
Blastomycosis	<5	Infant Mortality b	У				
Haemophilus flu, Invasive	0	Race of Mother White			Alcohol	. 1	
Ehrlichiosis/Anáplasmosis	0	White	2		Tobacco Use	28	132
Malaria	<5				Other Drugs	•	.
Listeriosis	0	Hispanic	2				
		Asian Other/Unknown					
* Includes all positive HBsAg		Other/Unknown			MOTOR VEHICLI	E CRASHES	
test results.	- 1						
		Infant Mortality b	У		Note: These data are ba		
Sexually Transmitted Disease	- 1	Birthweight	, 1 1		of crash, not o	n residenc	e.
Chlamydia Trachomatis	19	<1,500 gm	1				
Gonorrhea Syphilis	<5	1,500-2,499 gm	1	.	Type of Motor	Persons P	ersons
Syphilis	0	<1,500 gm 1,500-2,499 gm 2,500+ gm			Vehicle Crash	Injured	Killed
	İ	Unknown			Type of Motor Vehicle Crash Total Crashes Alcohol-Related	93	1
IMMUNIZATIONS					Alcohol-Related	4	1
	j	Perinatal			With Citation:		
Children in Grades K-12 by	İ	Mortality	Deaths	Rate	For OWI	7	0
Compliance Level	İ	Total Perinatal	4		For Speedina	7	ŏ l
Compliant	4.055	Neonatal	2	.	For Speeding Motorcyclist	10	o l
Non-compliant	53	Total Perinatal Neonatal Fetal	$\bar{2}$.	Bicyclist	0	o l
Non-compliant Percent Compliant	98.7	. 5 -5.1	-	-	Pedestrian	Ŏ	ĭl

DIOEAGE '			Average		Charge	ITALIZATIONS		Per		A	Charge
DISEASE /		1 <u>,</u> 000	Stay	Average	Per	DISEASE /		1 <u>,</u> 000	Stay	Average	Per
AGE GROUP	Number	Pop	(Days)	Charge	Capita	AGE GROUP	Number	Рор	(Days)	Charge	Capita
Injury-Related:	: All					Alcohol-Relat	ed				
Total	180	8.5	4.6	\$27,895	\$237	Total	32	1.5	2.9	\$6,290	\$10
<18	11					18-44	15				
18-44	40	5.6	5.2	\$36,179	\$202	45-64	14				
45-64	40	6.7		\$30,289	\$203	Pneumonia and	Influenza				
65+	89	28.1	4.4	\$24,498	\$687	Total	55	2.6	3.8	\$13,307	\$35
Injury: Hip F	racture			. ,	•	<18	9			. ,	
Ťotál '	16					45-64	11				
65+	16	-		_	-	65+	32	10.1	4.3	\$12,785	\$129
Injury: Poiso		-	-	-	-	Cerebrovascul				+ . _ ,	Ţ. <u>_</u> _
Total	8	_	_	_	_	Total	87	4.1	3.4	\$20,058	\$82
18-44	1	•	•	•	•	45-64	13		011	Ψ20,000	ΨOL
10 44	•	•	•	•	•	65+	72	22.7	2.9	\$15,894	\$361
Psychiatric						Asthma	, _		2.5	Ψ10,004	ΨΟΟΙ
Total	86	4.1	6.0	\$7,339	\$30	Total	7				
<18	20	4.1	5.8	\$8,733	\$36	10tal <18	0	•	•	•	•
18-44	42	5.9	5.2	\$5,534	\$32	18-44	2	•	•	•	•
45-64	16	5.9	5.2	φ 5 ,554	φυΖ	45-64	0	•	•	•	•
45-64 65+	8	•	•	•	•	65+	5 5	•	•	•	
00+	0	•	•	•	•		-	. Dlma			•
0	D:					Other Chronic					010
Coronary Heart		- -	0 4	Φ40 CO7	CO 40	Total	24	1.1	3.7	\$13,959	\$16
Total	120	5.7	3.4	\$43,697	\$248	45-64	5	•	•	•	•
45-64	40	6.7	3.9	\$50,871	\$342	65+	19	•	•		
65+	76	24.0	3.3	\$41,116	\$985						
						Drug-Related					
Malignant Neopl		ncers):	ATT .			Total	3	•			
Total	86	4.1	5.1	\$29,513	\$120	18-44	1		•		
18-44	_5	_ • .									
45-64	35	5.9	4.7	\$32,075	\$189	Total Hospita					
65+	_ 46	14.5	5.4	\$27,801	\$403	Total	2,189	103.4	3.9		\$2,089
Neoplasms: Fe		ast (ra	tes for	female po	pulation)	<18	² 319	65.4	2.7	\$6,044	\$395
Total	3	•		•		18-44	474	66.2	3.4	\$13,852	\$917
Neoplasms: Co	olo-rectai	1				45-64	477	80.1	4.2	\$28,428	\$2,277
Total	10					65+	919	289.7	4.4	\$24,124	\$6,989
65+	9				•					-	•
Neoplasms: Lu	ıng						PREVENTABLE	HOSPI7	[ALIZATIO	ONS*	
Total	6					Total	212	10.0	3.6	\$13,659	\$137
						<18	14	2.9	1.9	\$5,581	\$16
Diabetes						18-44	25	3.5	2.3	\$12,842	\$45
Total	37	1.7	3.7	\$21,754	\$38	45-64	42	7.1	3.8	\$14,789	\$104
65+	11	• • •	J.,	÷=.,,	-	65+	131	41.3		\$14,315	\$591
55		•	•	•	•	* Hospitalizatio					