PC	PULATION ES	STIMATES		LONG-TERM CARE LOCAL HEALTH DE	
Total 2008	Population		29 700	Community Options and MA Waiver as HSRS reports costs for services Administrative	Per 10,000 her Population
County por	oulation rar n per square nk in popula (1-72)	nk (1-72)	43	as HSRS reports costs for services Total FTFs	9.4 3.2
Population	n per square	mile	37	Administrative	1.0 0.3
County rar	nk in popula	ation	٠.	Clients Costs Public health nurses	50 17
density	(1-72)		43	COP 15 \$95,158 Oral health prof.	
				Clients Costs Public health nurses COP 15 \$95,158 Oral health prof. MA Waiver * CIP1A Develop disabled Public health aductions and the company of the com	0.1 0.0
Population	growth 2004	1-2008	755	COP 15 \$95,158 Oral health prof. MA Waiver * Envir. health prof. CIP1A Develop. disabled Public health educ.	0.2 0.1
County rank	on growth (1			CIP1A Develop. disabled Public health educ. 7 \$448,306 Nutritionist	
population	on growth (1	l-72)	36	CIP1B Develop. disabled Other prof. staff	1.0 0.3
				61	0.0 0.0
Age	Female	Male	Total	CIP2 Elderly/phys. disab. adults Support staff	2.1 0.7
0-14	3,030	3,220	6,250	20 \$196,345	
15-17	610	650	1,250	COP-W Elderly/phys. disab. adults Funding	Per capita
18-19	440	460	900	39 \$408,421 Total \$631	,087 \$21.24
20-24	830	840	1,670	COP-W Elderly/phys. disab. adults	,491 \$10.99
25-44	3,220	3,180	6,400	5 \$118,168 LICENSED ESTABLISHM Brain Injury 1 \$49,589 Type Total COP/Wvrs 148 \$3,245,228 Bed & Breakfast	INIS
45-04	4,100	4,240	8,400	Brain Injury 1 \$49,589 Type Total COP/Wvrs 148 \$3,245,228 Bed & Breakfast	Facilities
05-84	2,180 550	1,820	4,000	Camps	40
Age 0-14 15-17 18-19 20-24 25-44 45-64 65-84 85+ Total	15 010	14 600	20 700	\$117,518 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is	16
TOTAL	15,010	14,090	29,700	were paid as local match/overmatch Tourist Rooming	19
Bace/ethnic	ity Female	Male	Total	using COP funds. This amount is Pools	15
Race/ethnic White	14.730	14.380	29.120	mat imaludad in abass OOD asata Daatassaanta	07
Afr.Amer.	40	60	100	* Waiver costs reported here include federal funding. Eligible and Waiting 18 n/a Family Care 141 \$617,142 * Restaurants Body Art	0
Amer. Ind.	30	20	50	* Waiver costs reported here WIC PARTICIPA	NTS
Hispanic	170	190	350	include federal funding.	Number
Asian	50	40	90	Clients Costs Pregnant/Postpartum	336
Total	15,010	14,690	29,700	Eligible and Infants	217
				Waiting 18 n/a Children, age 1-4	603
Pover	ty Estimate	es for 20	07	Family Care 141 \$617,142	
	Estimat	te (%) (C.I.+/-)	Do not speak English	24
All ages	13.	.6% (2.6%)	Note: In 2008 this county operated under the Family Care waiver. Eligible and waiting clients are phased into Family Care. Hence, clients can incur costs for both COP/waivers and Family Care. Do not speak English Speak English Total Total Primary Site Total C	1,0/1
Ages 0-17	23.	.5% (5.4%)	Eligible and waiting clients are Total	1 156
	EMDL OVME	ENIT		phonod into Fomily Cone Honor	1,156
Avenage wage	EWIPLUTIVE	ini		clients can incur costs for both NEW CASES OF CANCE	2 TN 2007
hy unemploye	ent compand	covereu sation ¢	28 060	COP/waivers and Family Care Primary Site Total C	1 IN 200/
(place of w	ient compend inrkl	σατίση ψ			16 107 7
``	,		Annual	Cervical	0 107.7
Labor Force	Estimates	A	verage	Nursing Homes 4 Colorectal	21 71.4
Labor Force Civilian Lab Unemployment 5-yr avg. ur	or Force		14.638	Licensed beds 291 Lung and Bronchus	25 85.0
Unemployment	rate		4.7%	Residents on Dec.31 252 Prostate	35 240.4
5-yrˈavg̃. ur	nemployment	rate	4.8%	Residents age 65 or older Other sites	78 265.1
					175 594.8
Median HH ir	come (2007)	\$		Note: Totals for invasive	cancers only.
Rank in med	lian HH inco	ome (1-72) 50	Rate is per 100,000 popu	Lation.

			NAT	ALTTY				
TOTAL LIVE BIRTHS		444	Birth Order	Births	Percent	Marital Status		
TOTAL LIVE BITTING			First	119	27	of Mother	Births	Percent
Crude Live Birth Rate		15.0	Second	116	26	Married	355	80
General Fertility Rat		97 1	Third	83		Not married	89	20
deficial refullity flat	C	07.1	Fourth or higher			Unknown	0	0
Live hinths with reno	rtad		Unknown	0	0	OHKHOWH	U	U
Live births with repo congenital anomalies	Leu	6 1.4%	OHKHOWH	U	U	Education		
Congenital anomalies		0 1.4%				of Mother	Births	Percent
Doliveny Type	Dintho	Danaant	1st Doomstal Visit	Dintha	Danaant			
Delivery Type	BTLfus	Percent	1st Prenatal Visit			Elementary or le	ss 128	29
Vaginal after	4.0	4	1st trimester	275	62	Some high school	24	5
_previous cesarean	16	4	2nd trimester	94	21	High scňool Some college	104	23
Forceps Other vaginal Primary cesarean	1	<.5	2nd trimester 3rd trimester No visits Unknown	62	14	Some correde	104	23
Other vaginal	351	79	No visits	5	1	College graduate Unknown	82	18
Primary cesarean	39	9	Unknown	8	2	Unknown	2	<.5
Repeat cesarean	37	8						
			Prenatal Visits			Smoking Status		
Birthweight	Births	Percent	No visits	5	1	of Mother	Births	Percent
<1,500 gm	4	0.9	1 - 4	5 109	25	Smoker	71	16
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	19	4.3	5-9	84	19	Nonsmoker	373	84
2,500+ gm	421	94.8	10-12	139	31	Unknown	0	0
Unknown	0	0	13+	101	23			
			Unknown	6	1			
			Low Birthweight		Trimest	er of First Prenata	l Visit	
			(under 2.500 am)	1st Tr	imester	2nd Trimester	Other/	Unknown
Race/Ethnicity	Births F	ercent	(under 2.500 am)	1st Tr Births	imester	2nd Trimester	Other/	Unknown Percent
Race/Ethnicity White	Births F 427	Percent 96	(under 2,500 gm) Births Percent	1st Tr Births 265	imester	2nd Trimester Births Percent 88 21	Other/	Percent
Race/Ethnicity White Black/Afr.American	Births F 427 3	Percent 96 1	(under 2,500 gm) Births Percent 23 5.4 *	1st Tr Births 265 *	imester Percent 62	2nd Trimester	Other/	Percent
Race/Ethnicity White Black/Afr.American American Indian	Births F 427 3 1	Percent 96 1 <.5	(under 2,500 gm) Births Percent 23 5.4	Births 265	imester Percent 62	2nd Trimester Births Percent 88 21	Other/ Births 74	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino	Births F 427 3 1 9	Percent 96 1 <.5	(under 2,500 gm) Births Percent 23 5.4 *	Births 265 *	imester Percent 62	2nd Trimester Births Percent 88 21 * .	Other/ Births 74	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Asian	Births F 427 3 1 9	Percent 96 1 <.5 2	(under 2,500 gm) Births Percent 23 5.4 *	Births 265 * *	imester Percent 62	2nd Trimester Births Percent 88 21 * .	Other/ Births 74	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	Births F 427 3 1 9 4	Percent 96 1 <.5 2 1	(under 2,500 gm) Births Percent 23 5.4 * .	Births 265 * * 4	imester Percent 62	2nd Trimester Births Percent 88 21 * . 5 56	Other/ Births 74	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	Births F 427 3 1 9 4	Percent 96 1 <.5 2 1 0	(under 2,500 gm) Births Percent 23 5.4 * .	Births 265 * * 4	imester Percent 62	2nd Trimester Births Percent 88 21 * . 5 56	Other/ Births 74	Percent
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	Births F 427 3 1 9 4	Percent 96 1 <.5 2 1 0	(under 2,500 gm) Births Percent 23 5.4 * * * Low Rirthweight	Births 265 * * * 4 * * .	imester Percent 62	2nd Trimester Births Percent 88 21 * * 5 56 *	Other/Births 74 * *	Percent 17
Race/Ethnicity White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	427 3 1 9 4 0	96 1 <.5 2 1 0	(under 2,500 gm) Births Percent 23 5.4 * * * Low Rirthweight	Births 265 * * * 4 * * .	imester Percent 62	2nd Trimester Births Percent 88 21 * * 5 56 *	Other/Births 74 * *	Percent 17
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	427 3 1 9 4 0	96 1 <.5 2 1 0	(under 2,500 gm) Births Percent 23 5.4 * Low Birthweight (under 2,500 gm)	Births 265 * * * 4 * *	imester Percent 62	2nd Trimester Births Percent 88 21 * . 5 56 * . er of First Prenata 2nd Trimester	Other/Births 74 * * *	Percent 17
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother	427 3 1 9 4 0 	96 1 <.5 2 1 0	(under 2,500 gm) Births Percent 23 5.4 *	Births 265 * 4 * 1st Tr Births	imester Percent 62	2nd Trimester Births Percent 88 21 * * 5 56 * er of First Prenata 2nd Trimester Births Percent	Other/Births 74 * * *	Percent 17
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15	427 3 1 9 4 0 Fe Births	96 1 <.5 2 1 0 	(under 2,500 gm) Births Percent 23 5.4 * Low Birthweight (under 2,500 gm)	Births 265 * * * 4 * *	imester Percent 62	2nd Trimester Births Percent 88 21 * . 5 56 * . er of First Prenata 2nd Trimester	Other/Births 74 * * *	Percent 17
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17	427 3 1 9 4 0 	96 1 <.5 2 1 0 	(under 2,500 gm) Births Percent 23 5.4 * * * Low Birthweight (under 2,500 gm) Births Percent * * * * * * * * * * * * *	Births 265 * 4 * 1st Tr Births *	imester Percent 62	2nd Trimester Births Percent 88 21 * * 5 56 * er of First Prenata 2nd Trimester Births Percent	Other/Births 74 * * * 1 Visit Other/Births *	Percent 17
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19	427 3 1 9 4 0 Fe Births 0 3 12	96 1 <.5 2 1 0 	(under 2,500 gm) Births Percent 23 5.4 * * * Low Birthweight (under 2,500 gm) Births Percent * 2 16.7	Births 265 * * * 4 * * * * * * * * * * * * * * *	imester Percent 62	2nd Trimester Births Percent 88 21 * . 5 56 * . er of First Prenata 2nd Trimester Births Percent * . * .	Other/Births 74 * * * * 1 Visit Other/Births *	Percent 17
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24	427 3 1 9 4 0 Fe Births 0 3 12 115	96 1 <.5 2 1 0 	(under 2,500 gm) Births Percent 23 5.4 * * * Low Birthweight (under 2,500 gm) Births Percent * 2 16.7 5 4.3	Births 265 * * 4 * *	imester Percent 62	2nd Trimester Births Percent 88 21 * . 5 56 * . er of First Prenata 2nd Trimester Births Percent * . 29 25	Other/Births 74 * * * * ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	Percent 17
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	427 3 1 9 4 0 Fe Births 0 3 12 115 133	96 1 <.5 2 1 0 	(under 2,500 gm) Births Percent 23 5.4 *	Births 265 * * * 4 * *	imester Percent 62	2nd Trimester Births Percent 88 21 * . 5 56 * . er of First Prenata 2nd Trimester Births Percent * . 29 25 31 23	Other/Births 74 * * * * ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	Percent
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	427 3 1 9 4 0 Fe Births 0 3 12 115 133 107	96 1 <.5 2 1 0 	(under 2,500 gm) Births Percent 23 5.4 *	Births 265 * * 4 * *	imester Percent 62	2nd Trimester Births Percent 88 21 * . 5 56 * . er of First Prenata 2nd Trimester Births Percent * . 29 25 31 23 17 16	Other/Births 74 * * * * ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	Percent
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	427 3 1 9 4 0 Births 0 3 12 115 133 107 52	96 1 <.5 2 1 0 	(under 2,500 gm) Births Percent 23 5.4 *	Births 265 * * 4 * *	imester Percent 62	2nd Trimester Births Percent 88 21 * . 5 56 * . er of First Prenata 2nd Trimester Births Percent * . 29 25 31 23 17 16 9 17	Other/Births 74 * * * * * * * * * * * * *	Percent
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	427 3 1 9 4 0 	96 1 <.5 2 1 0 	(under 2,500 gm) Births Percent 23 5.4 *	Births 265 * * 4 * *	imester Percent 62 44 Trimest imester Percent 92 58 62 70 56 32	2nd Trimester Births Percent 88 21 * . 5 56 * . er of First Prenata 2nd Trimester Births Percent * . 29 25 31 23 17 16	Other/Births 74 * * * * ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	Percent
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	427 3 1 9 4 0 Births 0 3 12 115 133 107 52	96 1 <.5 2 1 0 	(under 2,500 gm) Births Percent 23 5.4 *	Births 265 * * * 4 * *	imester Percent 62	2nd Trimester Births Percent 88 21 * . 5 56 * . er of First Prenata 2nd Trimester Births Percent * . 29 25 31 23 17 16 9 17	Other/Births 74 * * * * * * * * * * * * *	Percent
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	427 3 1 9 4 0 	96 1 <.5 2 1 0 	(under 2,500 gm) Births Percent 23 5.4 *	Births 265 * 4 * 1st Tr Births * 11 67 83 75 29 7	imester Percent 62	2nd Trimester Births Percent 88 21 * . 5 56 * . er of First Prenata 2nd Trimester Births Percent * . 29 25 31 23 17 16 9 17	Other/Births 74 * * * . * ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	Percent

MORBIDITY				MOF	RTALITY		
1		Note: Death rates (except ir	nfant) are i	per 100.000 population.	Infant.	I
		neonatal. and	postneor	natal death	rates are per 1,000 liv	e births.	
CONFIRMED CASES OF		Doningtal and	fetal de	eath rates a	are per 1,000 live birth	s plus	
COMMUNICABLE DISEASES (2008)		fetal deaths	Rates a	are not cal	culated for fewer than 2	0 deaths	
COMMONION DEL DIOLNOLO (2000)		rotal adatiioi	nacoo e	are not our	datated for rewer than 2	o dodeno.	
	Number	TOTAL DEATHS		294	Selected		
Campylobacter Enteritis	21	Crude Death Rat	e	990	Underlying Cause	Deaths	Rate
Giardiasis	<5				Heart Disease (total)	85	286
Hepatitis Type A	0				Ischemic heart diseas	e 45	152
Hepatitis Type B*	0	Age	Deaths	Rate	Cancer (total)	65	219
Hepatitis NANB/C	<5	1-4			Ischemic heart diseas Cancer (total) Trachea/Bronchus/Lung	20	67
Legionnaire's	0	5-14			Colorectal	4	.
Lyme	30	15-19			Colorectal Female Breast	4	.*
Méasles	<5	20-34	2		l Cerebrovascular Diseas	e 24	81
Meningitis, Aseptic	0	35-54	18		Lower Resp. Disease	11	.
Meningitis, Bacterial	0	55-64	34	895	Lower Resp. Disease Pneumonia & Influenza	12	.
Mumps	0	65 - 74	33	1,369	Accidents	8	
Pertussis	0	75-84	75		Motor vehicle	3	
Salmonellosis	<5	85+	130	15,700			
Shigellosis	0			,	Diabetes Infect./Parasitic Dis. Suicide	6	
Tuberculosis	0	Infant			Suicide Suicide	3	
E-Coli 0157	<5	Mortality	Deaths	Rate			-
E-Coli,Non-0157	Ō	Total Infant	2		* Based on female popu	lation.	
Cryptosporidiosis	18	Mortality Total Infant Neonatal	2				
Streptococcus Pneum Invasive		Postneonatal	_		ALCOHOL AND DRUG ABUSE	AS UNDERL	YING
All Streptococcal Diseases	< 5		-	-	OR CONTRIBUTING CAU	SE OF DEAT	TH
Blastomycosis	<5	Infant Mortality b	v				
Haemophilus flu, Invasive		Race of Mother			Alcohol	4	.
Ehrlichiosis/Anaplasmosis	5	White	2		Tobacco Use	60	202
Malaria	0	Black			Other Drugs		. 1
Listeriosis	0	Hispanic					
* Includes all positive HBsAg		Asian Other/Unknown			MOTOR VEHICL	E CRASHES	
test results.							
		Infant Mortality b	V		Note: These data are b	ased on lo	cation
Sexually Transmitted Disease		Birthweight	•		of crash, not o	n residenc	ce. I
Chlamydia Trachomatis	21	<1.500 am	1		'		
Gonorrhea	_	1,500-2,499 gm 2,500+ gm			Type of Motor	Persons F	Persons
Syphilis	0	2,500+ gm	1		Vehicle Crash Total Crashes Alcohol-Related	Injured	
		Uńknown			Total Crashes	³ 183	7
IMMUNIZATIONS					Alcohol-Related	28	1 1
		Perinatal			With Citation:		
Children in Grades K-12 by		Mortalitv	Deaths	Rate	l For OWI	21	0
Compliance Level		Total Perinatal	6		For Speeding	13	0
Compliant	4,306	Neonatal	2		For Speeding Motorcyclist	17	2
Non-compliant	´ 50	Mortality Total Perinatal Neonatal Fetal	4		Bicyclist	1	0
Compliance Level Compliant Non-compliant Percent Compliant	98.9				Pedéstrian	3	0
		' 					'

						ITALIZATIONS					
DT05405 /			Average		Charge	D.T.O.T.A.O.T. /		Per	Average		Charge
DISEASE /		1,000	Stay	Average	Per	DISEASE /		1,000	Stay	Average	Per
AGE GROUP	Number	Pop	(Days)	Charge	Capita	AGE GROUP	Number	Рор	(Days)	Charge	Capita
Injury-Related	d: All					Alcohol-Relat	ed				
Ťotál	252	8.5	4.2	\$27,740	\$235	Total	47	1.6	4.0	\$11,585	\$18
<18	13			· .		18-44	15				
18-44	39	4.4	3.9	\$30,648	\$133	45-64	29	3.5	3.9	\$14,854	\$51
45-64	71	8.5	5.0	\$34,601	\$292	Pneumonia and	Influenza			. ,	
65+	129	26.7	4.1	\$23,539	\$629	l Total	164	5.5	4.0	\$12,764	\$70
Injury: Hip				. ,	•	<18	13			. ,	
Ťotál '	38	1.3	4.7	\$30,616	\$39	45-64	24	2.9	3.5	\$13,457	\$38
65+	33	6.8	4.8	\$31,116	\$213	65+	125	25.9	4.3	\$13,207	\$342
Injury: Pois				40.,	+-	Cerebrovascul				Ţ, <u>_</u>	¥5. <u>-</u>
Total	18	_	_	_		Total	71	2.4	3.4	\$17,105	\$41
18-44	6	•	-	•		45-64	8		011	Ψ17,100	ΨΙΙ
10 44	J	•	•	•	•	65+	63	13.1	3.2	\$16,054	\$210
Psychiatric						Asthma	00	10.1	0.2	Ψ10,004	ΨΖΙΟ
Total	150	5.1	8.8	\$13,436	\$68	Total	12				
<18	14	5.1	0.0	Ψ10,400	ΨΟΟ	<18	2	•	•	•	•
18-44	71	7.9	8.3	\$11,289	\$89	18-44	3	•	•	•	•
45-64	48	5.7		\$14,341	\$82	45-64	3	•	•	•	•
45-04 65+	17			•	·	65+	3 4	•	•	•	•
05+	17	•	•	•	•	Other Chronic	7	o Dulma	nony Di		•
Coronary Heart	- Dioces					Total	30	1.0		\$10,135	\$10
	128	4.3	0 4	¢20 150	\$169			1.0	3.3	\$10,135	\$10
Total			3.4	\$39,159		45-64	8 22	4.6	3.6		\$52
45-64	42	5.0	2.5	\$38,795	\$194	65+	22	4.0	3.0	\$11,411	\$52
65+	82	17.0	3.7	\$38,653	\$657	Davis Dalatad					
Malianant Nasa	-1 (0-					Drug-Related					
Malignant Neop				400 004	A 400	Total	11	•	•	•	•
Total	110	3.7	4.8	\$33,001	\$122	18-44	4	•	•	•	•
18-44	11				·						
45-64	41	4.9	4.7	\$36,058	\$176	Total Hospita				4.00	
65+	56	11.6	5.3	\$31,496	\$365	Total		110.8	3.6	\$18,109	\$2,006
Neoplasms: F			ites for	temale po	opulation)	<18	516	68.8	3.0	\$8,674	\$597
Total	3		•		•	18-44	710	79.2		\$12,985	\$1,028
Neoplasms: C	Colo-recta	1				45-64	705	83.9	3.8	\$24,265	\$2,036
Total	11					65+	1,358	281.4	4.0	\$21,178	\$5,959
65+	7										
Neoplasms: L	₋ung						PREVENTABLE				
Total	8		•		•	Total	463	15.6	3.5	\$12,098	\$189
						<18	24	3.2	3.9	\$15,293	\$49
Diabetes						18-44	31	3.5	1.8	\$7,465	\$26
Total	29	1.0	3.3	\$13,550	\$13	45-64	89	10.6	3.2	\$13,576	\$144
65+	12					65+	319	66.1	3.7	\$11,896	\$786
						* Hospitalizatio	ns for cond	itions	where t	imely and	effective
						ambulatory care	can reduce	the lik	kelihood	of hospit	talization.