POPULATION ESTIMATES		LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS
Total 2008 Population County population rank (1-72 Population per square mile County rank in population density (1-72)	23,020	Community Options and MA Waiver	Staffing - FTE Number Population Total FTEs 7.0 3.0 Administrative 1.0 0.4
County population rank (1-72	) 49	as HSRS reports costs for services	Total FTEs 7.0 3.0
Population per square mile	26	Clients Costs COP 8 \$166,437 MA Waiver *	Administrative 1.0 0.4
County rank in population		Clients Costs	Public health nurses 2.0 0.9
density (1-72)	56	COP 8 \$166,437	Oral health prof. 1.0 0.4
Daniel attion mounth 0004 0000	000	MA Walver *	Envir. health prof
Population growth 2004-2008 County rank in 5-year	800	CIFIA Develop. GisableG	Public nealth educ
County rank in 5-year population growth (1-72)	25	MA Waiver * CIP1A Develop. disabled 6 \$465,585 CIP1B Develop. disabled	Other prof staff 1 0 0 4
population growth (1-72)	55	39 \$1,139,253	
Age Female Male	Total		Support staff 1.0 0.4
0-14 1.420 1.530	2.940	63 \$664,395	
15-17 330 370	700	COP-W Elderly/phys. disab. adults	Funding Don conito
18-19 260 290	540	105 \$474,603	Total \$550,383 \$23.88
20-24 480 510	990	CLTS Disabled children	Funding Per capita Total \$550,383 \$23.88 Local Taxes \$198,499 \$8.61 LICENSED ESTABLISHMENTS
25-44 2,260 2,250	4,520	34 \$234,417	LICENSED ESTABLISHMENTS
45-64 4,010 3,870	7,880	Brain Injury 0 \$0	Type Facilities Bed & Breakfast 7
65-84 2,460 2,420	4,870	105 \$474,603 CLTS Disabled children 34 \$234,417 Brain Injury 0 \$0 Total COP/Wvrs 255 \$3,144,690	Bed & Breakfast /
Age Female Male 0-14 1,420 1,530 15-17 330 370 18-19 260 290 20-24 480 510 25-44 2,260 2,250 45-64 4,010 3,870 65-84 2,460 2,420 85+ 360 220 Total 11,570 11,450	28.020	\$85,348 of the above waiver cost	Camps 43
10141 11,570 11,450	23,020	were paid as local match/overmatch	Tourist Rooming 317
Race/ethnicity Female Male		using COP funds. This amount is	Pools 32
1 111 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
Afr.Amer. 60 40	100		Body Art 1
Amer. Ind. 1,020 1,060	2,080	* Waiver costs reported here	Restaurants 223 Body Art 1 WIC PARTICIPANTS Number Pregnant/Postpartum 240 Infants 155 Children, age 1-4 472
Hispanic 160 150	310	include federal funding.	Number
Asian 50 50	100	Clients Costs	Pregnant/Postpartum 240
Total 11,570 11,450	23,020	Eligible and	Infants 155
Davientii Fatimatee fan O	007	Waiting 60 n/a	Pregnant/Postpartum 240 Infants 155 Children, age 1-4 472
Poverty Estimates for 2	00/ /C T ±/ \	(Family Care not provided in county)	Do not speak English 1
Δ11 anes 10.5%	(0.1.+/-) (2.1%)		Speak English 825
Ages 0-17 16.7%	(3.9%)	Note: Fligible and waiting clients	Do not speak English 1 Speak English 825
Poverty Estimates for 2007 Estimate (%) (C.I.+/-) All ages 10.5% (2.1%) Ages 0-17 16.7% (3.9%)		will be phased into the COP and MA	Total 867
EMPLOYMENT		Waivers as available.	
Average wage for jobs covered			NEW CASES OF CANCER IN 2007
by unemployment compensation	\$25,126		Primary Site Total Cases Rate
(place of work)	_		Breast 22 194.3
Labor Farsa Fatimatas	Annual	Niversian Haman	Cervical 0 0.0
Labor Force Estimates Civilian Labor Force Unemployment rate 5-yr avg. unemployment rate	Average	Nursing Homes 1 Licensed beds 79 Residents on Dec.31 64 Residents age 65 or older per 1,000 population 12	Primary Site         Total Cases         Rate           Breast         22         194.3           Cervical         0         0.0           Colorectal         9         39.9           Lung and Bronchus         21         93.1           Prostate         22         195.9           Other sites         50         221.7           Total         124         549.8
	6 3%	Residents on Dec 31 64	Prostate 22 105.0
5-vr avg. unemployment rate	6.2%	Residents age 65 or older	Other sites 50 221 7
J. avg. anomproyment rate	0.20	per 1.000 population 12	Total 124 549.8
Median HH income (2007)	ΨΤΙ, 10Τ	[ ]	INOTE: TOTALS FOR INVASIVE CANCERS ONLY.
Rank in median HH income (1-7	2) 58		Rate is per 100,000 population.
·			

			NAT	ALITY				
TOTAL LIVE BIRTHS		175	Birth Order	Births	Percent	Marital Status	3	
			First	66	38	of Mother	Births	Percent
Crude Live Birth Rate	2	7.6	Second	63	36	Married	97	55
General Fertility Rat		52.6	Third	29	17	Not married		45
delier at Ter criticy had	Le	32.0	Fourth or higher	17	10	Unknown	,0	0
live biethe with see	<del>-</del>			0	0	UIKIIUWII	U	U
Live births with repo congenital anomalies	or rea	4 0 00	Unknown	U	U	Education		
congenital anomalies		4 2.3%				Education	B: 11	
						of Mother	Births	Percent
Delivery Type	Births	Percent	1st Prenatal Visit			Elementary or		
Vaginal after			1st trimester	140	80	Some high sch		7
previous cesarean	1	1	2nd trimester	29	17	High school	68	39
Forcens	0	0	3rd trimester	3	2	Some college	59	34
Other vaginal	124	71	No visits	2	1	College gradu		19
Primary česarean	124 27	15	1st trimester 2nd trimester 3rd trimester No visits Unknown	1	1	Unknown	2	1
Repeat cesarean	23	13		•	-		<del>_</del>	-
	_0		Prenatal Visits	Rirths	Percent	Smoking Status	3	
Birthweight	Rinthe	Percent	No visits	1	1	of Mother	Births	Percent
<1,500 gm	סבו נווס	1 1	1-4	7	4	Smoker	32	18
1 500 gill	10	1.1 6.9 92.0 0	5-9	25	•	Nonsmoker		81
1,500-2,499 gm 2,500+ gm	161	0.9	10-12	25 70	14 40	Notisilloker		
2,500+ gm	101	92.0				Unknown	1	1
Unknown	Ü	U	13+	69	39			
			Unknown	3	2			
			Low Birthweight		Tnimoct	er of First Prer		
			row prictimeralic		LLTINEST	en of LTL2f Flet		
			(undon 0 FOO am)	10+ Tn	imooton	and Inimactar	0+hon	/Halanowa
Doog /Ethnicity	Dintho F	)anaant	(under 2,500 gm)	1st Tr	imester	2nd Trimester	other,	
Race/Ethnicity		ercent	Births Percent	Births	Percent	Births Percer	nt Births	Percent
Whi+o	126	70	Births Percent 8 6.3	Births 107	imester Percent 85	Births Percer 16 13	nt Births 3 3	
Whi+o	126	70	Births Percent 8 6.3 * .	Births 107 *	Percent 85	Births Percer 16 13	nt Births 3 3 . *	Percent 2
White Black/Afr.American American Indian	126 1 46	72 1 26	Births Percent 8 6.3	Births 107 * 31	Percent	Births Percer 16 13 * 13 28	nt Births 3 3 . *	Percent
White Black/Afr.American American Indian	126 1 46	72 1 26	Births Percent 8 6.3 * .	Births 107 *	Percent 85	Births Percer 16 13	nt Births 3 3 . *	Percent 2
White Black/Afr.American American Indian Hispanic/Latino Asian	126 1 46 2 0	72 1 26 1 0	Births Percent 8 6.3 * .	Births 107 * 31	Percent 85 67	Births Percer 16 13 * 13 28	nt Births 3 3 . *	Percent 2
White Black/Afr.American American Indian	126 1 46	72 1 26	Births Percent 8 6.3 * .	Births 107 * 31 *	Percent 85 67	Births Percer 16 13 * 13 28	nt Births 3 3 . *	Percent 2
White Black/Afr.American American Indian Hispanic/Latino Asian	126 1 46 2 0	72 1 26 1 0	Births Percent 8 6.3 * . 6 13.0 * . 	Births 107 * 31 *	Percent 85 67	Births Percer 16 13 * 13 28 *	nt Births 3 3 . * 3 2 . *	Percent 2
White Black/Afr.American American Indian Hispanic/Latino Asian	126 1 46 2 0 0	72 1 26 1 0	Births Percent 8 6.3 * 6 13.0 * .	Births 107 * 31 *	Percent 85 67	Births Percer 16 13 * 13 28 *	nt Births 3 3 . * 8 2 . *	Percent 2 4
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	126 1 46 2 0 0	72 1 26 1 0 0	Births Percent 8 6.3 * 6 13.0 * Low Birthweight (under 2,500 gm)	Births 107 * 31 *	Percent 85 67	Births Percer 16 13  * 13 28  *	nt Births 3 3 . * 3 2 . *	Percent 2 4
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown  Age of Mother	126 1 46 2 0 0	72 1 26 1 0	Births Percent 8 6.3 * 6 13.0 * .	Births 107 * 31 *	Percent 85 67	Births Percer 16 13 * 13 28 *	nt Births 3 3 . * 3 2 . *	Percent 2 4
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	126 1 46 2 0 0	72 1 26 1 0 0 ertility Rate	Births Percent 8 6.3 * 6 13.0 * Low Birthweight (under 2,500 gm)	Births 107 * 31 *	Percent 85 67 Trimest imester Percent	Births Percer 16 13  * 13 28  *	nt Births 3 3 . * 3 2 . *	Percent 2 4
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown  Age of Mother	126 1 46 2 0 0 Fe	72 1 26 1 0 0 ertility Rate	Births Percent 8 6.3 * 6 13.0 * Low Birthweight (under 2,500 gm) Births Percent	Births 107 * 31 *	Percent 85 67 Trimest imester Percent	Births Percer 16 13  * 13 28  *  ter of First Prer 2nd Trimester Births Percer	nt Births 3 3 . * 3 2 . *	Percent 2 4
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown  Age of Mother <15	126 1 46 2 0 0 Fe Births	72 1 26 1 0 0 ertility Rate	Births Percent 8 6.3 * 6 13.0 * Low Birthweight (under 2,500 gm) Births Percent	Births 107 * 31 *	Percent 85 67 Trimest imester Percent	Births Percer 16 13  * 13 28  *  cer of First Prer 2nd Trimester Births Percer	nt Births 3 3 . * 8 2 . *	Percent 2 4
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown  Age of Mother <15 15-17 18-19	126 1 46 2 0 0 Fe Births 0 5 13	72 1 26 1 0 0 ertility Rate  15 51	Births Percent 8 6.3 * 6 13.0 *	Births 107 * 31 *	Percent 85 67 Trimest imester Percent 60 85	Births Percer 16 13  * 13 28  * ter of First Prer 2nd Trimester Births Percer 2 40 2 15	nt Births 3 3 . * 3 2 . *	Percent 2 4
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown  Age of Mother <15 15-17 18-19 20-24	126 1 46 2 0 0 Fe Births 0 5 13 45	72 1 26 1 0 0 ertility Rate  15 51 94	Births Percent 8 6.3 * 6 13.0 * Low Birthweight (under 2,500 gm) Births Percent 3 23.1 3 6.7	Births 107 * 31 *  1st Tr Births 	Percent 85 67 Trimest imester Percent 60 85 76	Births Percer 16 13  * 13 28  * er of First Prer 2nd Trimester Births Percer 2 40 2 15 7 16	nt Births 3 3 . * 8 2 . *	Percent 2 4 /Unknown Percent - 9
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	126 1 46 2 0 0 Fe Births 0 5 13 45 47	72 1 26 1 0 0 ertility Rate  15 51 94 98	Births Percent     8     6.3     *     .     6     13.0     *     .     .     .     . Low Birthweight (under 2,500 gm) Births Percent     .     .     3     23.1     3     6.7     5     10.6	Births 107 * 31 *	Percent 85 67 Trimest imester Percent 60 85 76 79	Births Percer 16 13  * 13 28  *  ter of First Prer 2nd Trimester Births Percer 2 40 2 15 7 16 9 19	nt Births 3 3 . * 8 2 . *	Percent 2 4
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	126 1 46 2 0 0 Fe Births 0 5 13 45 47 45	72 1 26 1 0 0 ertility Rate  15 51 94 98	Births Percent     8     6.3     *     .     6     13.0     *     .     3     23.1     3     6.7     5     10.6     2     4.4	Births 107 * 31 *	Percent 85 67 Trimest imester Percent 60 85 76 79 84	Births Percer 16 13  * 13 28  * ter of First Prer 2nd Trimester Births Percer 2 40 2 15 7 16 9 19 7 16	nt Births 3 3 . * 3 2 . *	Percent 2 4
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	126 1 46 2 0 0 Fe Births 0 5 13 45 47 45 15	72 1 26 1 0 0 ertility Rate  15 51 94 98 99 25	Births Percent     8     6.3     *     .     6     13.0     *     .     .     .     . Low Birthweight (under 2,500 gm) Births Percent     .     .     3     23.1     3     6.7     5     10.6	Births 107 * 31 *	Percent 85 . 67	Births Percer 16 13  * 13 28  *  ter of First Prer 2nd Trimester Births Percer 2 40 2 15 7 16 9 19 7 16	nt Births 3 3 . * 3 2 . *	Percent 2 4 /Unknown Percent - 9
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	126 1 46 2 0 0 Fe Births 0 5 13 45 47 45 15 5	72 1 26 1 0 0 ********************************	Births Percent     8     6.3     *     .     6     13.0     *     .     3     23.1     3     6.7     5     10.6     2     4.4	Births 107 * 31 *	Percent 85 67 Trimest imester Percent 60 85 76 79 84	Births Percer 16 13  * 13 28  * ter of First Prer 2nd Trimester Births Percer 2 40 2 15 7 16 9 19 7 16	nt Births 3 3 . * 3 2 . *	Percent 2 4
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	126 1 46 2 0 0 Fe Births 0 5 13 45 47 45 15	72 1 26 1 0 0 ertility Rate  15 51 94 98 99 25	Births Percent     8     6.3     *     .     6     13.0     *     .     3     23.1     3     6.7     5     10.6     2     4.4	Births 107 * 31 *	Percent 85 . 67	Births Percer 16 13  * 13 28  *  ter of First Prer 2nd Trimester Births Percer 2 40 2 15 7 16 9 19 7 16	nt Births 3 3 . * 3 2 . *	Percent 2 4
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	126 1 46 2 0 0 Fe Births 0 5 13 45 47 45 15 5	72 1 26 1 0 0 ********************************	Births Percent     8     6.3     *     6     13.0     *     .     .     .     .     .     .     . Low Birthweight (under 2,500 gm) Births Percent     .     .     3     23.1     3     6.7     5     10.6     2     4.4     1     6.7     .     .     .	Births 107 * 31 *	Percent 85 	Births Percer 16 13  * 13 28  *  ter of First Prer 2nd Trimester Births Percer 2 40 2 15 7 16 9 19 7 16	nt Births 3 3 . * 3 2 . *	Percent 2 4 /Unknown Percent

MORBIDITY				MC	RTALITY					
CONFIRMED CASES OF COMMUNICABLE DISEASES (2008)		Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births.  Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.								
Disease	Number	TOTAL DEATHS		291	Selected					
Campylobacter Enteritis	10	Crude Death Rat	te	1,264	Underlying Cause	Deaths	Rate			
Giardiasis	<5				Heart Disease (total)	66	287			
Hepatitis Type A	0	_			Ischemic heart disease	e 42	182			
Hepatitis Type B*	0	Age	Deaths	Rate	Cancer (total) Trachea/Bronchus/Lung	79	343			
Hepatitis NANB/C	8	1-4		•	Trachea/Bronchus/Lung	23	100			
Legionnaire's	0	5-14	;	•	Colorectal Female Breast	4				
Lyme Measles	31 0	15-19 20-34	1 2	•	Female Breast   Cerebrovascular Disease	5 e 20	.* 87			
Meningitis, Aseptic	0	35-54	22 22	345	Lower Resp. Disease	e 20 21	91			
Meningitis, Aseptic   Meningitis, Bacterial	0	55-64	22	536	Pneumonia & Influenza	5	91			
Mumps	0	65-74	56		Accidents	20	87			
Pertussis	ŏ	75-84	89	5,165	Motor vehicle	4	•			
Salmonellosis	< <b>5</b>	85+	98	16,897	Diabetes	6	· ·			
Shigellosis	Ö			,	Diabetes Infect./Parasitic Dis.	4				
Tuberculosis	0	Infant			Suicide Suicide	4				
E-Coli 0157	0	Mortality	Deaths	Rate						
E-Coli,Non-O157	0	Mortality Total Infant	1		* Based on female popul	lation.				
Cryptosporidiosis	6	Neonata⊥	1							
Streptococcus Pneum Invasive All Streptococcal Diseases	5 <5	Postneonatal	•	•	ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAUS					
Blastomycosis	<5	Infant Mortality k	οv							
Haemophilus flu, Invasive	<5	Race of Mother	-		Alcohol	6				
Ehrlichiosis/Anáplasmosis	0	White	1		Tobacco Use	56	243			
Malaria	0	Black			Other Drugs	6				
Listeriosis	0	Hispanic								
		Asian Other/Unknown		•						
* Includes all positive HBsAg test results.		Other/Unknown 	•	•	MOTOR VEHICLE	E CRASHES				
		Infant Mortality k	ру		Note: These data are ba					
Sexually Transmitted Disease		Birthweight			of crash, not or	n residend	ce.			
Chlamydia Trachomatis	29	<1,500 gm		•		_	_			
Gonorrhea	<5	1,500-2,499 gm 2,500+ gm	•	•	Type of Motor	Persons F	Persons			
Syphilis	0	2,500+ gm	1	•	Vehicle Crash Total Crashes Alcohol-Related	Injured	Killed			
TAMALINIT ZATTONO		Unknown	•	•	lotal Crashes	158	6			
IMMUNIZATIONS		   Perinatal			With Citation:	24	2			
Children in Grades K-12 by		Managara 1 days	Deathe	Rate	For OWI	17	0			
Compliance Level		Mortality Total Perinatal Neonatal Fetal	<u>Deaths</u>	nate	For Speeding	q	0			
Compliant	2.307	Neonatal	1	-	Motorcyclist	8	0			
Non-compliant	265	Fetal	3	• -	Bicyclist	1	0			
Compliance Level Compliant Non-compliant Percent Compliant	89.7	1	J	-	Pedestrian	i	1			
1		! 				·				

DISEASE /		Per 1,000	Average Stay	Average	Charge Per	DISEASE /		Per 1,000	Average Stay	Average	Charge Per
AGE GROUP	Number	Рор	(Days)	Charge	Capita	AGE GROUP	Number	Рор	(Days)	Charge	Capita
Injury-Related:	A11					Alcohol-Related	ł				
Total	343	14.9	4.2	\$23,919	\$356	Total	175	7.6	3.8	\$10,178	\$77
<18	21	5.8	2.3	\$11,111	\$64	18-44	86	14.2	3.4	\$8,332	\$118
18-44	71	11.7	2.9	\$16,953	\$199	45-64	70	8.9	3.7	\$10,754	\$96
45-64	88	11.2	4.5	\$26,277	\$294	Pneumonia and I		0.0	0.7	Ψ10,704	ΨΟΟ
65+	163	29.9	4.8	\$27,331	\$817	Total	134	5.8	4.3	\$15,186	\$88
Injury: Hip F		29.9	4.0	φ21,001	ΨΟΙΙ	<18	19		4.5	φ15,100	ψΟΟ
Total	39	1.7	5.5	\$28,312	\$48	45-64	22	2.8	4.5	\$18,549	\$52
										\$18,549	
65+	37	6.8	5.6	\$28,857	\$196	65+	83	15.2	4.9	\$17,167	\$261
Injury: Poiso		4 -	0.4	<b>440 500</b>	<b>0.1.0</b>	Cerebrovascular				<b>400 074</b>	<b>4400</b>
Total	39	1.7	2.1	\$10,508	\$18	Total	102	4.4	4.4	\$23,871	\$106
18-44	20	3.3	1.5	\$9,613	\$32	45-64	16	•_		:	
						65+	85	15.6	4.1	\$19,876	\$310
Psychiatric						Asthma					
Total	166	7.2	5.0	\$9,082	\$66	Total	27	1.2	2.9	\$10,031	\$12
<18	31	8.5	7.5	\$10,602	\$90	<18	10				
18-44	84	13.9	3.9	\$7,450	\$103	18-44	3				
45-64	32	4.1	4.9	\$8,591	\$35	45-64	6				
65+	19					65+	8				
						Other Chronic C	)bstructiv	e Pulmo	onary Dia	sease	
Coronary Heart	Disease					Total	72	3.1	4.3	\$15,656	\$49
Total	268	11.6	2.8	\$29,858	\$348	45-64	8				
45-64	75	9.5	2.9	\$33,338	\$318	65+	63	11.6	4.5	\$16,265	\$188
65+	183	33.6	2.8	\$28,849	\$968					¥,	Ţ
00 -	100	0010	2.0	Ψ20,010	φοσσ	Drug-Related					
Malignant Neopl	asms (Car	ncers):	A11			Total	40	1.7	6.5	\$10,137	\$18
Total	154	6.7	5 5	\$30,337	\$203	18-44	28	4.6	3.1		\$32
18-44	5		0.0	ψου, σοι	ΨΖΟΟ	10 44	20	7.0	0.1	ψ0,003	Ψ02
45-64	43	5.5	4.9	\$31,188	\$170	Total Hospitali	zatione				
65+	104	19.1	4.9 5.0	\$30,421	\$170 \$580	Total	3,875	168.4	3.7	\$18,679	\$3,145
Neoplasms: Fe			tos for	φου,421 fomale no			404	111.0	2.9	\$7,956	\$883
Total	illate bi e	-				18-44	723	119.5	2.9	φ1,900 011 404	
				•	•					\$11,404	\$1,363
Neoplasms: Co		T 4 ~	6.0	<b>#06 700</b>	<b></b>	45-64	864	109.7	3.9	\$23,184	\$2,544
Total	23	1.0	0.8	\$36,703	\$37	65+	1,884	345.4	4.2	\$21,704	\$7,497
65+	20	3.7	7.0	\$37,304	\$137						
Neoplasms: Lu	ing						REVENTABLE				
Total	19		•			Total	524	22.8	3.9	\$14,526	\$331
						<18	43	11.8	1.9	\$5,158	\$61
Diabetes						18-44	48	7.9	2.8	\$10,707	\$85
Total	41	1.8	4.0	\$16,189	\$29	45-64	88	11.2		\$16,293	\$182
65+	15					65+	345	63.3		\$15,775	\$998
						* Hospitalizations	for cond	itions	where t	imelv and	effecti
						ambulatory care ca		الله مطل	أمممطأام	بنده مأعم	