2009 PROFILE FOR BAYFIELD COUNTY

First of four pages

POPULATION ESTIMATES		LONG-TERM CARE	LOCAL HEALTH DEPARTM	
Total 2009 Population County population rank (1-72) Population per square mile County rank in population density (1-72)	15,960 63 11	Community Options and MA Waiver as HSRS reports costs for services	Staffing - FTE Number Total FTEs 10.6 Administrative 1.0	Per 10,000 Population 6.5 0.6
County rank in population density (1-72)	69	Clients Costs COP 7 \$55,832	Administrative1.0Public health nurses2.5Oral health prof.0.5Envir. health prof.2.0Public health educ.0.0Nutritionist1.0Other prof. staff0.1Technical/paraprof.3.5	1.5 0.3
Population growth 2005-2009 County rank in 5-year population growth (1-72)	440	CIP1A Develop. disabled 6 \$184,831	Public health educ. 0.0 Nutritionist 1.0	0.0
population growth (1-72)	38	CIP1B Develop. disabled 37 \$593,875	Other prof. staff 0.1 Technical/paraprof	0.1
Age Female Male 0-14 1,300 1,310	2,610	CIP2 Elderly/phys. disab. adults 35 \$365,640	Support staff 3.5	2.1
15-1729029018-19190210	580 410	COP-W Elderly/phys. disab. adults 63 \$581,593	Funding Total \$747,280 Local Taxes \$194,796 LICENSED ESTABLISHMENTS	Per capita \$45.54
20-24 390 420 25-44 1,570 1,530	810 3,090	CLTS Disabled children 8 \$40,395	Local Taxes \$194,796 LICENSED ESTABLISHMENTS	\$11.87
AgeremateMate $0-14$ $1,300$ $1,310$ $15-17$ 290 290 $18-19$ 190 210 $20-24$ 390 420 $25-44$ $1,570$ $1,530$ $45-64$ $2,750$ $2,890$ $65-84$ $1,240$ $1,280$ $85+$ 190 120 Total $7,020$ $8,040$	5,650 2,510 300	8 \$40,395 Brain Injury 4 \$97,162 Total COP/Wvrs 160 \$1,919,328	Bed & Breakfast	Facilities 8 5
Total 7,920 8,040		\$144,685 of the above waiver costs were paid as local match/overmatch	Hotels, Motels	43 119
	Total 13,980	using COP funds. This amount is	Camps Hotels, Motels Tourist Rooming Pools Restaurants Body Art	11 66
Afr.Amer. 20 40 Amer. Ind. 830 840	60 1.670	* Waiver costs reported here	Body Art WIC PARTICIPANTS -	0
Hispanic 100 90 Asian 50 20	190 70	include federal funding. Clients Costs	Pregnant/Postpartum	Number 183
Total 7,920 8,040	15,960	not included in above COP costs. * Waiver costs reported here include federal funding. Clients Costs Eligible and Waiting 2 n/a Family Care 121 \$2,028,581	Infants Children, age 1-4	106 326
Poverty Estimates for 2008 Estimate (%) (C.	3 I.+/-)	Family Care 121 \$2,028,581	Do not_speak_English	8
Poverty Estimates for 2008 Estimate (%) (C. All ages 12.1% (2. Ages 0-17 19.6% (4.	2%) 0%)	Note: In 2009 this county operated under the Family Care waiver.	Do not speak English Speak English Total	609 615
Average wage for jobs covered		under the Family Care waiver. Eligible and waiting clients are phased into Family Care. Hence, clients can incur costs for both COP/waivers and Family Care.	NEW CASES OF CANCED IN	2008
by unemployment compensation \$23 (place of work)	3,413	COP/waivers and Family Care.	Primary Site Total Cases Breast 10	Rate 126.4
	nual erage	Nursing Homes 1	Cervical 0 Colorectal 13	0.0 81.5
Labor Force Estimates Ave Civilian Labor Force 7 Unemployment rate 5-yr avg. unemployment rate	7,993 9.1%	Licensed beds 75 Residents on Dec.31 70	Lung and Bronchus 12 Prostate 7	75.2 87.0
		Nursing Homes1Licensed beds75Residents on Dec.3170Residents age 65 or older70per 1,000 population23	Primary SiteTotal CasesBreast10Cervical0Colorectal13Lung and Bronchus12Prostate7Other sites40Total82	250.7 513.9
Median HH income (2008) \$42 Rank in median HH income (1-72)			Note: Totals for invasive canc Rate is per 100,000 populatio	ers only.

2009 PROFILE FOR BAYFIELD COUNTY

Second of four pages

$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	TOTAL LIVE BIRTHS		133	Birth Order	ALITY Births	Percent	Marital Status		
General Fertility Rate 54.6 Third 20 15 Not married 40 30 Live births with reported Fourth on higher 18 14 Unknown 0 0 Congenital anomalies 4 3.0% Education 0 0 Delivery Type Births Percent 1st Prenatal Visit Births Percent Education 0 0 yaginal after 1 1st trimester 12 84 Some high school 13 00 previous cesarean 3 2 2nd trimester 1 1 Some college 52 93 Other vaginal 92 69 No visits 1 1 College graduate 30 23 Repeat cesarean 17 13 Prenatal Visits Births Percent Smoking Status 1 1 Moknown 2 2 Smoker 36 27 1,500 gm 126 94.7 10-12 64 40 32 2 1 10				First				Births	Percent
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Crude Live Birth Rate	•	8.3	Second	34	26	Married	93	70
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	General Fertilitv Rat	e	54.6	Third	20	15	Not married	40	30
Live Dirths with reported 4 3.0% of Mother Births Percent Delivery Type Births Percent 1st Prenatal Visit Births Percent 12 84 Some high school 13 10 previous cesarean 3 2 2nd trimester 10 8 High school 38 29 forceps 1 1 3 drimester 1 1 Some college 52 39 Other vaginal 92 69 No visits 1 1 College graduate 30 23 Primary cesarean 20 15 Unknown 9 7 Unknown 2 7 Unknown 2 7 Unknown 3 2 2 5 5 5 -9 13 10 Nonsmoker 36 7 2 7 2 7 5 5 0 13 10 Nonsmoker 96 7 73 6 1 20.0 4 80 1 20 4 80 1 20 1	-			Fourth or higher	18	14		0	0
Delivery Type Births Percent ist Prenatal Visit Births Percent Births Percent Vaginal after 1st trimester 12 84 Some high school 13 10 previous cesarean 3 2 2nd trimester 10 8 High school 13 10 proteous cesarean 9 1 3nd trimester 1 1 Some college 52 39 Other vaginal 92 69 No visits 1 1 Some college 52 39 Other vaginal 92 69 No visits 1 1 Some college 52 39 Other vaginal 92 69 No visits 1 1 College graduate 30 23 Births Percent No visits 1 1 0 Moknown 3 26 1,500-2;499 gm 6 4.5 5-9 13 10 Nonsmoker 96 72 2;500 fg	live births with repo	orted		Unknown	6	5		-	•
Delivery Type Births Percent Ist Prenatal Visit Births Percent Elementary or less . Vaginal after 1st Trimester 12 84 Some high school 13 10 previous cesarean 3 2 2nd trimester 10 8 High school 13 10 proteous cesarean 1 3nd trimester 1 Some college 52 39 Other vaginal 92 69 No visits 1 1 Some college 52 39 Other vaginal 92 69 No visits 1 1 Some college 52 39 Other vaginal 92 69 No visits 1 1 College graduate 30 23 Births Percent No visits 1 1 of Mother Births Percent Smoking Status Births Percent No visits 1 10 Nonsmoker 96 72 2,500 fgm 16 <	concenital anomalies		1 3 0%	onknown	Ŭ	0	Education		
Delivery Type Births Percent 1st Prenatal Visit Births Percent Elementary or less Vaginal after 3 2 2nd trimester 10 8 High school 13 10 previous cesarean 3 2 2nd trimester 10 8 High school 38 29 other vaginal 92 69 No visits 1 1 College graduate 30 23 Primary cesarean 20 15 Unknown 9 7 Unknown 23 Birthweight Births Percent Smoking Status Births Percent Smoking Status di,500 2,499 gm 6 4.5 5-9 13 10 Nonsmoker 96 2,500+ gm 126 94.7 10-12 64 48 Unknown 3 22 Unknown 0 13+ 43 32 Unknown 3 24 Black/Afr,American 1 1 * *	congenitar anomaries		4 0.0%					Rinthe	Dorcont
Vaginal after 1st trimester 112 84 Some high school 13 10 previous cesarean 3 2 2nd trimester 10 8 High school 38 29 Forceps 1 1 3rd trimester 1 1 Some college 52 39 Other vaginal 92 69 No visits 1 1 College graduate 30 23 Primary cesarean 20 15 Unknown 9 7 Unknown 23 Birthweight Births Percent No visits 1 1 of Mother Births Percent Smoking Status Birthweight Births Percent No visits 1 1 of Mother Births Percent 32 2 1,500-2,499 gm 6 4.5 5-9 13 10 Nosmoker 96 72 2,500 fgm 126 94.7 10-12 64 48 Unknown 32 Race/Ethnicity Births Percent Kom Births Percent Births Percent Births Percent Births Percent	Dolivopy Type	Dintho	Dopoont	1et Decentel Vicit	Dintho	Doncont			Fercent
převious cesarean 3 2 2nd trimester 10 8 High school 38 29 Forceps 1 1 3rd trimester 1 1 Some college 52 39 Other vaginal 92 69 No visits 1 1 College graduate 30 23 Primary cesarean 20 15 Unknown 9 7 Unknown 23 Birthweight Births Perental Visits 1 1 of Mother Births Percent 1,500 gm 1 0.8 1-4 2 2 Smoker 34 26 1,500 gm 126 94.7 10-12 64 48 Unknown 3 2 Unknown 0 0 13+ 43 32 1 Nonsmoker 96 72 2,500+gm 126 94.7 10-12 64 48 Unknown 3 2 Macoz / Asian 0		DILLIN	Percent				Elementary of les	······································	10
Other vaginal 92 69 No visits 1 1 College graduate 30 23 33 Primary cesarean 20 15 Unknown 9 7 Unknown 1 0 0 13 1 0 Nonsmoker 96 72 1,500-2,499 gm 6 4.5 5-9 13 10 Nonsmoker 96 72 2,5000 gm 126 94.7 10-12 64 48 Unknown 3 2 Macor 2,500 gm Births Percent Births Percent Births Percent Births Percent Births Percent Births Percent Birt	vaginai arter	0	0		10	0	Some nigh school	13	
Other vaginal 92 69 No visits 1 1 College graduate 30 23 33 Primary cesarean 20 15 Unknown 9 7 Unknown 1 0 0 13 1 0 Nonsmoker 96 72 1,500-2,499 gm 6 4.5 5-9 13 10 Nonsmoker 96 72 2,5000 gm 126 94.7 10-12 64 48 Unknown 3 2 Macor 2,500 gm Births Percent Births Percent Births Percent Births Percent Births Percent Births Percent Birt	_previous cesarean	3	2	2nd trimester	10	8	High school	38	29
Repeat cesarean 17 13 Prenatal Visits Births Percent No visits 1 1 of Mother Births Percent 41,500 gm 1 0.8 1-4 2 2 Smoker 34 26 1,500 2,499 gm 6 4.5 5-9 13 10 Nonsmoker 96 72 2,500+ gm 126 94.7 10-12 64 48 Unknown 3 2 Unknown 0 0 13+ 43 32 Unknown 3 2 Race/Ethnicity Births Percent White 97 73 6 6.2 81 84 8 8 8 Black/Afr.American 1 1 * . 26 7 2 7 Hispanic/Latino 5 4 1 20.0	Fulceps	1	1	3rd trimester	1	1	Some college	52	
Repeat cesarean 17 13 Prenatal Visits Births Percent No visits 1 1 of Mother Births Percent sinthweight Births Percent No visits 1 1 of Mother Births Percent <1,500 gm		92	69	No visits	1	1	College graduate	30	23
Repeat cesarean 17 13 Prenatal Visits Births Percent No visits 1 1 of Mother Births Percent 41,500 gm 1 0.8 1-4 2 2 Smoker 34 26 1,500 -2,499 gm 6 4.5 5-9 13 10 Nonsmoker 96 72 2,500+ gm 126 94.7 10-12 64 48 Unknown 3 2 Unknown 0 0 13+ 43 32 Unknown 3 2 Race/Ethnicity Births Percent Births<		20	15	Unknown	9	7	Unknown		
Birthweight Births Percent No visits 1 1 of Mother Births Percent <1,500 gm	Repeat cesarean	17	13						
Birthweight Births Percent No visits 1 1 of Mother Births Percent <1,500 gm	•			Prenatal Visits	Births	Percent	Smoking Status		
<1,500 gm	Birthweight	Births	Percent					Births	Percent
Unknown 10 8 Low Birthweight (under 2,500 gm) Trimester of First Prenatal Visit Race/Ethnicity Births Percent Births Percent White 97 73 6 6.2 Black/Afr.American 1 1 * 2 7 2 7 American Indian 30 23 . 26 87 2 7 2 7 Hispanic/Latino 5 4 1 20.0 4 80 . 1 20 Asian 0 0 . <td><1.500 gm</td> <td>1</td> <td>0.8</td> <td></td> <td></td> <td></td> <td>Smokon</td> <td></td> <td></td>	<1.500 gm	1	0.8				Smokon		
Unknown 10 8 Low Birthweight (under 2,500 gm) Trimester of First Prenatal Visit Race/Ethnicity Births Percent Births Percent White 97 73 6 6.2 Black/Afr.American 1 1 * 1 * * American Indian 30 23 . 26 87 2 7 2 7 Hispanic/Latino 5 4 1 20.0 4 80 . 1 20 Asian 0 0 . <td>1 500-2 /00 am</td> <td>6</td> <td>1 5</td> <td></td> <td></td> <td></td> <td>Nonsmoker</td> <td></td> <td></td>	1 500-2 /00 am	6	1 5				Nonsmoker		
Unknown 10 8 Low Birthweight (under 2,500 gm) Trimester of First Prenatal Visit Race/Ethnicity Births Percent Births Percent White 97 73 6 6.2 Black/Afr.American 1 1 * 1 * * American Indian 30 23 . 26 87 2 7 2 7 Hispanic/Latino 5 4 1 20.0 4 80 . 1 20 Asian 0 0 . <td>2,500+2,499 gm</td> <td>126</td> <td>04 7</td> <td></td> <td>64</td> <td>10</td> <td>Unknown</td> <td></td> <td></td>	2,500+2,499 gm	126	04 7		64	10	Unknown		
Unknown 10 8 Low Birthweight (under 2,500 gm) Trimester of First Prenatal Visit Race/Ethnicity Births Percent Births Percent White 97 73 6 6.2 Black/Afr.American 1 1 * 1 * American Indian 30 23 . 26 87 2 7 2 7 Hispanic/Latino 5 4 1 20.0 4 80 . 1 20 Asian 0 0 . <td>Z,500⁺ gill</td> <td>120</td> <td>94.7</td> <td></td> <td></td> <td></td> <td>UTIKITUWIT</td> <td>5</td> <td>2</td>	Z,500 ⁺ gill	120	94.7				UTIKITUWIT	5	2
Low Birthweight (under 2,500 gm) Trimester of First Prenatal Visit Race/Ethnicity Births Percent Composition of the percent Com	UTIKTIOWIT	0	0						
Race/Ethnicity Births Percent Component Primester Componen				UNKNOWN	10	8			
Race/Ethnicity Births Percent Concentry <				low Birthweight		Trimest	er of First Prenatal	l Visit	
Race/Ethnicity Births Percent Content Percent Births Percent Births Percent Births Percent Births Percent Content Percent Content Percent Births Percent Births Percent Content Percent Births Percent Bir					1st Tr				Unknown
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Bace/Ethnicity	Rinthe F	Darcant	Births Percent	Birthe	Dercent	Births Percent		Dercent
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$					01	0/			
American Indian 30 23 . 26 87 2 7 2 7 Hispanic/Latino 5 4 1 20.0 4 80 1 20.0 Asian 0 0 1 20.0 Asian 0 0 1 20.0 Other/Unknown 0 0	Block (Afn Amonicon	57				04			0
Hispanic/Latino 5 4 1 20.0 4 80 . . 1 20 Asian 0 0 1 20 Asian 0 0 .	Black/ATT.Allerican		-	· ·		<u>.</u>			<u>.</u>
Other/Unknown 0 0 . <		30	23				2 /	2	•
Other/Unknown 0 0 . <		5	4	1 20.0	4	80	· ·	1	20
Low Birthweight Trimester of First Prenatal Visit Age of Mother Births Rate Births Percent <15	Asian	0	0		•	•			•
Fertility(under 2,500 gm)1st Trimester2nd TrimesterOther/UnknownAge of MotherBirthsRateBirthsPercentBirthsPercentBirthsPercent<15	Other/Unknown	0	0		•			•	•
Fertility(under 2,500 gm)1st Trimester2nd TrimesterOther/UnknownAge of MotherBirthsRateBirthsPercentBirthsPercentBirthsPercent<15						 Tućwa at			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		-		Low BILLINGEIGHT	4 . L. T.	intmest	er of First Prenatal		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				(under 2,500 gm)	ist in	imester	2nd Irimester	Uther/	Unknown
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				Births Percent	Births	Percent	BIRTNS Percent	Births	Percent
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		-				•	• •	•	•
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				•			* .		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			36						14
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		29		1 3.4			2 7	2	7
30-34268427.72285282835-391333215.486221532340+510120.0480120		50	130				3 6	3	6
35-391333215.486221532340+510120.0480120							2 8		8
40+ 5 10 1 20.0 4 80 1 20				2 15 4			2 15	2	
								5	20
					4	00	1 20	•	•
	UTIKTIOWIT	U		• •	•	•	· ·	•	•
Teenage Births 10 21 * Not reported if age or race category has fewer than 5 births.	Teenage Births	10	21	* Not repo	rted if a	de or race	category has fewer t	than 5 bir	ths.

2009 PROFILE FOR BAYFIELD COUNTY

Third of four pages

····· MORBIDITY ·····				MOF	RTALITY		
CONFIRMED CASES OF COMMUNICABLE DISEASES (2009)		Note: Death rates neonatal, an Perinatal an	(except in d postneor d fetal de	nfant) are p natal death eath rates a	per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2	s plus	
Campylobacter Enteritis	umber <5	TOTAL DEATHS Crude Death Ra	te	180 1,128	Selected Underlying Cause	Deaths	Rate
Giardiasis	0 0				Heart Disease (total)	40	251 188
Hepatitis Type A Hepatitis Type B*	0	Age	Deaths	Rate	Ischemic heart diseas Cancer (total)	e 30 61	
Hepatitis NANB/C	<5	1-4	Deaths	nate .	Cancer (total) Trachea/Bronchus/Lung	20	
Legionnaire's	0	5-14	•		Colorectal	5	
Lyme	18	15-19			Colorectal Female Breast	1	*
Méasles	0	20-34	1		Cerebrovascular Diseas	e 13	.
N. Meningitis, Meningococcal	0	35-54	12		Lower Resp. Disease	8	.
Meningitis, Bacterial	0	55-64	17		Pneumonia & Influenza	5 7	
Mumps	0 0	65-74	38		Accidents	7	•
Pertussis Salmonellosis	0 <5	75-84 85+	53 57	6,243 18,750	Motor vehicle Diabetes	1 5 3	•
Shigellosis	\5 0	007	57	10,750	Infect./Parasitic Dis.	3	•
Tuberculosis	0	Infant			Suicide	2	•
E-Coli 0157	Õ	Mortality Total Infant	Deaths	Rate		_	-
E-Coli,Non-0157	0	Total Infant			* Based on female popu	lation.	
Cryptosporidiosis	<5	Neonatal					
Streptococcus Pneum Invasive	<5	Neonatal Postneonatal	-		ALCOHOL AND DRUG ABUSE		
All Streptococcal Diseases	0				OR CONTRIBUTING CAL	ISE OF DEA	тн ј
Blastomycosis	0	Infant Mortality	ру		Alashal	0	
Haemophilus flu, Invasive	0 <5	Race of Mother White			Alcohol	3	276
Ehrlichiosis/Anáplasmosis Influenza A-Novel	\5 5	Black	•	•	Tobacco Use Other Drugs	44	270
Kawasaki Disease	0	Hispanic	•	•		•	•
	Ũ						
* Includes all positive HBsAg test results.		Asian Other/Unknown			MOTOR VEHICL	E CRASHES	
		Infant Mortality	by		Note: These data are b	ased on 1	ocation
Sexually Transmitted Disease		Birthweight	-		of crash, not c	n residen	ce.
Chlamydia Trachomatis	5	<1,500 gm	•	•		_	_
Gonorrhea	<5 0	<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	-	•	Type of Motor	Persons	Persons
Syphilis	0	2,500+ gm	•	•	Vehicle Crash Total Crashes Alcohol-Related	Injured	KIIIed
IMMUNIZATIONS		UTIKITOWIT	•	•	Alcohol-Belated	03 15	
		Perinatal			With Citation:	15	
Children in Grades K-12 by		Mantality	Deaths	Rate	For OWI	12	0
				•	For Speeding	1	
Compliant	1,488	Neonatal			Motorcyclist	14	0
Compliance Level Compliant Non-compliant Percent Compliant	37	Total Perinatal Neonatal Fetal			B1CYC11ST	0	0
Percent Compliant	97.6				Pedestrian	2	0

2009 PROFILE FOR BAYFIELD COUNTY

Fourth of four pages

DISEASE /		Per 1,000	Average Stay	Average	Charge Per	ITALIZATIONS DISEASE /		1,000	Average Stay	Average	Charge Per
AGE GROUP	Number	Pop	(Days)	Charge	Capita	AGE GROUP	Number	Р́ор	(Days)	Charge	Capita
Injury-Related:	A11					Alcohol-Relate	d				
Total	70	4.4	3.6	\$15,681	\$69	Total	49	3.1	3.8	\$7,541	\$23
<18	2			÷,		18-44	24	5.6	4.0	\$6,589	\$37
18-44	8					45-64	20	3.5	3.7	\$7,951	\$28
45-64	18					Pneumonia and			• • •	<i></i>	+=-
65+	42	14.9	3.9	\$14,315	\$213	Total	77	4.8	3.9	\$10,543	\$51
Injury: Hip Fr				<i>••••</i>	+=	<18	10			•••••••••••••••••••••••••••••••••••••••	÷• ·
Total	14					45-64	12				
65+	13	-		-		65+	52	18.5	4.4	\$11,198	\$207
Injury: Poison		•	•	-	•	Cerebrovascula				<i></i>	\$10 <i>1</i>
Total	2	_	_		_	Total	33	2.1	3.0	\$10,314	\$21
18-44	1		•	•		45-64	5		010	¢lojoll	ΨĽΙ
	•	•	•	•	•	65+	28	9.9	3.2	\$10,629	\$106
Psychiatric						Asthma	20	010	012	<i>Q</i> 10,020	
Total	73	4.6	5.7	\$8,640	\$40	Total	10				
<18	11	4.0	0.7	ψ0,040	ψτυ	<18	2	•	•	•	•
18-44	36	8.3	74	\$10,147	\$85	18-44	1	•	•	•	•
45-64	11	0.0	/	φιο, ι τ	φυυ	45-64	2	•	•	•	•
45°04 65+	15	•	•	•		65+	5	•	•	•	•
001	10	•	•	•	•	Other Chronic		⊖ Pulmo	narv Di		•
Coronary Heart D	isaasa					Total	35	2.2	// 1	\$10,180	\$22
Total	35	2.2	2.1	\$11,275	\$25	45-64	4	2.2	4.1	φ10,100	ΨΖΖ
45-64	8	<i>L</i> . <i>L</i>	2	ψ11,270	ΨĽΟ	65+	27	9.6	4.2	\$10,336	\$99
40°04 65+	27	9.6	23	\$12,381	\$119 \$		<i>L</i> 1	0.0	712	φ10,000	400
001	21	5.0	2.0	φ12,001	ψΠΟ	Drug-Related					
Malignant Neopla	sms (Ca	ncers).	Δ11			Total	10				
Total	23	1.4		\$14,473	\$21	18-44	8	•	•	•	•
18-44	20	1.4	0.0	ψι+,+/0	ΨΖΙ	10-44	0	•	•	•	•
45-64	6	•	•	•	•	Total Hospital	izations				
45-04 65+	17	•	•	•	•	Total	1,077	67.5	3.3	\$10,475	\$707
Neoplasms: Fem		ast (ra	tes for	female no	nulation)	<18	141	44.2	2.2	\$3,379	\$150
Total				remare po	puracron)	18-44	238	55.2	3.5	\$9,886	\$546
Neoplasms: Col			•	•	•	45-64	202	35.8	3.1	\$12,350	\$442
Total	2	±				65+	496	176.0	3.6	\$12,010	\$2,114
65+	2	•	•	•	•		450	170.0	0.0	Ψ12,010	Ψ=, 114
Neoplasms: Lun		•	•	•	•	D	REVENTABLE	HOSDI		ONS*	
Total	y 5					Total	214	13.4	3.4	\$9,078	\$122
IULAL	5	•	•	•	•	<18	12	3.8	1.8	\$9,078 \$4,713	\$18
Diabetes						18-44	13	3.0	2.8	\$10,992	\$33
Total	13					45-64	41	7.3	2.0	\$10,992	\$33 \$74
65+	5	•	•	•	•	45-64 65+	148	52.5	3.2 3.6	\$8,945	\$74 \$470
007	5	•	•	•	•	* Hospitalization	148 0 for 0004	52.5 itiona	3.0 whono +	φ0,940	
						muspitalization	S IUI CONO	1011S	where t	THETA AND	errect1 Folizoti
						ambulatory care c	an reduce	the TTP	rettinood	or nospi	LallZatl