

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----		----- LOCAL HEALTH DEPARTMENTS -----		
Total 2009 Population				Community Options and MA Waiver		Staffing - FTE		
County population rank (1-72)				as HSRS reports costs for services		Number		
Population per square mile						Per 10,000		
County rank in population density (1-72)						Population		
Population growth 2005-2009				COP		Total FTEs		
County rank in 5-year population growth (1-72)				MA Waiver *		Administrative		
				CIP1A Develop. disabled		Public health nurses		
				CIP1B Develop. disabled		Oral health prof.		
				CIP2 Elderly/phys. disab. adults		Envir. health prof.		
				COP-W Elderly/phys. disab. adults		Public health educ.		
				CLTS Disabled children		Nutritionist		
				Brain Injury		Other prof. staff		
				Total COP/Wvrs		Technical/paraprof.		
						Support staff		
						Funding		
						Total		
						Local Taxes		
						Per capita		
						Total		
						LICENSSED ESTABLISHMENTS		
						Type		
						Facilities		
						Bed & Breakfast		
						Camps		
						Hotels, Motels		
						Tourist Rooming		
						Pools		
						Restaurants		
						Body Art		
						WIC PARTICIPANTS		
						Number		
						Pregnant/Postpartum		
						Infants		
						Children, age 1-4		
						Do not speak English		
						Speak English		
						Total		
						NEW CASES OF CANCER IN 2008		
						Primary Site		
						Total Cases		
						Rate		
						Breast		
						Cervical		
						Colorectal		
						Lung and Bronchus		
						Prostate		
						Other sites		
						Total		
						Note: Totals for invasive cancers only.		
						Rate is per 100,000 population.		

NATALITY

TOTAL LIVE BIRTHS			432		Birth Order		Births		Percent		Marital Status of Mother		Births		Percent				
Crude Live Birth Rate	10.2		First	159	37		Married	280		65									
General Fertility Rate	58.4		Second	141	33		Not married	152		35									
Live births with reported congenital anomalies	9	2.1%		Third	73	17		Unknown	0		0								
Unknown	0		Fourth or higher	59	14		Unknown	0		0									
Unknown	0		Unknown	0	0														
Delivery Type			Births		Percent		1st Prenatal Visit		Births		Percent		Education of Mother		Births		Percent		
Vaginal after previous cesarean	7	2		1st trimester	351	81		Elementary or less	16		4		Some high school	33		8			
Forceps	1	<.5		2nd trimester	62	14		High school	157		36		Some college	126		29			
Other vaginal	316	73		3rd trimester	7	2		College graduate	99		23		Unknown	1		<.5			
Primary cesarean	68	16		No visits	2	<.5		Unknown	1		<.5								
Repeat cesarean	40	9		Unknown	10	2													
Birthweight			Births		Percent		Prenatal Visits		Births		Percent		Smoking Status of Mother		Births		Percent		
<1,500 gm	9	2.1		No visits	2	<.5		No visits	2		<.5		Smoker	94		22			
1,500-2,499 gm	25	5.8		1-4	13	3		1-4	13		3		Nonsmoker	334		77			
2,500+ gm	398	92.1		5-9	85	20		5-9	85		20		Unknown	4		1			
Unknown	0	0		10-12	202	47		10-12	202		47								
				13+	114	26		13+	114		26								
				Unknown	16	4		Unknown	16		4								
Race/Ethnicity			Births		Percent		Low Birthweight (under 2,500 gm)		1st Trimester		2nd Trimester		Other/Unknown		Births		Percent		
White	363	84		Births	32	8.8		Births	297	82		Births	51	14		Births	15	4	
Black/Afr.American	0	0		Percent	.	.		Percent	.	.		Percent	.	.		Percent	.	.	
American Indian	57	13			2	3.5			44	77			10	18			3	5	
Hispanic/Latino	11	3			.	.			10	91			.	.			1	9	
Asian	1	<.5			*	.			*	.			*	.			*	.	
Other/Unknown	0	0			.	.			.	.			.	.			.	.	
Age of Mother			Births		Fertility Rate		Low Birthweight (under 2,500 gm)		1st Trimester		2nd Trimester		Other/Unknown		Births		Percent		
<15	0	--		Births	.	.		Births	.	.		Births	.	.		Births	.	.	
15-17	9	12		Percent	.	.		Percent	5	56		Percent	3	33		Percent	1	11	
18-19	23	39			3	13.0			13	57			8	35			2	9	
20-24	116	97			11	9.5			94	81			17	15			5	4	
25-29	159	133			13	8.2			138	87			15	9			6	4	
30-34	77	74			4	5.2			66	86			8	10			3	4	
35-39	36	29			2	5.6			24	67			10	28			2	6	
40+	12	9			1	8.3			11	92			1	8			.	.	
Unknown	0	--			.	.			.	.			.	.			.	.	
Teenage Births	32	24		* Not reported if age or race category has fewer than 5 births.															

MORBIDITY

MORTALITY

CONFIRMED CASES OF COMMUNICABLE DISEASES (2009)

Disease	Number
Campylobacter Enteritis	10
Giardiasis	5
Hepatitis Type A	0
Hepatitis Type B*	0
Hepatitis NANB/C	18
Legionnaire's	0
Lyme	28
Measles	0
N. Meningitis, Meningococcal	0
Meningitis, Bacterial	0
Mumps	0
Pertussis	<5
Salmonellosis	<5
Shigellosis	9
Tuberculosis	0
E-Coli 0157	<5
E-Coli, Non-0157	0
Cryptosporidiosis	9
Streptococcus Pneum Invasive	<5
All Streptococcal Diseases	9
Blastomycosis	<5
Haemophilus flu, Invasive	<5
Ehrlichiosis/Anaplasmosis	0
Influenza A-Novel	29
Kawasaki Disease	0

\* Includes all positive HBsAg test results.

Sexually Transmitted Disease

Chlamydia Trachomatis	40
Gonorrhea	<5
Syphilis	0

IMMUNIZATIONS

Children in Grades K-12 by Compliance Level	
Compliant	5,408
Non-compliant	421
Percent Compliant	92.8

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS		375
Crude Death Rate		888
Age	Deaths	Rate
1-4	1	.
5-14	1	.
15-19	.	.
20-34	4	.
35-54	33	277
55-64	39	722
65-74	60	1,592
75-84	110	4,643
85+	125	12,089

Infant Mortality		
	Deaths	Rate
Total Infant	.	.
Neonatal	.	.
Postneonatal	.	.

Infant Mortality by Race of Mother		
	Deaths	Rate
White	.	.
Black	.	.
Hispanic	.	.
Asian	.	.
Other/Unknown	.	.

Infant Mortality by Birthweight		
	Deaths	Rate
<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	.	.
Unknown	.	.

Perinatal Mortality		
	Deaths	Rate
Total Perinatal	.	.
Neonatal	.	.
Fetal	.	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	77	182
Ischemic heart disease	57	135
Cancer (total)	92	218
Trachea/Bronchus/Lung	29	69
Colorectal	8	.
Female Breast	6	.*
Cerebrovascular Disease	13	.
Lower Resp. Disease	20	47
Pneumonia & Influenza	9	.
Accidents	14	.
Motor vehicle	8	.
Diabetes	17	.
Infect./Parasitic Dis.	6	.
Suicide	6	.

\* Based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	5	.
Tobacco Use	45	107
Other Drugs	1	.

MOTOR VEHICLE CRASHES

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	310	10
Alcohol-Related	46	5
With Citation:		
For OWI	41	1
For Speeding	49	2
Motorcyclist	9	1
Bicyclist	3	0
Pedestrian	3	0

2009 HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>						<b>Alcohol-Related</b>					
Total	411	9.7	4.6	\$27,664	\$269	Total	59	1.4	2.8	\$8,297	\$12
<18	24	2.5	3.8	\$28,983	\$73	18-44	20	1.5	2.3	\$4,618	\$7
18-44	91	6.7	4.9	\$30,559	\$205	45-64	31	2.6	3.1	\$11,143	\$29
45-64	112	9.4	5.5	\$32,018	\$300	<b>Pneumonia and Influenza</b>					
65+	184	25.7	4.1	\$23,410	\$601	Total	171	4.0	3.8	\$11,905	\$48
<b>Injury: Hip Fracture</b>						<18	27	2.8	2.3	\$7,126	\$20
Total	48	1.1	4.8	\$25,875	\$29	45-64	20	1.7	4.5	\$17,836	\$30
65+	43	6.0	4.7	\$25,541	\$153	65+	107	14.9	4.2	\$12,093	\$180
<b>Injury: Poisonings</b>						<b>Cerebrovascular Disease</b>					
Total	32	0.8	2.9	\$13,656	\$10	Total	144	3.4	3.9	\$23,215	\$79
18-44	18	.	.	.	.	45-64	32	2.7	5.3	\$36,391	\$97
<b>Psychiatric</b>						65+	108	15.1	3.0	\$15,951	\$240
Total	228	5.4	6.1	\$9,068	\$49	<b>Asthma</b>					
<18	56	5.9	6.5	\$10,006	\$59	Total	32	0.8	2.5	\$7,541	\$6
18-44	108	7.9	5.2	\$6,685	\$53	<18	5	.	.	.	.
45-64	43	3.6	6.8	\$10,409	\$37	18-44	9	.	.	.	.
65+	21	2.9	7.9	\$16,080	\$47	45-64	11	.	.	.	.
<b>Coronary Heart Disease</b>						65+	7	.	.	.	.
Total	193	4.6	3.2	\$40,398	\$185	<b>Other Chronic Obstructive Pulmonary Disease</b>					
45-64	74	6.2	3.1	\$40,576	\$251	Total	56	1.3	3.1	\$9,675	\$13
65+	110	15.3	3.4	\$40,180	\$616	45-64	10	.	.	.	.
<b>Malignant Neoplasms (Cancers): All</b>						65+	44	6.1	3.3	\$9,767	\$60
Total	200	4.7	5.4	\$32,686	\$155	<b>Drug-Related</b>					
18-44	17	.	.	.	.	Total	17	.	.	.	.
45-64	82	6.8	5.0	\$34,986	\$240	18-44	8	.	.	.	.
65+	99	13.8	5.5	\$28,968	\$400	<b>Total Hospitalizations</b>					
<b>Neoplasms: Female Breast (rates for female population)</b>						Total	5,151	122.0	3.8	\$19,227	\$2,345
Total	23	1.1	2.0	\$22,047	\$24	<18	771	81.1	3.4	\$10,633	\$863
<b>Neoplasms: Colo-rectal</b>						18-44	1,156	85.1	3.3	\$14,289	\$1,216
Total	24	0.6	7.4	\$37,452	\$21	45-64	1,178	98.4	4.1	\$25,769	\$2,536
65+	17	.	.	.	.	65+	2,046	285.3	4.1	\$21,488	\$6,131
<b>Neoplasms: Lung</b>						----- PREVENTABLE HOSPITALIZATIONS* -----					
Total	22	0.5	4.1	\$24,680	\$13	Total	618	14.6	3.7	\$14,571	\$213
<b>Diabetes</b>						<18	46	4.8	1.9	\$7,209	\$35
Total	68	1.6	4.7	\$23,376	\$38	18-44	72	5.3	3.4	\$12,572	\$67
65+	30	4.2	5.6	\$27,466	\$115	45-64	113	9.4	4.8	\$29,165	\$275
						65+	387	54.0	3.7	\$11,556	\$624

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.