POPULATION ESTIMATES -		LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS
Total 2000 Population	22 770	Community Ontions and MA Waiver	Per 10,000 Staffing - FTF Number Population
County population rank (1-72)	49	as HSRS reports costs for services	Staffing - FTE Number Population Total FTEs 9.7 4.1 Administrative 1.0 0.4
Population per square mile	26	as none reports could for services	Administrative 1.0 0.4
County rank in population	20	Clients Costs COP 8 \$156,277 MA Waiver *	Public health nurses 2.0 0.9
Total 2009 Population 22,770 County population rank (1-72) 49 Population per square mile 26 County rank in population density (1-72) 56		COP 8 \$156.277	Oral health prof. 0.8 0.3
dollo22y (1 /2)		MA Waiver *	Envir. health prof. 1.0 0.4
Population growth 2005-2009	434	CIP1A Develop, disabled	Public health educ.
County rank in 5-year		MA Waiver * CIP1A Develop. disabled 6 \$465,621 CIP1B Develop. disabled	Nutritionist
County rank in 5-year population growth (1-72)	39	CIP1B Develop. disabled	Other prof. staff 2.1 0.9
		['] 39 \$1,119,880	Administrative 1.0 0.4 Public health nurses 2.0 0.9 Oral health prof. 0.8 0.3 Envir. health prof. 1.0 0.4 Public health educ Nutritionist Other prof. staff 2.1 0.9 Technical/paraprof. 1.0 0.4 Support staff 1.0 0.4
Age Female Male	Total		Support staff 1.0 0.4
0-14 1,370 1,470	2,850	69 \$781,120	
15-17 340 350	690	COP-W Elderly/phys. disab. adults	Funding Per capita
18-19 230 280	520	90 \$545,675	Total \$724,590 \$30.98
20-24 510 540	1,050	CLTS Disabled children	Local Taxes \$227,160 \$9.71
25-44 2,170 2,150	4,320	37 \$351,969	Funding Per capita Total \$724,590 \$30.98 Local Taxes \$227,160 \$9.71 LICENSED ESTABLISHMENTS
45-64 4,010 3,880	7,890	37 \$351,969 Brain Injury Total COP/Wvrs 249 \$3,420,542	Type Facilities Bed & Breakfast 7
65-84 2,460 2,450	4,910	Total COP/Wvrs 249 \$3,420,542	Bed & Breakfast 7
Age Female Male 0-14 1,370 1,470 15-17 340 350 18-19 230 280 20-24 510 540 25-44 2,170 2,150 45-64 4,010 3,880 65-84 2,460 2,450 85+ 350 210 Total 11,450 11,320	550	0400 440 of the characteristics	Camps 40
Total	22,770	\$109,442 of the above waiver costs	Hotels, Motels 221
		were para as resur materifever materi	Tourist Rooming 355
Race/ethnicity Female Male White 10,030 9,940	10 070	using COP funds. This amount is not included in above COP costs.	Doot ouronto 007
Wille 10,030 9,940 Afn Amon 00 70	19,970	not included in above cor costs.	Restaurants 227 Body Art 0
Ann Ind 1 000 1 120	2 200	* Waiver costs reported here	DOUY ALL
Hispanic 170 160	330	include federal funding	Number
Asian 60 40	100	Clients Costs	Pregnant/Postnartum 243
Total 11.450 11.320	22.770	Fligible and	Infants 162
11,100	,,,,	Waiting 79 n/a	Body Art 0 WIC PARTICIPANTS Number Pregnant/Postpartum 243 Infants 162 Children, age 1-4 477
Poverty Estimates for 200	8	(Family Care not provided in county)	
Estimate (%) (C	.I.+/-)	() ,	Do not speak English 1
All ages	.1%) ′		Do not speak English 1 Speak English 882
Ages 0-17 19.8% (4	.1%)	Note: Eligible and waiting clients	
		(Family Care not provided in county) Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.	Total 882
EMPLOYMENT		Waivers as available.	
Average wage for jobs covered			NEW CASES OF CANCER IN 2008
by unemployment compensation \$2	5,192		Primary Site Total Cases Rate
(place of work)	-		Breast 16 138.3
A Av	nnual	Numarina Hamaa	Cervical 1 8.6
Labor Force Estimates Av Civilian Labor Force 1 Unemployment rate 5-yr avg. unemployment rate	erage	Nui Sing Homes 1	UUTUTECTAT 13 50.5
	0,900	Pasidents on Dac 21 52	Luny and Drundino 20 113.0
	9.0°	Residents and 65 or older	100 tate
Jo yr avg. unemproyment rate	0.50	ner 1 000 nonulation	Total
Median HH income (2008) \$4	1.022	per 1,000 populación 10	NEW CASES OF CANCER IN 2008 Primary Site Total Cases Rate Breast 16 138.3 Cervical 1 8.6 Colorectal 13 56.5 Lung and Bronchus 26 113.0 Prostate 22 192.1 Other sites 78 338.9 Total 156 677.8 Note: Totals for invasive cancers only. Rate is per 100 000 population
Rank in median HH income (1-72)	62		Rate is per 100,000 population.

				NATA	ALTTY					
TOTAL LIVE BIRTHS		201				Percent	Marital	Status		
			First		85	42	of Moth		Births	Percent
Crude Live Birth Rate		8.8	Second		50	0.5	Marrie		96	48
General Fertility Rat		61.7	Third		38	25 19 14		rried	105	52
delier at Ter criticy hac	C	01.7		or higher	28	1.4	Unknow		0	0
live binthe with nene	n+od		Unknow		0	14 0	UIIKIIUW	11	U	U
Live births with repo congenital anomalies	rted	0 00	Ulikilow	/H	U	U	E 4 4. 4			
congenital anomalies		6 3.0%					Educati		District	D
1		_				_	of_Moth		Births	Percent
Delivery Type	Births	Percent		atal Visit			Elemen	tary or les	s.	
Vaginal after			1st tr	rimester	165	82	Some h	igh school	26	13
_previous cesarean	3	1	2nd tr	imester	25	12	High s	chool	92	46
l Forceps	1	<.5	3rd tr	imester	4	2	Some c	ollege	92 46	23
Other vaginal Primary cesarean	133	66	No vis	rimester rimester rimester rits vn	3	2 1 2	Colleg	e graduate	37	18
Primary cesarean	35	17	Unknow	'n	4	2	Unknow	n Õ		
Repeat cesarean	29	14								
i '			Prenatal	Visits	Births	Percent	Smoking	Status		
Birthweight	Births	Percent	No vis		3	1	of Moth		Births	Percent
<1.500 am	5	2.5	1-4		10	5	Smoker		54	27
1,500-2,499 gm 2,500+ gm	5 9 187 0	4.5	5-9		40	20	Nonsmo	ker		
2 500+ am	187	93.0	10-12		75	37	Unknow		1	<.5
Unknown	107	0	13+		73	36	OHKHOW	11	'	`.5
OTIKITOWIT	U	U	Unknow	m	73	0				
			Ulikilow	/11	U	U				
			Low Birth	weight		Trimest	er of Fir	st Prenatal	Vicit	
			(under 2	500 am)	1c+ Tr	rimester				Unknown
Race/Ethnicity	Rinthe D	Oarcant	Births P	ercent	Dirthe	Darcan+	Rinthe	imester Percent 8	Birthe	Percent
Whi+a	4 4 0	71	13	9.2	104	Percent 87	12	8	6	4
Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	142	0		9.2				0	O	4
Amenican Indian	- U	27	i	1.8	38	69	12	22	5	ċ
Allier Ican Indian	<u> </u>	1	l ±	1.0	აგ *	69	1 Z	22	3 *	9
Hispanic/Latino	2	1	*	.	*	•	*	•		•
Asian	2	1	*	.	*		*		*	•
Other/Unknown	0	0								
1		•	•	.		•	•			•
				• 						•
			Low Birth	weight				st Prenatal		·
	 Fε	ertility	(under 2,	500 gm)		imester	2nd Tr	imester	Other/	
Age of Mother	Fe Births	ertility Rate	Low Birth (under 2, Births P	500 gm)			2nd Tr	imester	Other/	Unknown Percent
<15	F6 Births 0	ertility Rate	(under 2,	500 gm) Percent	Births	imester Percent	2nd Tr Births	imester Percent	Other/	
<15 15-17	Fe Births 0 5	ertility Rate 15	(under 2, Births P 2	500 gm) Percent 40.0	Births 4	rimester Percent 80	2nd Tr Births 1	imester Percent 20	Other/	
<15 15-17 18-19	F6 Births 0	ertility Rate 15 86	(under 2, Births P 2 1	500 gm) Percent 40.0 5.0	Births 4 14	imester Percent 80 70	2nd Tr Births 1 6	imester Percent 20 30	Other/ Births	Percent
<15 15-17 18-19 20-24	Fe Births 0 5	ertility Rate 15 86 120	(under 2, Births P 2 1 2	500 gm) Percent 40.0 5.0 3.3	Births 4 14 47	imester Percent 80 70 77	2nd Tr Births 1 6 9	imester Percent 20 30 15	Other/ Births 5	Percent 8
<15 15-17 18-19 20-24 25-29	Fe Births 0 5 20 61 60	ertility Rate 15 86 120 122	(under 2, Births P 2 1 2 1	500 gm) Percent 40.0 5.0 3.3 1.7	Births 4 14 47 50	imester Percent 80 70	2nd Tr Births 1 6 9 5	imester Percent 20 30	Other/ Births	Percent
<15 15-17 18-19 20-24	Fe Births 0 5 20 61	ertility Rate 15 86 120	(under 2, Births P 2 1 2	500 gm) Percent 40.0 5.0 3.3	Births 4 14 47	imester Percent 80 70 77	2nd Tr Births 1 6 9	imester Percent 20 30 15	Other/ Births 5	Percent 8
<15 15-17 18-19 20-24 25-29 30-34	Fe Births 0 5 20 61 60 29	ertility Rate 15 86 120 122 68	(under 2, Births P 2 1 2 1	500 gm) Percent 40.0 5.0 3.3 1.7 10.3	Births 4 14 47 50	imester Percent 80 70 77 83 86	2nd Tr Births 1 6 9 5	imester Percent 20 30 15 8	Other/ Births 5	Percent 8 8
<15 15-17 18-19 20-24 25-29	Fe Births 0 5 20 61 60 29 20	ertility Rate 15 86 120 122	(under 2, Births P 2 1 2 1 3	500 gm) Percent 40.0 5.0 3.3 1.7	Births 4 14 47 50 25	imester Percent 80 70	2nd Tr Births 1 6 9 5	imester Percent 20 30 15 8 10	Other/ Births 5	Percent 8 8
<15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 0 5 20 61 60 29	ertility Rate 15 86 120 122 68 35	(under 2, Births P 2 1 2 1 3	500 gm) Percent 40.0 5.0 3.3 1.7 10.3 20.0 16.7	Births 4 14 47 50 25 20	imester Percent 80 70 77 83 86	2nd Tr Births 1 6 9 5 3	imester Percent 20 30 15 8	Other/ Births 5	Percent 8 8
<15 15-17 18-19 20-24 25-29 30-34 35-39	Fe Births 0 5 20 61 60 29 20 6	ertility Rate 15 86 120 122 68 35 9	(under 2, Births P 2 1 2 1 3	500 gm) Percent 40.0 5.0 3.3 1.7 10.3 20.0	Births 4 14 47 50 25 20	imester Percent 80 70	2nd Tr Births 1 6 9 5 3	imester Percent 20 30 15 8 10	Other/ Births 5	Percent 8 8
<15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Fe Births 0 5 20 61 60 29 20 6	ertility Rate 15 86 120 122 68 35 9	(under 2, Births P 2 1 2 1 3 4 1	500 gm) Percent 40.0 5.0 3.3 1.7 10.3 20.0 16.7	Births 4 14 47 50 25 20 5	imester Percent 80 70	2nd Tr Births 1 6 9 5 3	imester Percent 20 30 15 8 10	Other/Births 5 5	Percent

MORBIDITY				MO	RTALITY		
CONFIRMED CASES OF COMMUNICABLE DISEASES (2009)		Note: Death rates (neonatal, and Perinatal and	(except ir d postneor d fetal de	nfant) are natal death eath rates	per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2	Infant, e births. s plus	
Campylobacter Enteritis Giardiasis	Number <5 6	TOTAL DEATHS Crude Death Rat	te	282 1,239	Selected Underlying Cause Heart Disease (total)	72	Rate 316
Hepatitis Type A Hepatitis Type B*	0 <5	Age	Deaths	Rate	Ischemic heart diseas Cancer (total) Trachea/Bronchus/Lung	e 50 66	220 290
Hepatitis NANB/C	11	1-4	•		Trachea/Bronchus/Lung	26	114
Legionnaire's	0	5-14	1		Colorectal Female Breast Cerebrovascular Diseas	3	
Lyme	21	15-19	1		Female Breast	7	.*
Measles	0	20-34	3	:	Cerebrovascular Diseas	e 20	88
N. Meningitis, Meningococcal		35-54	23		Lower Resp. Disease	13	.
Meningitis, Bácterial	0	55-64	29	696	Pneumonia & Influenza	3	
Mumps	0	65-74	51		Accidents	14	
Pertussis	0	75-84	79	4,617	Motor vehicle	3	.
Salmonellosis	<5	85+	94	16,968	Diabetes	5	
Shigellosis	0	T			Infect./Parasitic Dis.	10 4	
Tuberculosis	0	Infant	Daatha	Data	Suicide	4	
E-Coli 0157	0 0	Mortality	Deaths	Rate	+ Doord on famels name	1.4.	
E-Coli, Non-O157		Mortality Total Infant Neonatal	•	•	* Based on female popu	ration.	
Cryptosporidiosis Streptococcus Pneum Invasive	<5 8	Neonatal Postneonatal		•	ALCOHOL AND DRUG ABUSE	AC LINDEDI	VINO
All Streptococcal Diseases	- -5	Postneonatai	•	•	OR CONTRIBUTING CAU		
Blastomycosis	<5	 Infant Mortality k	21/		OR CONTRIBUTING CAU	SE OF DEAT	п
Haemophilus flu, Invasive	<5 <5	Race of Mother	у		Alcohol	10	
Ehrlichiosis/Anaplasmosis	0	Mace of Mother			Tobacco Use	10 50	255
Influenza A-Novel	<5	l Black	•	•	Tobacco Use Other Drugs	5	233
Kawasaki Disease	, 0	Diack Hispanio	•	•	Other brugs	3	.
Nawasaki Disease	U	Hispanic Δeian	•	•	+		
* Includes all positive HBsAg		Black Hispanic Asian Other/Unknown	•	•	MOTOR VEHICL	E CRASHES	
test results.			-	-			
Sexually Transmitted Disease	32	Infant Mortality k Birthweight <1,500 gm			Note: These data are b of crash, not o		
Gonorrhea	<5	1 500 gill	•		Type of Motor	Persons P	ersons
Syphilis	0	<1,500 gm 1,500-2,499 gm 2,500+ gm	•	•	Vehicle Crash Total Crashes	Injured	Killed
Зурпттз	U	Unknown	•	•	Total Crashes	1111 41 64	KIIIEG
IMMUNIZATIONS		Olikilowii	•	•	Alcohol-Related	37	2
		Perinatal			With Citation:	0.	-
Children in Grades K-12 by		Mortality	Deaths	Rate	For OWI	29	o
Compliance Level		Total Perinatal Neonatal Fetal			For Speeding	3	ŏl
Compliant	2,663	Neonatal			Motorcyclist	9	ĭ
Non-compliant	82	Fetal			Bicyclist	Ö	o l
Compliance Level Compliant Non-compliant Percent Compliant	97.0		-	-	Pedestrian	3	ŏ

		Per	Average		Charge				Average		Charge
DISEASE /		1,000	Stay	Average	Per	DISEASE /		1,000	Stay	Average	Per
AGE GROUP	Number	Pop	(Days)	Charge	Capita	AGE GROUP	Number	Pop	(Days)	Charge	Capita
Injury-Related:	All					Alcohol-Related	I				
Ťotál	344	15.1	5.1	\$29,570	\$447	Total	127	5.6	4.2	\$12,555	\$70
<18	16			. ,		18-44	57	9.7		\$13,467	\$130
18-44	61	10.4	4.9	\$27,335	\$283	45-64	54	6.8		\$11,839	\$81
45-64	96	12.2		\$33,191	\$404	Pneumonia and I	nfluenza			. ,	•
65+	171	31.3		\$29,903	\$937	Total	146	6.4	4.4	\$16,843	\$108
Injury: Hip Fr				+ ,	+	<18	19			Ţ.c,c.c	
Total	37	1.6	5.0	\$34,122	\$55	45-64	35	4.4	4.8	\$22,046	\$98
65+	33	6.0	5.1	\$34,556	\$209	65+	79	14.5	4.9	\$17,774	\$257
Injury: Poisor		0.0	011	Ψοί,σοσ	Ψ200	Cerebrovascular			110	Ψ11,111	Ψ207
Total	34	1.5	2.4	\$13,247	\$20	Total	86	3.8	4.1	\$26,219	\$99
18-44	15			•	Ψ20	45-64	17	5.5	7.1	<i>4_0,_</i> 10	ΨΟΟ
10 44	10	•	•	•	•	65+	67	12.3	4.3	\$25,122	\$308
Psychiatric						Asthma	07	12.0	4.0	Ψ20,122	φοσο
Total	170	7.5	6.4	\$11,346	\$85	Total	22	1.0	3.5	\$12,130	\$12
<18	21	5.9	10.1	\$12,710	\$76	<18	1			Ψ12,100	
18-44	79	13.4		\$10,092	\$135	18-44	2	•	•	•	•
45-64	50	6.3	6.3	\$12,322	\$78	45-64	5	•	•	•	•
45-04 65+	20	3.7	7.5	\$12,428	\$46	65+	14	•	•	•	•
051	20	0.7	7.5	Ψ12,420	ΨΨΟ	Other Chronic C		o Dulma	nary Di		•
Coronary Heart [Dicasca					Total	69	3.0		\$14,690	\$45
Total	187	8.2	3.7	\$38,936	\$320	45-64	12		3.0	\$14,090	Φ45
45-64	50	6.3		\$38,896	\$247	45-04 65+	54	9.9	4.0	\$16,323	\$161
65+	130	23.8		\$39,072	\$930	05+	54	9.9	4.2	\$10,525	ф101
007	130	23.8	4.0	\$39,072	\$930	Drug-Related					
Anlianant Noonla	(Ca		A 7 7				40	1 0	4.0	\$10,092	610
Malignant Neopla				#00 060	017 6	Total	42 30	1.8 5.1	4.9	\$10,092	\$19
Total 18-44	138 8	6.1	4.5	\$29,068	\$176 •	18-44	30	5.1	5.2	\$10,001	\$51
45-64	47	6.0	3.5	\$27,562	\$164	Total Hospitali	zations				
65+	81	14.8	5.1	\$29,504	\$438	Total '	3,638	159.8	4.2	\$21,815	\$3,486
Neoplasms: Fer	nale Brea				pulation)	<18	² 358	101.3	3.1	\$9,702	\$983
Total	6				' .	18-44	707	120.1		\$15,798	\$1,898
Neoplasms: Col			-	-	•	45-64	854	108.3			\$2,862
Total	17	-	_	_	_	65+	1,719	314.9	4.5		\$7,720
65+	10		-	•	-		.,	•		·,-··	+ - , - = 0
Neoplasms: Lur		•	•	•	•	PR	REVENTABLE	HOSPT	TAL I ZAT TO	ONS*	
Total	19	_	_	_		Total	520	22.8		\$17,638	\$403
IOCAL	.5	•	•	•	•	<18	35	9.9	2.4	\$7,462	\$74
Diabetes						18-44	60	10.2		\$16,448	\$168
Total	48	2.1	5 5	\$21,423	\$45	45-64	101	12.8		\$24,340	\$312
65+	21	3.8	5.3 5.3	\$19,126	\$74	65+	324	59.4			\$1,001
001	۷ ا	3.0	5.5	ψ13,120	Ψ14				where +	imply and	
						ı nusullalızatidiis	s ror cona.	TITOLIS	wilere L.	ынету апи	ellect]