| POPULATION ESTIMATES  |                         | LONG-TERM CARE  |                    | LOCAL HEALTH DEPARTM   |                                 |
|---|-------------------------|---|--------------------|--|---------------------------------|
| Total 2009 Population 76,<br>County population rank (1-72)  | ,080<br>22              | Community Options and MA Waiv as HSRS reports costs for ser                               | er<br>vices        | Staffing - FTE Number<br>Total FTEs 25.4<br>Administrative 1.0                                 | Per 10,000<br>Population<br>3.3 |
| County population rank (1-72) Population per square mile County rank in population density (1-72)   | 96                      | Clients COP 33 \$ MA Waiver *   | Costs              | Administrative 1.0 Public health nurses 7.1 Oral health prof 0.8                               | 0.1<br>0.9<br>0.1               |
| Population growth 2005-2009   |                         | CIPIA Develop, disabled   |                    | Public health nurses 7.1 Oral health prof. 0.8 Envir. health prof. 3.0 Public health educ. 2.9 | 0.4<br>0.4                      |
| County rank in 5-year population growth (1-72)  |                         | CIP1B Develop. disabled   |                    | Nutritionist . Other prof. staff 3.2 Technical/paraprof. 1.4                                   |                                 |
| Age Female Male To  | otal                    | OTDO - E1 de m1 / m le  |                    | Technical/paraprof. 1.4<br>Support staff 5.4   | 0.2<br>0.7                      |
| 15-17   | 2,860<br>2,120          | COP-W Elderly/phys. disab. a  | dults .            | Funding<br>Total \$1,992,792<br>Local Taxes \$1,031,859<br>LICENSED ESTABLISHMENTS             | Per capita<br>\$25.82           |
| 20-24 2,290 2,350 4<br>25-44 9,090 9,180 18   | 4,640<br>8,270          | CLTS Disabled children 39 \$  | 351,943            | Local Taxes \$1,031,859<br>LICENSED ESTABLISHMENTS   | \$13.37                         |
| Age Female Male 10 0-14 6,690 7,050 13 15-17 1,410 1,450 2 18-19 1,020 1,100 2 20-24 2,290 2,350 4 25-44 9,090 9,180 18 45-64 10,870 10,870 21 65-84 5,720 4,740 10 85+ 1,570 690 2 Total 38,650 37,430 76              | 1,740<br>0,460<br>2 250 | Brain Injury . Total COP/Wvrs 72 \$   | 538,192            | Type<br>Bed & Breakfast<br>Camps   | Facilities<br>0<br>13           |
|   |                         | WCI C Para as rocar match/ove   | er costs<br>rmatch | Hotels, Motels<br>Tourist Rooming  | 21<br>2                         |
| Race/ethnicity Female Male Tot<br>White 36,800 35,510 72  | tal<br>2,310            | using COP funds. This amoun not included in above COP co                                  | t is<br>sts.       | Pools<br>Restaurants<br>Rody Art   | 42<br>253                       |
| Amer. Ind. 340 300 Hispanic 530 600 1   | 640<br>640<br>1 - 130   | * Waiver costs reported here include federal funding.                                     | <b>!</b>           | Body Art<br>WIC PARTICIPANTS -   | Number                          |
| Race/ethnicity Female Male Tot White 36,800 35,510 72 Afr.Amer. 280 330 Amer. Ind. 340 300 Hispanic 530 600 1 Asian 690 700 1 Total 38,650 37,430 76Poverty Estimates for 2008 Estimate (%) (C.I.+ All ages 8.0% (1.2%) | 1,390<br>6,080          | Clients Eligible and  | Costs              | Pregnant/Postpartum<br>Infants   | 711                             |
| Poverty Estimates for 2008  | <br>+/-\                | Waiting 80<br>Family Care 721 \$20,   | n/a<br>667,449     | Children, age 1-4  | 1,256                           |
| Estimate (%) (C.I.+ All ages 8.0% (1.2%) Ages 0-17 10.3% (2.1%)   | )<br>)                  | Note: In 2009 this county oper under the Family Care waive                                | ated<br>r.         |  | 2,389                           |
| EMPLOYMENT  |                         | Eligible and waiting client phased into Family Care. He                                   | s are<br>nce,      | TotalNEW CASES OF CANCER IN  | 2,482                           |
| All ages 8.0% (1.2%) Ages 0-17 10.3% (2.1%)   | 94                      | COP/waivers and Family Care   | . DO CH            | Drimary Sita Total Casas   | Data                            |
| l `` Annua  | al İ                    | Nursing Homes   | 8                  | Cervical 1<br>Colorectal 46  | 2.6<br>60.5                     |
| Labor Force Estimates Average Civilian Labor Force 41,81 Unemployment rate 8.5-yr avg. unemployment rate 6.   | 19<br>.7%<br>.0%        | Licensed beds<br>Residents on Dec.31<br>Residents age 65 or older<br>per 1,000 population | 748<br>588         | Breast 53 Cervical 1 Colorectal 46 Lung and Bronchus 54 Prostate 65 Other sites 245 Total 464  | 71.0<br>173.6<br>322.1          |
| Median HH income (2008) \$46,45<br>Rank in median HH income (1-72) 4  | 59                      | per 1,000 population  |                    | Note: Totals for invasive cand   | ers only.                       |
| nain III illeutaii nn IIICOille (1-72) 4  | + I                     |   |                    | Rate is per 100,000 population   | ///.<br>·                       |

PAGE 1

|  |           |          | N                              | ATALITY      |               |                             |            |            |
|--|-----------|----------|--------------------------------|--------------|---------------|-----------------------------|------------|------------|
| TOTAL LIVE BIRTHS  |           | 853      | Birth Order                    | Births       | Percent       | Marital Status              |            |            |
|  |           |          | First                          | 321          | 38            | of Mother                   | Births     | Percent    |
| Crude Live Birth Rate  | <b>,</b>  | 11.2     | Second                         | 300          | 35            | Married                     | 549        | 64         |
| General Fertility Rat  |           | 61.8     | Third                          | 137          | 16<br>11<br>0 | Not married                 | 304        | 36         |
| deficial relicitity has  |           | 01.0     | Fourth or high                 | or 05        | 11            | Unknown                     | 0          | 0          |
| Live binthe with none  | n+od      |          | Unknown                        | EI 35        | 11            | OHKHOWH                     | U          | U          |
| Live births with repo  | n tea     | 7 0 00   | Uliknown                       | U            | U             | Educadá au                  |            |            |
| congenital anomalies   | 1         | 7 2.0%   |                                |              |               | Education                   | <b>-</b>   |            |
|  |           | _        |                                |              |               | of_Mother                   | Births     | Percent    |
| Delivery Type  | Births    | Percent  | 1st Prenatal Vis               |              | Percent       | Elementary or le            | ss 22      | 3          |
| Vaginal after  |           |          | 1st trimester                  | 704          | 83            | Some high school            | 56         | 7          |
| previous cesarean  | 20        | 2        | 2nd trimester                  | 99           | 12            | High school                 | 284        | 33         |
| Forceps  | 5         | 1        | 2nd trimester<br>3rd trimester | 19           | 2             | High school<br>Some college | 281        | 33         |
| Forceps<br>Other vaginal<br>Primary cesarean                                 | 627       | 74       | No visits                      | 19<br>12     | 2             | College gräduate            | 210        | 25         |
| Primary cesarean   | 110       | 13       | Unknown                        | 12           | <u>-</u>      | Unknown                     |            |            |
| Repeat cesarean  | 91        | 11       | ornariown.                     |              | •             | GIIKITOWIT                  | •          | •          |
| nepeat desarean  | 31        | 1 1      | Prenatal Visits                | Din+hc       | Percent       | Smoking Status              |            |            |
| Dinthwoight  | Dintho    | Percent  |                                | 19           |               | Smoking Status              | Dintho     | Percent    |
| Birthweight  | DTI.CIIS  | rencent  | No visits                      |              | 2             | of Mother                   | Births     |            |
| <1,500 gm<br>1,500-2,499 gm<br>2,500+ gm<br>Unknown                          | 8         | 0.9      | 1-4                            | 19           | 2             | Smoker                      | 172        | 20         |
| 1,500-2,499 gm   | 36        | 4.2      | 5-9                            | 165          | 19            | Nonsmoker                   |            |            |
| 2,500+ gm  | 809       | 94.8     | 10-12                          | 383          | 45            | Unknown                     | 3          | <.5        |
| Unknown  | 0         | 0        | 13+                            | 247          | 29            |                             |            |            |
|  |           |          | Unknown                        | 20           | 2             |                             |            |            |
|  |           |          |                                |              |               |                             |            |            |
|  |           |          | Low Birthweight                | 1            | Trimest       | ter of First Prenata        |            |            |
|  |           |          | (under 2,500 gm)               | 1st Tr       | imester       | 2nd Trimester               |            | Unknown    |
| Race/Ethnicity   | Births F  | Percent  | `Births Ṕercent´               |              | Percent       | Births Percent              |            | Percent    |
| White  | 772       | 91       | 43 5.6                         | 646          | 84            | 83 11                       | 43         | 6          |
| Black/Afr.American   | 3         | <.5      | * .                            | *            |               | *                           | *          |            |
| American Indian  | 13        | 2        |                                | 9            | 69            | 2 15                        | 2          | 15         |
| Hispanic/Latino  | 32        | 4        | _                              | 25           | 78            | 5 16                        |            | 6          |
| Asian  | 30        | 4        | 1 3.3                          | 19           | 63            | 8 27                        | 3          | 10         |
| White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown | 3         | <.5      | *                              | *            |               | *                           | *          | •          |
|  |           |          |                                | <br>         |               |                             |            |            |
|  |           |          | Low Birthweight                | 1            | Trimest       | ter of First Prenata        | l Visit    |            |
|  | Fe        | ertility | (under 2,500 gm)               | 1st Tr       | imester       |                             | Other      | Unknown    |
| Age of Mother  | Births    | Rate     | Births Percent                 | Rinthe       | Percent       | Births Percent              | Rinthe     | Percent    |
| <15  | DTI, CIIS | nate<br> |                                | pri riig     | I EI CEIIL    | DTI (119 Lei Ceilf          | מווז נוופ  | I EI CEIIL |
|  | -         | 9        |                                | ;            | 67            |                             | ·          | 17         |
| 15-17  | 12        |          |                                | 8            | 67            | 2 17                        | 2          | 17         |
| 18-19  | 58        | 57       | 7 12.1                         | 43           | 74            | 8 14                        | 7          |            |
| 20-24  | 228       | 100      | 16 7.0                         | 184          | 81            | 30 13                       | 14         | 6          |
| 25-29  | 290       | 122      | 10 3.4                         | 237          | 82            | 33 11                       | 20         | 7          |
| 30-34  | 198       | 98       | 5 2.5                          | 171          | 86            | 22 11                       | 5          | 3          |
| 35-39  | 51        | 24       | 6 11.8                         | 47           | 92            | 3 6                         | 1          | 2          |
| 40+  | 16        | <br>6    |                                | 14           | 88            | 1 6                         | i i        | <u>-</u>   |
| Unknown  | 0         |          |                                |              |               |                             | •          | -          |
| 5.7KH5WH   | 3         |          |                                |              | •             |                             | •          | •          |
| Teenage Births   | 70        | 29       | * Not re                       | ported if a  | de or race    | category has fewer          | than 5 bir | ths.       |
| . conago Di tilo   | , ,       | _5       | 140 € 1 €                      | por courti u | 95 5. Tuot    | Jacogor y mao rewer         | 0 DII      |            |

| PAGE 3  |                               | 2009 PROFILE FOR W  | OOD COON!                             | Y                                      | Ini   | ra ot tour                       | pages                     |
|---|-------------------------------|---|---------------------------------------|--|---|----------------------------------|---------------------------|
| MORBIDITY   |                               |   |                                       | MOF                                    | RTALITY   |                                  |                           |
| CONFIRMED CASES OF COMMUNICABLE DISEASES (2009)   |                               | Note: Death rates (<br>neonatal, and<br>Perinatal and                       | except ir<br>  postneor<br>  fetal de | fant) are platal death<br>eath rates a | per 100,000 population.<br>rates are per 1,000 livare per 1,000 livare per 1,000 live birth<br>culated for fewer than 2 | Infant,<br>/e births.<br>ns plus |                           |
| Disease Nu<br>Campylobacter Enteritis<br>Giardiasis<br>Hepatitis Type A<br>Hepatitis Type B*          | umber<br>36<br>6<br>0<br>9    | TOTAL DEATHS<br>Crude Death Rat<br>Age                                      | e<br>Deaths                           | 702<br>923<br>Rate                     | Selected<br>  Underlying Cause<br>  Heart Disease (total)<br>  Ischemic heart diseas<br>  Cancer (total)                | 155<br>se 99                     | Rate<br>204<br>130<br>213 |
| Hepatitis NANB/C<br>Legionnaire's<br>Lyme<br>Measles<br>N. Meningitis, Meningococcal                  | 17<br>0<br>46<br>0<br><5      | 1-4<br>5-14<br>15-19<br>20-34<br>35-54                                      | 2<br>11<br>52                         | 240                                    | Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Disease Lower Resp. Disease               | 16<br>13<br>se 47<br>33          | 51<br>.*<br>62<br>43      |
| Meningitis, Bácterial Mumps Pertussis Salmonellosis Shigellosis Tuberculosis                          | <5<br>0<br>18<br>7<br><5<br>0 | 55-64<br>65-74<br>75-84<br>85+<br>Infant                                    | 69<br>82<br>196<br>284                | 726<br>1,343<br>4,500<br>12,605        | Pneumonia & Influenza<br>Accidents<br>Motor vehicle<br>Diabetes<br>Infect./Parasitic Dis<br>Suicide                     | 27<br>5<br>20                    | 35<br>26                  |
| E-Coli 0157 E-Coli,Non-0157 Cryptosporidiosis Streptococcus Pneum Invasive All Streptococcal Diseases | 0<br>0<br>19<br>7<br>6<br><5  | Mortality Total Infant Neonatal Postneonatal                                |                                       | Rate                                   | * Based on female popu<br>ALCOHOL AND DRUG ABUSE<br>OR CONTRIBUTING CAU   | AS UNDERL                        |                           |
| Blastomycosis Haemophilus flu, Invasive Ehrlichiosis/Anaplasmosis Influenza A-Novel Kawasaki Disease  | 0<br>0<br>25<br><5            | Infant Mortality b<br>Race of Mother<br>White<br>Black<br>Hispanic<br>Asian | 6                                     | :<br>:<br>:                            | Alcohol<br>Tobacco Use<br>Other Drugs   | 6<br>70<br>3                     | 92                        |
| * Includes all positive HBsAg test results.  Sexually Transmitted Disease                             |                               | Other/Unknown Infant Mortality b Birthweight                                |                                       | •                                      | Note: These data are be of crash, not of  | pased on lo                      | cation                    |
| Gonorrhea<br>Syphilis   | 107<br>9<br><5                | <1,500 gm<br>1,500-2,499 gm<br>2,500+ gm<br>Unknown                         | :                                     | :                                      | Type of Motor<br>Vehicle Crash<br>Total Crashes   | Persons P<br>Injured<br>482      | Killed<br>4               |
| Children in Grades K-12 by Compliance Level Compliant Non-compliant Percent Compliant                 | 10,806<br>113                 | Perinatal<br>Mortality<br>Total Perinatal<br>Neonatal<br>Fetal              | •                                     | :                                      | Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian                                   | 25<br>34<br>37<br>20<br>9<br>8   | 1<br>0<br>1<br>0          |

|                |            | <br>Per |         |                     |               | ITALIZATIONS        |                   |              |            |                        | Changa                  |
|----------------|------------|---------|---------|---------------------|---------------|---------------------|-------------------|--------------|------------|------------------------|-------------------------|
| DISEASE /      |            | 1,000   | Average |                     | Charge<br>Per | DISEASE /           |                   | Per<br>1,000 | Average    |                        | Charge<br>Per           |
|                | Numbon     |         | Stay    | Average             |               |                     | Numbon            |              | Stay       | Average                |                         |
| AGE GROUP      | Number     | Pop     | (Days)  | Charge              | Capita        | AGE GROUP           | Number            | Pop          | (Days)     | Charge                 | Capita                  |
| Injury-Related |            |         |         |                     |               | Alcohol-Relate      |                   |              |            |                        |                         |
| Total          | 908        | 11.9    | 4.4     | \$25,236            | \$301         | Total               | 237               | 3.1          | 4.3        | \$9,253                | \$29                    |
| <18            | 70         | 4.2     | 2.6     | \$16,811            | \$71          | 18-44               | 131               | 5.2          | 4.2        | \$8,625                | \$45                    |
| 18-44          | 198        | 7.9     | 3.9     | \$25,085            | \$198         | 45-64               | 97                | 4.5          | 4.1        | \$9,763                | \$44                    |
| 45-64          | 243        | 11.2    | 4.9     | \$28,420            | \$318         | Pneumonia and       | Influenza         |              |            |                        |                         |
| 65+            | 397        | 31.2    | 4.5     | \$24,847            | \$776         | Total               | 282               | 3.7          |            | \$12,535               | \$46                    |
| Injury: Hip    | Fracture   |         |         |                     |               | <18                 | 37                | 2.2          | 3.0        | \$8,252                | \$18                    |
| Total          | 79         | 1.0     | 4.6     | \$25,865            | \$27          | 45-64               | 64                | 2.9          | 3.4        | \$12,799               | \$38                    |
| 65+            | 67         | 5.3     | 4.6     | \$25,821            | \$136         | 65+                 | 155               | 12.2         | 4.3        | \$13,999               | \$171                   |
| Injury: Pois   | onings     |         |         | •                   |               | Cerebrovascula      | ar Disease        |              |            | ·                      |                         |
| Total          | 88         | 1.2     | 2.5     | \$13,465            | \$16          | Total               | 188               | 2.5          | 4.5        | \$22,050               | \$54                    |
| 18-44          | 43         | 1.7     | 2.9     | \$16,735            | \$29          | 45-64               | 34                | 1.6          | 4.4        | \$28,775               | \$45                    |
|                |            |         |         | •                   |               | 65+                 | 146               | 11.5         | 4.4        | \$19,245               | \$221                   |
| Psychiatric    |            |         |         |                     |               | Asthma              |                   |              |            | ,                      |                         |
| Ťotal          | 730        | 9.6     | 6.2     | \$8,381             | \$80          | Total               | 78                | 1.0          | 2.7        | \$9,920                | \$10                    |
| <18            | 173        | 10.4    | 8.1     | \$9,408             | \$98          | <18                 | 26                | 1.6          | 1.8        | \$6,223                | \$10                    |
| 18-44          | 360        | 14.4    | 4.9     | \$6,534             | \$94          | 18-44               | 15                |              |            | . ,                    |                         |
| 45-64          | 153        | 7.0     | 6.9     | \$9,966             | \$70          | 45-64               | 23                | 1.1          | 3.3        | \$12,902               | \$14                    |
| 65+            | 44         | 3.5     | 7.9     | \$13,950            | \$48          | 65+                 | 14                |              |            |                        |                         |
|                |            |         |         | . ,                 | ·             | Other Chronic       | <b>Obstructiv</b> | e Pulmo      | onarv Di   | sease                  |                         |
| Coronary Heart | Disease    |         |         |                     |               | Total               | 173               | 2.3          | 3.1        |                        | \$25                    |
| Total          | 517        | 6.8     | 4.0     | \$43,895            | \$298         | 45-64               | 50                | 2.3          | 2.3        | \$8,691                | \$20                    |
| 45-64          | 190        | 8.7     | 3.4     | \$44,970            | \$393         | 65+                 | 117               | 9.2          | 3.4        | \$11,761               | \$108                   |
| 65+            | 312        | 24.5    | 4.4     | \$43,406            | \$1065        |                     |                   |              |            | + · · <b>,</b> · · · · | *                       |
|                |            |         |         | Ţ,                  | Ψ.σσσ         | Drug-Related        |                   |              |            |                        |                         |
| Malignant Neop | lasms (Ca  | ncers): | : All   |                     |               | Total               | 91                | 1.2          | 5.3        | \$10,985               | \$13                    |
| Total          | 342        | 4.5     | 6.2     | \$32,198            | \$145         | 18-44               | 72                | 2.9          | 5.0        | \$9,818                | \$28                    |
| 18-44          | 23         | 0.9     | 5.5     | \$33,794            | \$31          |                     |                   |              | 0.0        | 40,0.0                 | Ψ_0                     |
| 45-64          | 135        | 6.2     | 5.2     | \$29,875            | \$186         | Total Hospital      | lizations         |              |            |                        |                         |
| 65+            | 182        | 14.3    |         | \$32,957            | \$472         | Total               |                   | 148.2        | 4.0        | \$19,061               | \$2,826                 |
| Neoplasms: F   |            |         |         |                     |               | <18                 | 1,624             | 97.9         | 3.5        | \$9,647                | \$944                   |
| Total          | 21         | 0.5     | 2.4     |                     | \$10          | 18-44               | 2,667             | 106.6        | 3.3        | \$12,682               | \$1,351                 |
| Neoplasms: C   |            |         | 2.7     | Ψ10,144             | Ψισ           | 45-64               | 2,702             | 124.3        | 4.1        | \$24,013               | \$2,984                 |
| Total          | 26         | 0.3     | 9.1     | \$39,602            | \$14          | 65+                 | 4,285             | 337.0        | 4.5        | \$23,477               | \$7,912                 |
| 65+            | 19         |         |         |                     | •             | 03.                 | 7,200             | 007.0        | 7.0        | Ψ20, 477               | Ψ7,512                  |
| Neoplasms: L   |            | •       | •       | •                   | •             |                     | PREVENTABLE       | HOSDI        | ΓΔΙ ΤΖΔΤΤ  | ONG*                   |                         |
| Total          | .ung<br>38 | 0.5     | 5 5     | \$23,714            | \$12          | Total               | 1,381             | 18.2         | 3.9        |                        | \$249                   |
| TOTAL          | 50         | 0.5     | 0.0     | Ψ20,11 <del>4</del> | ΨΙΖ           | <18                 | 128               | 7.7          |            | \$8,370                | \$65                    |
| Diabetes       |            |         |         |                     |               | 18-44               | 150               | 6.0          | 2.7        | \$9,360                | \$56                    |
| Total          | 114        | 1.5     | 3.5     | \$17,205            | \$26          | 45-64               | 317               | 14.6         | 2.7<br>4.6 | \$16,014               | \$233                   |
| 65+            | 32         | 2.5     | 5.1     | \$20,692            | \$52          | 65+                 | 786               | 61.8         |            | \$10,014               | \$233<br>\$897          |
| UJ⊤            | 32         | 2.5     | 5.1     | Ψ20,092             | φυΖ           | * Hospitalization   |                   | itiono       |            |                        |                         |
|                |            |         |         |                     |               | ambulatory care of  | is rui cullu      | +ho 1+1      | wilere t   | of bossi               | errective<br>tolization |
|                |            |         |         |                     |               | l ampuratory care c | an reduce         | CHE III      | /GTT11000  | or mosht               | cattza ct01             |