POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS
Total 2010 Population 101,630 County population rank (1-72) 15 Population per square mile 141	Community Options and MA Waiver as HSRS reports costs for services	Per 10,000 Staffing - FTE Number Population Total FTEs 33.4 3.3 Administrative 1.0 0.1
County population rank (1-72) 15 Population per square mile 141 County rank in population density (1-72) 18	Clients Costs COP 29 \$315,422	Public health nurses 13.2 1.3 Oral health prof. 1.3 0.1 Envir. health prof. 2.4 0.2 Public health educ. 1.6 0.2 Nutritionist 1.9 0.2 Other prof. staff 3.5 0.3 Technical/paraprof. 3.2 0.3 Support staff 4.3 0.4
Population growth 2006-2010 1,229	CIP1A Develop. disabled	Public health educ. 1.6 0.2 Nutritionist 1.9 0.2
population growth (1-72) 19		Other prof. staff 3.5 0.3 Technical/paraprof. 3.2 0.3
Age Female Male Total 0-14 9,190 9,650 18,84	\ 	Support staff 4.3 0.4
18-19 1,450 1,490 2,930 20-24 3 170 3 130 6 300	CLTS Disabled children	Funding Per capita Total \$3,179,253 \$31.05 Local Taxes \$846,433 \$8.27
25-44 12,510 12,660 25,170 45-64 14,520 14,440 28,970	91 \$1,513,693 Brain Injury	Funding Per capita Total \$3,179,253 \$31.05 Local Taxes \$846,433 \$8.27 LICENSED ESTABLISHMENTS Type Facilities Bed & Breakfast 6
65+ 1,610 740 2,550	/	Bed & Breakfast 6 Camps 14
Bace/ethnicity Female Male Total	were paid as local match/overmatch	Tourist Rooming 8
White 47,970 46,070 94,040 Afr.Amer. 840 710 1,550	not included in above COP costs.	Restaurants 353 Body Art 7
Amer. Ind. 260 220 480 Hispanic 2,030 2,340 4,370	* Waiver costs reported here include federal funding.	Number
Total 51,710 49,930 101,630	Clients Costs Eligible and Waiting 2 n/a	Restaurants 353 Body Art 7 WIC PARTICIPANTS Number Pregnant/Postpartum 930 Infants 587 Children, age 1-4 1,809
Poverty Estimates for 2009 Estimate (%) (C.I.+/-)	Family Care 1,265 \$34,739,687	Do not speak English 519
Estimates for 2009 Estimate (%) (C.I.+/-) All ages 9.5% (1.5%) Ages 0-17 12.3% (2.3%)	Note: In 2010 this county operated under the Family Care waiver.	Do not speak English 519 Speak English 2,807 Total 3.326
Ages 0-17 12.3% (2.3%) EMPLOYMENT Average wage for jobs covered by unemployment compensation \$36,505	phased into Family Care. Hence,	NEW CASES OF CANCED IN 2009
(place of work)		Primary Site Total Cases Rate
Labor Force Estimates Average	Nursing Homes 9	Cervical 2 3.9 Colorectal 49 48.3
Labor Force Estimates Average Civilian Labor Force 55,523 Unemployment rate 8.2% 5-yr avg. unemployment rate 6.2%	Nursing Homes 9 Licensed beds 825 Residents on Dec.31 629 Residents age 65 or older per 1,000 population 35	Primary Site Total Cases Rate Breast 90 174.2 Cervical 2 3.9 Colorectal 49 48.3 Lung and Bronchus 82 80.9 Prostate 108 217.2 Other sites 287 283.1 Total 618 609.6
Median HH income (2009) \$50,678		Note: Totals for invasive cancers only.
Rank in median HH income (1-72) 18		Rate is per 100,000 population.

			NATA	LITY				
TOTAL LIVE BIRTHS 1,066		Birth Order	Births Percent		Marital Status			
,		First	412	39	of Mother	Births	Percent	
Crude Live Birth Rate	10.5		Second	349	33	Married	727	68
General Fertility Rat		55.7	Third	196		Not married	339	32
donor all ror cliffly mae			Fourth or higher	109	18 10	Unknown	0	0
live hirths with reno	Live births with reported congenital anomalies 7 0.7%		Unknown	0	0	OHRHOWH	J	· ·
congenital anomalies	n ccu	7 0 7%	OHRHOWH	U	O	Education		
congenital anomalies		1 0.1%				of Mother	Births	Percent
Dolivony Type	Dintho	Percent	1st Prenatal Visit	Dintho	Percent	Elementary or les		1
Delivery Type	BTLCHS	Percent						-
Vaginal after	45	4	1st trimester	913	86	Some high school	92	9
previous cesarean	15	1	2nd trimester	97	9	High school	324	30
Forceps	5		3rd trimester	21	2	Some college	308	29
Other vaginal		71	No visits	21 6 29	1	College graduate		30
Primary cesarean	165		Unknown	29	3	Unknown	11	1
Repeat cesarean	124	12						
			Prenatal Visits		Percent	Smoking Status		
Birthweight	Births	Percent	No visits	6	1	of Mother	Births	Percent
<1,500 gm	14	1.3	1 - 4	26	2	Smoker	108	10
1,500-2,499 gm	65	6.1	5-9	425	40	Nonsmoker	957	90
2,500+ gm	985	92.4	10-12	381	36	Unknown	1	<.5
Unknown	2	<.5	13+	209	20			
			Unknown	19	2			
			Low Birthweight			er of First Prenatal		
			(under 2,500 gm)	1st Tr		2nd Trimester		Unknown
Race/Ethnicity			`Births Percent′		Percent	Births Percent	Births	Percent
White	940	88	71 7.6	829	88	67 7	44	5
	340							
Black/Afr.American	17	2	1 5.9	10	59	2 12	5	29
Black/Afr.American American Indian	17 7	2	1 14.3		59 57	2 12		29 43
Black/Afr.American American Indian Hispanic/Latino	17 7	2	1 14.3 3 3.8	10	59 57 68	2 12 22 28	5	29
Hispanic/Latino Asian	17 7	2 1 8 2	1 14.3	10 4	59 57	2 12	5 3	29 43
Hispanic/Latino	17 7 80 22 0	2	1 14.3 3 3.8	10 4 54	59 57 68	2 12 22 28	5 3	29 43
Hispanic/Latino Asian	17 7 80 22	2 1 8 2	1 14.3 3 3.8 3 13.6 	10 4 54	59 57 68 73	2 12 22 28 6 27 	5 3 4	29 43
Hispanic/Latino Asian	17 7 80 22 0	2 1 8 2 0	1 14.3 3 3.8 3 13.6 	10 4 54 16	59 57 68 73 Trimest	2 12 22 28 6 27 er of First Prenata	5 3 4	29 43 5
Hispanic/Latino Asian Other/Unknown	17 7 80 22 0	2 1 8 2	1 14.3 3 3.8 3 13.6 	10 4 54 16	59 57 68 73 Trimest imester	2 12 22 28 6 27 er of First Prenatal 2nd Trimester	5 3 4	29 43 5
Hispanic/Latino Asian Other/Unknown Age of Mother	17 7 80 22 0	2 1 8 2 0	1 14.3 3 3.8 3 13.6 	10 4 54 16	59 57 68 73 Trimest	2 12 22 28 6 27 er of First Prenata	5 3 4	29 43 5
Hispanic/Latino Asian Other/Unknown Age of Mother <15	17 7 80 22 0	2 1 8 2 0 	1 14.3 3 3.8 3 13.6 	10 4 54 16 Births	59 57 68 73 Trimest imester	2 12 22 28 6 27 er of First Prenatal 2nd Trimester	5 3 4	29 43 5
Hispanic/Latino Asian Other/Unknown Age of Mother	17 7 80 22 0 F6 Births	2 1 8 2 0 ertility Rate	1 14.3 3 3.8 3 13.6 	10 4 54 16	59 57 68 73 Trimest imester	2 12 22 28 6 27 er of First Prenatal 2nd Trimester Births Percent	5 3 4	29 43 5
Hispanic/Latino Asian Other/Unknown Age of Mother <15	17 7 80 22 0 Fe Births	2 1 8 2 0 ertility Rate	1 14.3 3 3.8 3 13.6 	10 4 54 16 Births	59 57 68 73 Trimest imester Percent	2 12 22 28 6 27 er of First Prenatal 2nd Trimester Births Percent *	5 3 4	29 43 5
Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19	17 7 80 22 0 Fe Births 1 15 59	2 1 8 2 0 ertility Rate 7	1 14.3 3 3.8 3 13.6 	10 4 54 16	59 57 68 73 Trimest imester Percent	2 12 22 28 6 27 er of First Prenatal 2nd Trimester Births Percent * 4 27 13 22	5 3 4	29 43 5
Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24	17 7 80 22 0 Fe Births 1 15	2 1 8 2 0 ertility Rate 7 41	1 14.3 3 3.8 3 13.6 	10 4 54 16	59 57 68 73 Trimest imester Percent 67 66	2 12 22 28 6 27 er of First Prenatal 2nd Trimester Births Percent * 4 27 13 22 34 14	5 3 4	29 43 5 Unknown Percent
Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	17 7 80 22 0 Fe Births 1 15 59 248 371	2 1 8 2 0 	1 14.3 3 3.8 3 13.6 	10 4 54 16	59 57 68 73 Trimest imester Percent 67 66 79 91	2 12	5 3 4 Visit Other/ Births * 1 7	29 43 5 Unknown Percent 7 12 8 5
Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	17 7 80 22 0 	2 1 8 2 0 ertility Rate 7 41 78 117 92	1 14.3 3 3.8 3 13.6 	10 4 54 16 1st Tr Births * 10 39 195 336 244	59 57 68 73 Trimest imester Percent 67 66 79 91 90	2 12	5 3 4 	29 43 5 Unknown Percent
Hispanic/Latino Asian Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	17 7 80 22 0 Fe Births 1 15 59 248 371 271 82	2 1 8 2 0 	1 14.3 3 3.8 3 13.6 	10 4 54 16 	59 57 68 73 Trimest imester Percent 67 66 79 91 90 87	2 12	5 3 4 	29 43 5 Unknown Percent
Hispanic/Latino Asian Other/Unknown	17 7 80 22 0 	2 1 8 2 0 ertility Rate 7 41 78 117 92	1 14.3 3 3.8 3 13.6 	10 4 54 16 1st Tr Births * 10 39 195 336 244	59 57 68 73 Trimest imester Percent 67 66 79 91 90	2 12	5 3 4 	29 43 5 Unknown Percent
Hispanic/Latino Asian Other/Unknown	17 7 80 22 0 	2 1 8 2 0 Prtility Rate 7 41 78 117 92 28 5	1 14.3 3 3.8 3 13.6 	10 4 54 16 	59 57 68 73 Trimest imester Percent 67 66 79 91 90 87	2 12	5 3 4 	29 43 5 Unknown Percent
Hispanic/Latino Asian Other/Unknown	17 7 80 22 0 	2 1 8 2 0 Prtility Rate 7 41 78 117 92 28 5	1 14.3 3 3.8 3 13.6 	10 4 54 16 	59 57 68 73 Trimest imester Percent 67 66 79 91 90 87 95	2 12	5 3 4 	29 43 5 Unknown Percent

MORRIDITY				MO	RTALITY				
CONFIRMED CASES OF COMMUNICABLE DISEASES (2010)		Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.							
Disease Num Campylobacter Enteritis Giardiasis Hepatitis Type A	ber 50 14 0	TOTAL DEATHS Crude Death Rat	е	902 888	Selected Underlying Cause Heart Disease (total) Ischemic heart disease	205	Rate 202 129		
Hepatitis Type A Hepatitis Type B* Hepatitis NANB/C Legionnaire's	0 0 0	Age 1-4 5-14	Deaths 2		Cancer (total) Trachea/Bronchus/Lung	220 53	216 52		
Lyme Measles N. Meningitis, Meningococcal	5 0	15-19 20-34 35-54	1 13 66		Colorectal Female Breast Cerebrovascular Disease Lower Resp. Disease	e 54 54	39* 53 53		
Meningitis, Bacterial Mumps Pertussis	0 0 <5	55-64 65-74	91 121 241	695	Pneumonia & Influenza Accidents Motor vehicle	16 41	40		
Salmonellosis Shigellosis Tuberculosis	24 <5 <5	75-84 85+ Infant	362	14,196	Diabetes Infect./Parasitic Dis. Suicide	29 9 10	29		
E-Coli,Shiga Toxin-prod.(STEC) Babesiosis Cryptosporidiosis	0 25	Mortality Total Infant Neonatal Postneonatal	Deaths 5 3	Rate	* Based on female popul				
Streptococcus Pneum Invasive All Streptococcal Diseases Blastomycosis	17 9 0	 Infant Mortality b	V	•	ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAUS	SE OF DEAT	ГН		
Haemophilus flu, Invasive Ehrlichiosis/Anaplasmosis Influenza A-Novel	<5 0 0	Race of Mother White Black	5		Alcohol Tobacco Use Other Drugs	11 178 15	175		
Listeriosis * Includes all positive HBsAg	Ö	Hispanic Asian Other/Unknown			MOTOR VEHICLI				
test results.		Infant Mortality b Birthweight		·	Note: These data are ba	ased on lo	ocation		
Chlamydia Trachomatis Gonorrhea Syphilis	196 34 0	<1,500 gm 1,500-2,499 gm	3 1		1				
IMMUNIZATIONS		2,500+ gm Unknown Perinatal			Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation:	675 50	7 1		
Children in Grades K-12 by Compliance Level Compliant 15 Non-compliant Percent Compliant	5.373	Mortality Total Perinatal Neonatal Fetal	Deaths 7 3	Rate	For OWI For Speeding Motorcyclist Bicyclist	52	0 0 1		
Non-compliant Percent Compliant	47 99.7	Fetal	4	•	Bicyclist Pedestrian	29 19	0 1		

					· 2010 HOSP	ITALIZATIONS					
		Per	Average		Charge	1		Per	Average		Charge
DISEASE /		1,000	Stay	Average	Per	DISEASE /		1,000	Stay	Average	Per
AGE GROUP	Number	Р́ор	(Days)		Capita	AGE GROUP	Number	Р́ор	(Days)	Charge	Capita
		·	, ,		•				, ,	· ·	·
Injury-Related						Alcohol-Relate					
Total	729	7.2	4.4	\$31,328	\$225	Total	292	2.9	3.4	\$7,573	\$22
<18	36	1.6	3.4	\$27,461	\$43	18-44	123	3.6	2.8	\$4,634	\$17
18-44	121	3.5	4.1	\$32,323	\$114	45-64	157	5.4	3.9	\$9,781	\$53
45-64	222	7.7	4.9	\$39,699	\$304	Pneumonia and	Influenza			ŕ	
65+	350	23.0	4.2	\$26,071	\$599	Total	292	2.9	4.1	\$17,395	\$50
Injury: Hip	Fracture					<18	30	1.3	3.3	\$15,238	\$20
l Total '	96	0.9	4.5	\$31,312	\$30	45-64	53	1.8	4.5	\$21,948	\$40
65+	83	5.5	4.4	\$30,501	\$166	65+	195	12.8	4.2	\$16,789	\$215
Injury: Pois	oninas			. ,	•	Cerebrovascula	ar Disease			. ,	·
Ťotál	ິ 65	0.6	2.8	\$17,717	\$11	Total	274	2.7	4.0	\$28,266	\$76
18-44	22	0.6		\$11,036	\$7	45-64	70	2.4	3.3	\$28,097	\$68
		0.0		Ψ,σσσ	Ψ.	65+	181	11.9	3.9	\$25,524	\$303
Psychiatric						Asthma			0.0	Ψ 2 0,02.	ΨΟΟΟ
Total	721	7.1	6.6	\$9,746	\$69	Total	36	0.4	3.1	\$11,561	\$4
<18	145	6.3	6.8	\$10,875	\$68	<18	5	0.4	0.1	Ψ11,001	ΨΤ
18-44	359	10.4	6.3	\$8,612	\$90	18-44	6	•	•	•	•
45-64	158	5.5	6.6	\$9,359	\$51	45-64	10	•	•	•	•
65+	59	3.9	8.6	\$14,905	\$58	65+	15	•	•	•	•
031	39	0.9	0.0	Ψ14,900	ΨΟΟ	Other Chronic		o Dulmo	nary Di		•
Coronary Heart	Dicasco					Total	118	1.2		\$16,985	\$20
Total	288	2.8	3.6	\$52,990	\$150	45-64	31	1.1	3.6	\$14,611	\$16
45-64	99	3.4	3.1	\$51,474	\$176	65+	80	5.3	3.9	\$16,539	\$87
65+	174	11.4	4.0		\$630	05+	80	5.5	3.9	\$10,559	φοι
05+	174	11.4	4.0	\$55,157	φυσυ	Drug-Related					
 Malignant Neop	loome (Co	naana) .	۸11			Total	90	0.9	5.1	\$7,625	\$7
	311 عالمعت 311	3.1		¢40 606	\$130	18-44	90 46	1.3	4.4		ъ7 \$8
Total 18-44			6.0	\$42,606		18-44	40	1.3	4.4	\$5,649	ФО
	24	0.7	4.1	\$38,195	\$27	Total Hannita	1:				
45-64	125	4.3	5.9	\$45,447	\$196	Total Hospita		07.4	4.0	# 00 000	ΦO 440
65+	155	10.2	6.1	\$38,490	\$392	Total	9,868	97.1	4.0		\$2,143
Neoplasms: Fo						<18	1,560	67.7	3.5	\$11,013	\$746
Total	20	0.4	1.9	\$21,882	\$8	18-44	2,518	73.2	3.4	\$15,473	\$1,133
Neoplasms: C				* 40	A. =	45-64	2,365	81.6			\$2,425
Total	35	0.3	7.9	\$42,944	\$15	65+	3,425	225.0	4.3	\$26,686	\$6,003
65+	25	1.6	8.1	\$43,230	\$71		DDE\/E\:= : = : =			ON Oak	
Neoplasms: L	ung			400 :	.		PREVENTABLE				
Total	34	0.3	4.5	\$32,160	\$11	Total	1,067	10.5		\$16,611	\$174
						<18	74	3.2	3.2	\$16,801	\$54
Diabetes				**	.	18-44	128	3.7	3.4	\$15,603	\$58
Total	65	0.6	4.2	\$27,490	\$18	45-64	235	8.1	3.9	\$18,010	\$146
65+	23	1.5	4.0	\$28,665	\$43	65+	630	41.4	3.7	\$16,271	\$673
						* Hospitalizatio					
						ambulatory care	can reduce	the lik	elihood	of hospit	talization.