		LOCAL HEALTH DEPARTMENTS
Total 2010 Population 135,590 County population rank (1-72) Population per square mile County rank in population density (1-72)	Community Options and MA Waiver as HSRS reports costs for services Clients Costs COP 19 \$225,064 MA Waiver *	Per 10,000 Staffing - FTE
Population growth 2006-2010 County rank in 5-year population growth (1-72)	CIP1A Develop. disabled CIP1B Develop. disabled	Public health educ.
15-17 2,350 2,590 4,93 18-19 1,540 1,590 3,13 20-24 3,290 3,600 6,83 25-44 13,570 14,190 27,76 45-64 20,070 20,600 40,63 65-84 10,630 10,240 20,83 85+ 2,050 1,000 3,03 Total 64,200 64,970 135,53 Race/ethnicity Female Male Total	COP-W Elderly/phys. disab. adults CLTS Disabled children 194 \$2,298,619 Brain Injury Total COP/Wvrs 213 \$2,523,683 \$73,183 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is	Funding
Total 64,200 64,970 135,59 Poverty Estimates for 09 Estimate (%) (C.I.+/-) All ages	Eligible and Waiting 68 n/a (Family Care data not available)	Pregnant/Postpartum 1,692 Infants 1,037 Children, age 1-4 3,495 Do not speak English 37 Speak English 6,187
by unemployment compensation N/A (place of work)	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.	Primary Site Total Cases Rate Breast 75 .
Labor Force Estimates Average Civilian Labor Force 68,026 Unemployment rate 9.4% 5-yr avg. unemployment rate . % Median HH income (2009) . Rank in median HH income (1-72) .	per 1,000 population 35	Breast 75 . Cervical 7 . Colorectal 90 . Lung and Bronchus 104 . Prostate 76 . Other sites 301 . Total 653 . Note: Totals for invasive cancers only. Rate is per 100,000 population.

			NATA	LITY				
TOTAL LIVE BIRTHS		1,274	Birth Order	Births	Percent	Marital Status		
		,	First	478	38	of Mother	Births	Percent
Crude Live Birth Rate		9.9	Second	404	32	Married	742	58
General Fertility Rat			Third	216	17	Not married	531	42
delier all 1 or clilley mac	•	0111	Fourth or higher	171		Unknown	1	<.5
Live births with repo	rted		Unknown	5	<.5	OTTATIONT!	•	.10
congenital anomalies	2	23 1.8%	OHKHOWH	5	`.0	Education		
Congenital anomalies	2	1.0%				of Mother	Births	Percent
Dolivony Typo	Dintho	Percent	1st Prenatal Visit	Dintho	Percent	Elementary or les		<.5
Delivery Type	BTLCHS	Percent						
Vaginal after previous cesarean	0.4	0	1st trimester	1,052	83	Some high school	121	9
	24	2	2nd trimester	170	13	High school	379	30
Forceps	4	<.5	3rd trimester	22	2	Some college	434	34
Other vaginal	839	66	No visits	12 18	13 2 1 1	College graduate		25
Primary cesarean		17	Unknown	18	1	Unknown	16	1
Repeat cesarean	190	15						
			Prenatal Visits	Births	Percent	Smoking Status		
Birthweight	Births	Percent	No visits	12	1	of Mother	Births	Percent
<1,500 gm	15	1.2	1 - 4	27	2	Smoker	288	23
1,500-2,499 gm	71	5.6	5-9	260	20	Nonsmoker	958	75
2,500+ gm	1,188	93.2	10-12	505	40	Unknown	28	2
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	´ 0	0	13+	448	35			
			Unknown	22	2			
			Low Birthweight			er of First Prenatal		
			(under 2,500 gm)		imester	2nd Trimester		Unknown
Race/Ethnicity	Births F	Percent	`Births Percent'	Births	Percent	Births Percent	Births	Percent
White	1,054	83	70 6.6	888	84	132 13	34	3
Black/Afr.American	¹ 14	1	1 7.1	7	50	4 29	3	21
American Indian	161	13	11 6.8	121	75		13	8
Hispanic/Latino	35	3	3 8.6	27	77	6 17	2	6
Asian	10	1	1 10.0	9	90	1 10	_	
white Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	0	Ò					_	
			Low Birthweight		Trimeste	er of First Prenatal	Visit	
	Fe	ertility	(under 2,500 gm)	1st Tr	imester	2nd Trimester	Other/	Unknown
Age of Mother		Rate	`Births Percent'		Percent			Percent
<15	0				- · · · · · · · · · · · · · · · · · · ·		*	-
15-17	27	11	i 3.7	20	74	5 19	_	
18-19	82	53	7 8.5	67	82	9 11	•	•
20-24	344	105	25 7.3	269	78	56 16	•	•
25-29	417	122	27 6.5	356	85	51 12	•	•
30-34	278	87	16 5.8	239	86	28 10	•	•
35-39	101	31	7 6.9	23 <i>9</i> 87	86	12 12	•	•
40+	25	7	3 12.0	14	56	9 36	•	•
Unknown	20		3 12.0	14	30	9 00	*	•
Olikilowii	U	- -		•	•			•
Teenage Births	109	28	* Not renor	ted if a	de or race d	ategory has fewer t	han 5 hir	the
								LIIO.

MORBIDITY			MOI	RTALITY					
	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births.								
CONFIRMED CASES OF	Perinatal and fetal death rates are per 1,000 live births plus								
CONFIRMED CASES OF COMMUNICABLE DISEASES (2010)	fetal deaths. Rates are not calculated for fewer than 20 deaths.								
COMMUNICABLE DISEASES (2010)	Tetal deaths	. nates a	ale not car	Culated for rewer than 2	o deaths.				
Disease Number Campylobacter Enteritis 22 Giardiasis 22	TOTAL DEATHS Crude Death Rat		1.320	Selected					
Campylobacter Enteritis 22	Crude Death Rat	te	1,022	Underlying Cause	Deaths	Rate			
Giardiasis 22			.,	Heart Disease (total)	309	239			
Hepatitis Type A 0	i			Ischemic heart diseas		159			
Hepatitis Type B* 5	Age	Deaths	Rato			277			
Hepatitis NANB/C 57	1-4	2	nace	Cancer (total) Trachea/Bronchus/Lung	106	82			
Legionnaire's 0	5 14	3	•	Colorectal	37				
	1-4 5-14 15-19 20-34 35-54 55-64	_		Colorectal Female Breast	01	29 37*			
Lyme 205	15-19	5		Canabasysassilan Diagon	24	57**			
Measles 0	20-34	23	114	Cerebrovascular Diseas	e 64				
N. Meningitis, Meningococcal <5	35-54	110	313	Lower Resp. Disease	67	52			
Meningitis, Bacterial <5	1 33-04	164	823	Lower Resp. Disease Pneumonia & Influenza	33	26			
Mumps 0	65-74	244	1,027	Accidents	57	44			
N. Meningitis, Meningococcal <5 Meningitis, Bacterial <5 Mumps 0 Pertussis <5	65-74 75-84	334		Motor vehicle	22	17			
Salmonellosis <5	85+	434	14,234	Diabetes	62	48			
Shigellosis <5				Diapetes Infect./Parasitic Dis.	16				
Tuberculosis 0	Infant			Suicide	20	15			
E-Coli,Shiga Toxin-prod.(STEC) <5	Mortality	Deaths	Rate						
Babesiósis <5	Total Infant	1		* Based on female popu	lation.				
Cryptosporidiosis 10	Mortality Total Infant Neonatal	1		' '					
Streptococcus Pneum Invasive 15	Postneonatal			ALCOHOL AND DRUG ABUSE	AS UNDER	LYING			
All Streptococcal Diseases 9		-	-	OR CONTRIBUTING CAU					
1 53 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Infant Mortality k	ov							
Haemonhilus flu. Invasive <5	Infant Mortality & Race of Mother White	- ,		Alcohol	35	27			
Fhrlichiosis/Anaplasmosis 17	White	1		Tobacco Use	252	186			
Ehrlichiosis/Anaplasmosis 17 Influenza A-Novel 0	Rlack	•	•	Alcohol Tobacco Use Other Drugs	- 6				
Listeriosis <5	Hispanic	•	•	l other brugo	J	•			
L13(6) 10313	Acian	•	•						
* Includes all positive HBsAg	Black Hispanic Asian Other/Unknown	•	•	MOTOR VEHICL	E CDV6HE6				
test results.	Other / Ohknown	•	•	WOTOR VEHICL	L UNAGIILO				
test results.	Infant Mortality k	3 1/		 Note: These data are b	I no hase	ocation			
Sexually Transmitted Disease	Birthweight	Эу		of crash, not o					
Chlomydia Trachometic 104	1 500 cm			or crash, not o	II LESTUCIII	ce.			
Chlamydia Trachomatis 194 Gonorrhea 6	1,500 giii		•	Type of Motor	Donoono	Donoono			
	1,500-2,499 giii	;	•	Type of Motor	Persons i	Persons			
Syphilis 0	<1,500 gm 1,500-2,499 gm 2,500+ gm	1	•	venicie Crash	injured	Kiiied			
T. W. W. T. T. T. T. O. V. O.	Unknown		•	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	/6/	19			
IMMUNIZATIONS				ATCOUOT-RETATED	104	7			
	Perinatal	5	5 .	With Citation:	o :				
Children in Grades K-12 by	Mortality	Death <u>s</u>	Rate	For OMI	91	0			
Compliance Level	Total Perinatal	7	•	For Speeding	51	2			
Compliant 18,779	Neonatal	1		Motorcyclist	54	4			
Non-compliant 1,027	Fetal	6		Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	13	0			
Children in Grades K-12 by Compliance Level Compliant 18,779 Non-compliant 1,027 Percent Compliant 94.8				Pedestrian	20	1			

		Per	Average		Charge				Average		Charge
DISEASE /		1,000	Stay	Average	Per	DISEASE /		1,000	Stay	Average	Per
AGE GROUP	Number	Рор	(Days)	Charge	Capita	AGE GROUP	Number	Рор	(Days)	Charge	Capita
njury-Related:	: All					Alcohol-Related	b				
Ťotál	501	3.9	3.7	\$20,286	\$79	l Total	291	2.3	3.8	\$8,198	\$18
<18	18					18-44	148	3.9	3.3	\$6,361	\$25
18-44	73	1.9	2.5	\$14,992	\$29	45-64	122	3.0	4.0	\$9,145	\$27
45-64	129	3.2	3.6		\$78	Pneumonia and 1				. ,	•
65+	281	11.7	4.2	\$19,791	\$232	Total	405	3.1	3.8	\$11,472	\$36
Injury: Hip F				+,	+	<18	42	1.6	2.5	\$9,523	\$15
Total	81	0.6	4.9	\$24,260	\$15	45-64	78	1.9	3.8		\$29
65+	71	3.0	5.0	\$24,163	\$72	65+	270	11.3	4.1	\$10,774	\$122
Injury: Poiso		0.0	0.0	Ψ21,100	Ψ1 =	Cerebrovascular				φισήττι	Ψ
Total	39	0.3	1.9	\$8,535	\$3	Total	170	1.3	3.4	\$14,796	\$19
18-44	22	0.6	2.1	\$8,430	\$ 5	45-64	38	0.9	2.7	\$17,454	\$16
10 44		0.0	2	φο, που	ΨΟ	65+	128	5.4	3.6	\$13,221	\$71
sychiatric						Asthma	120	0.7	0.0	Ψ10,221	ΨΙΙ
Total	489	3.8	4.8	\$7,791	\$29	Total	66	0.5	2.5	\$7,052	\$4
<18	57	2.1	3.5	\$5,905	\$13	<18	15			•	
18-44	247	6.5	3.9	\$6,341	\$41	18-44	9	:	•	•	•
45-64	115	2.8	6.3	\$9,713	\$27	45-64	21	0.5	2.6	\$9,261	\$5
65+	70	2.9	6.7	\$11,285	\$33	65+	21	0.9	3.0	\$6,682	\$6
001	70	2.3	0.7	Ψ11,200	ΨΟΟ	Other Chronic (ΨΟ
Coronary Heart	Dicasca					Total	248	1.9	3.3	\$8,649	\$17
Total	230	1.8	3 2	\$31,336	\$56	45-64	76	1.9	3.6	\$9,367	\$18
45-64	52 52	1.3	2.2	\$31,539	\$40	65+	70 171	7.1	3.1	\$8,215	\$59
65+	173	7.2	3.5		\$226	051	171	/ • 1	0.1	Ψ0,213	φυσ
05+	173	1.2	3.5	\$31,223	ΦΖΖ Ο	Drug-Related					
Malignant Neopl	acme (Car	200nc):	۸11			Total	110	0.9	4.4	\$7,056	\$6
Total	236 (Lasiiis	1.8	A11	\$26,937	\$49	18-44	77	2.0	4.4	\$6,226	эо \$13
18-44	230	1.0	4.7	φ20,93 <i>1</i>	Φ49	10-44	7.7	2.0	4.1	φ0,220	φισ
45-64	86	2.1	4.5	\$29,173	\$62	Total Hospitali	izations				
65+	141	5.9		\$25,659	\$151	Total '	8,175	63.3	3.4	\$13,985	\$885
Neoplasms: Fe						<18	984	36.7	2.4	\$5,256	\$193
Total	20	0.3	1.4	\$18,170	\$6	18-44	1,788	47.3	2.8	\$10,415	\$493
Neoplasms: Co				,	+ =	45-64	1,827	44.9		\$18,941	\$851
Total	37	0.3	5.6	\$25,556	\$7	65+	3,576	149.5	3.8	\$15,640	\$2,338
65+	24	1.0	5.5		\$22		-,			+ ,	,
Neoplasms: Lu			3.0	,o.o	+- -	PF	REVENTARI F	HOSPIT	TALTZATTO	ONS*	
Total	19	_	_	_		Total	1,550	12.0	3.4		\$122
IOCUL	.0	•	•	•	•	<18	64	2.4	1.8	\$5,820	\$14
)iabetes						18-44	130	3.4		\$8,209	\$28
Total	120	0.9	3.5	\$13,118	\$12	45-64	355	8.7		\$13,877	\$121
65+	42	1.8	4.1	\$13,528	\$24	65+	1,001	41.8	3.6	\$9,404	\$394
001	42	1.0	4.1	Ψ10,020	ΨΔΉ	* Hospitalizations	for cond	itione		imelv and	
							s iui cuila	TITOLIS	WITELE L.	тисту ани	alizat: