PAGE 1

LONG-TERM CARE	_
Community Options and MA Waiver as HSRS reports costs for services Clients Costs COP 4 \$25,234 MA Waiver * CIP1A Develop. disabled CIP1B Develop. disabled	Staffing - FTE Number Portotal FTEs 9.3 Administrative 1.0 Public health nurses 5.1 Oral health prof Envir. health prof. 0.1 Public health educ Nutritionist . Other prof. staff 1.1
CIP2 Elderly/phys. disab. adults	Technical/paraprof. 0.0 Support staff 2.0
COP-W Elderly/phys. disab. adults CLTS Disabled children 22 \$199,280 Brain Injury Total COP/Wvrs 26 \$224,513 \$0 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs. * Waiver costs reported here include federal funding. Clients Costs Eligible and Waiting 20 n/a Family Care 280 \$7,791,014 Note: In 2010 this county operated under the Family Care waiver. Eligible and waiting clients are phased into Family Care. Hence, clients can incur costs for both COP/waivers and Family Care.	Funding \$680,503 Local Taxes \$319,656 LICENSED ESTABLISHMENTS Type Fac Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools Restaurants Body Art WIC PARTICIPANTS Pregnant/Postpartum Infants Children, age 1-4 Do not speak English Speak English TotalNEW CASES OF CANCER IN 2006 Primary Site Total Cases
Nursing Homes 3 Licensed beds 247 Residents on Dec.31 221 Residents age 65 or older per 1,000 population 40	Breast 21 Cervical 0 Colorectal 8 Lung and Bronchus 25 Prostate 37 Other sites 93 Total 184 Note: Totals for invasive cancers Rate is per 100,000 population.

	LOCAL HEALTH DEPARTMENTS
	Staffing - FTE Number Total FTEs 9.3 3.1 Administrative 1.0 0.3 Public health nurses 5.1 1.7 Oral health prof Envir. health prof. 0.1 0.0 Public health educ Nutritionist Other prof. staff 1.1 0.4 Technical/paraprof. 0.0 0.0 Support staff 2.0 0.7
	Funding Per capita Total \$680,503 \$22.70 Local Taxes \$319,656 \$10.66 LICENSED ESTABLISHMENTS Type Facilities Bed & Breakfast 12
s	Camps 21 Hotels, Motels 17 Tourist Rooming 18 Pools 13 Restaurants 83
	Body Art . WIC PARTICIPANTS Number
4	Pregnant/Postpartum 287 Infants 179 Children, age 1-4 617
4	Do not speak English 35 Speak English 1,048
	Total 1,083
	Primary Site Total Cases Rate Breast 21 139.9 Cervical 0 0.0 Colorectal 8 26.9 Lung and Bronchus 25 84.2 Prostate 37 251.9 Other sites 93 313.2 Total 184 619.6 Note: Totals for invasive cancers only.

			NATA	ALTTY				
TOTAL LIVE BIRTHS		399	Birth Order First	Births 118	Percent 30	Marital Status of Mother	Births	Percent
Crude Live Birth Rate		13.4	Second	96	24	Married	333	83
General Fertility Rat	е	83.7	Third	78	20	Not married	66	17
			Fourth or higher	107	27	Unknown	0	0
Live births with repo congenital anomalies	rted		Unknown	0	0			
congenital anomalies		4 1.0%				Education		
						of Mother	Births	Percent
Delivery Type	Births	Percent	1st Prenatal Visit		Percent	Elementary or les	ss 130	33
Vaginal after			1st trimester	237	59	Some high school		6
_previous cesarean	12	3	2nd trimester	85	21	High school	83	21
Forceps Other vaginal Primary cesarean	0	0	2nd trimester 3rd trimester No visits Unknown	58	15	Some college	83 87	22
Other vaginal	318	80	No visits	7	2	College graduate	72	18
Primary cesarean	39	10	Unknown	12	3	Unknown	3	1
Repeat cesarean	30	8						
			Prenatal Visits	Births	Percent	Smoking Status		
Birthweight	Births	Percent	No visits	7	2	of Mother	Births	Percent
<1,500 gm	2	0.5	1-4	103	26	Smoker	50	13
1,500-2,499 gm	16	4.0	5-9	58	15	Nonsmoker	349	87
2,500+ gm	381	95.5	10-12	115	29	Unknown	0	0
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	0	0	13+	104	26			
			Unknown	12	3			
			Low Birthweight	4	Irımest	er of First Prenata	l Visit	,, , ,
Dana (Ethariaitus			(under 2,500 gm)	1ST Ir	imester	2nd Irimester	Otner/	Unknown
Race/Ethnicity	Births F	ercent	`Births Percent	Births	Percent	Births Percent 82 21	Births	Percent
White	382	96	17 4.5	225 *	59	82 21 *	75 *	20
Black/ATr.American	1	<.5	^ ·	*	•	^ •	^	•
American Indian	1	<.5	·				^	
Hispanic/Latino	9	2		5	56	3 33]	11
White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown	6	2		5	83		1	17
Uther/Unknown	U	U		•	•		•	•
			Low Birthweight		Trimast	er of First Prenata	 1 Vieit	
	Fe	rtility	(under 2,500 gm)	1st Tr		2nd Trimester		'Unknown
Age of Mother	Births	Rate	Births Percent			Births Percent		Percent
<15	0			DII CIIO	1 CI OCIIC		DII CIIO	1 CI OCIIC
15-17	ĭ	2	* -	*	•	*	*	
18-19	14	42		9	64	5 36		•
20-24	92	147	7 7.6	52	57	25 27	15	16
25-29	138	180	5 3.6	87	63	29 21	22	16
30-34	95	132	4 4.2	60	63	10 11	25	26
35-39	43	54	2 4.7	24	56	10 23	9	21
40+	16	18		4	25	6 38	6	38
Unknown	0		: : !					
	•		.	•	•	•	•	•
Teenage Births	15	15	* Not repor	rted if a	ge or race	category has fewer	than 5 bir	rths.

MORBIDITY				MOF	RTALITY		
CONFIRMED CASES OF COMMUNICABLE DISEASES (2010)		Note: Death rates (neonatal, and Perinatal and	except ir postneor fetal de	nfant) are p natal death eath rates a	per 100,000 population. rates are per 1,000 live are per 1,000 live births culated for fewer than 20	Infant, births. plus	
Campylobacter Enteritis Giardiasis	nber <5 <5	TOTAL DEATHS Crude Death Rat	e	270 907	Selected Underlying Cause Heart Disease (total)	58	Rate 195
Hepatitis Type A Hepatitis Type B* Hepatitis NANB/C	0 0 <5	Age 1 - 4	Deaths	Rate	Ischemic heart diseáse Cancer (total) Trachea/Bronchus/Lung	63	101 212
Legionnaire's	0 25	5-14 15-19	3	:	Colorectal Female Breast	2 6	.*
Méasles N. Meningitis, Meningococcal	0	20-34 35-54	5 21	261	Cerebrovascular Disease Lower Resp. Disease	e 21 13	71
Meningitis, Bacterial Mumps Pertussis	0 0 <5	55-64 65-74 75-84	25 46 71	629 1,820 4,219	Pneumonia & Influenza Accidents Motor vehicle	11	
Salmonellosis Shigellosis	20	85+	96	12,783	Diabetes Infect./Parasitic Dis.	2	
Tuberculosis E-Coli,Shiga Toxin-prod.(STEC)	0	Infant Mortality Total Infant	Deaths	Rate	Suicide	6	•
Babesiosis Cryptosporidiosis	9	Neonatal	2		* Based on female popul		
Streptococcus Pneum Invasive All Streptococcal Diseases Blastomycosis	0 0 0	Postneonatal		•	ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAUS		
Haemophilus flu, Invasive Ehrlichiosis/Anaplasmosis	0 6	Infant Mortality b Race of Mother White	з	_	Alcohol Tobacco Use	5 50	168
Influenza A-Novel Listeriosis	0 <5	Black Hispanic			Other Drugs	6	
* Includes all positive HBsAg		Asian Other/Unknown			MOTOR VEHICLE	CRASHES	
test results. Sexually Transmitted Disease	_	Infant Mortality b Birthweight	•		Note: These data are based on location of crash, not on residence.		
Chlamydia Trachomatis Gonorrhea Syphilis	7 0 0	<1,500 gm 1,500-2,499 gm 2,500+ gm	1 2	•	Type of Motor Vehicle Crash	Persons P Injured	
IMMUNIZATIONS		Unknown Perinatal	•	•	Total Crashes Alcohol-Related With Citation:	167 18	5 2
Children in Grades K-12 by Compliance Level		Montality	Deaths 4	Rate	For OWI	14 4	0
Compliant 4	46 46	Total Perinatal Neonatal Fetal	2		Motorcyclist Bicyclist	1	1 0
Percent Compliant	98.9				Pedéstrian	2	0

		Per	Average		Charge	ITALIZATIONS 		Per	Average		Charge
DISEASE /		1,000	Stav	Average	Per	DISEASE /		1,000	Stav	Average	Per
	Number	Р́ор	(Days)	Charge	Capita	AGE GRÓUP	Number	Р́ор	(Days)		Capita
Injury-Related: /	Δ11					Alcohol-Relate	ed				
Total	244	8.2	4.2	\$31,229	\$256	Total	56	1.9	6.3	\$12,668	\$24
<18	13	0.2		Ψ01,220	ΨΕσσ	18-44	19		0.0	Ψ12,000	Ψ= 1
18-44	56	6.8	4.0	\$29,031	\$197	45-64	32	3.7	6.7	\$11,247	\$41
45-64	67	7.7		\$35,548	\$274	Pneumonia and		017	017	Ψ11,217	ΨΠ
65+	108	21.8	4.5	\$30,994	\$675	Total	141	4.7	3.5	\$11,921	\$56
Injury: Hip Fra		21.0	7.0	φου,σστ	ΨΟΙΟ	<18	6	7.7	0.0	Ψ11,521	ΨΟΟ
Total	42	1.4	4.0	\$32,885	\$46	45-64	23	2.6	2.7	\$10,232	\$27
65+	40	8.1	4.1	\$33,319	\$269	65+	107	21.6	3.7	\$11,640	\$251
Injury: Poison:		0.1	4.1	φυυ, υτσ	Ψ209	Cerebrovascula		21.0	5.7	φ11,040	Ψ231
Total	111ys 25	0.8	4.7	\$19,966	\$17	Total	ai Disease 67	2.3	3.6	\$21,278	\$48
18-44	14		4.7	\$19,900		45-64		2.5	3.0	φ ∠ 1, ∠ 10	Ψ40
18-44	14	•	•	•	•	45-64 65+	12 55	11.1	2.4	\$19,686	\$218
							33	11.1	3.4	\$19,000	φ∠10
Psychiatric	400	4.4	7.0	Φ40 7 00	004	Asthma	4.4				
Total	132	4.4	7.2	\$13,729	\$61	Total	14	•	•		
<18	13	٠			•	<18	0	•	•	•	•
18-44	78	9.5	7.1	\$12,764	\$121	18-44	3	•	•	•	•
45-64	33	3.8	6.7	\$15,246	\$58	45-64	5	•	•	•	
65+	8	•		•	•	65+	6	_ :	•	•	
	_					Other Chronic			nary Di	sease	
Co <u>r</u> onary Heart D:				.		Total	28	0.9	2.8	\$11,040	\$10
Total	115	3.9	3.2	\$41,187	\$159	45-64	8	•			:
45-64	39	4.5	3.3	\$50,188	\$225	65+	20	4.0	2.7	\$9,591	\$39
65+	71	14.3	3.3	\$36,814	\$527						
						Drug-Related					
Malignant Neoplas	sms (Ca					Total	18	•			
Total	98	3.3	4.6	\$37,967	\$125	18-44	15		•		
18-44	3										
45-64	42	4.8	3.2	\$31,086	\$150	Total Hospital	lizations				
65+	51	10.3	5.7	\$43,007	\$442	l Total '	2,973	99.9	3.7	\$21,867	\$2,184
Neoplasms: Fema	ale Bre	ast (ra	tes for	femále po	opulation)	<18	404	51.3	3.1	\$11,235	\$576
Total	6					18-44	649	78.7	3.4		\$1,299
Neoplasms: Colo	o-recta	1				45-64	711	81.9			\$2,300
Total	8			_		65+	1,209	243.7	3.9		\$6,002
65+	5		-	-	-		.,_50			, _ · , ·	,-J -
Neoplasms: Lung		•	•	•	•		PREVENTABLE	HOSPTT	AI TZATTO	ONS*	
Total	12					Total	380	12.8		\$16,502	\$211
IUCUI	12	•	•	•	•	<18	8	1.0		\$10,502	\$11
Diabetes						18-44	28	3.4	10.1	\$58,538	\$199
Total	24	0.8	3.7	\$16,823	\$14	45-64	78	9.0	3.5	\$15,953	\$143
65+	7	0.0	5.7	ψιυ, υζυ	ΨΙΉ	45-04 65+	266	53.6	3.5	\$12,419	\$666
UU⊤	1	•	•	•	•	* Wooni+olizo+io	oo for oord	0.00 i+iono	whore +	ψ12,419	offoot:
						* Hospitalization ambulatory care	us ron cond	+60 141	where t.	of boonit	
						l ampuratory care (can reduce	THE TIP	ETTI1000	or nosbro	.aıızal