2010 PROFILE FOR WAUSHARA COUNTY

First of four pages

| POPULATION ESTIMATES | LONG-TERM CARE | |
|--|--|---|
| Total 2010 Population 24,5 County population rank (1-72) Population per square mile County rank in population density (1-72) | 500 Community Options and MA Waiver 47 as HSRS reports costs for services 39 | Per 10,000Staffing - FTENumberPopulationTotal FTEs14.05.5Administrative1.00.4Public health nurses5.92.3Oral health prof.0.00.0Envir. health prof.3.21.2Public health educNutritionistOther prof. staffTechnical/paraprofSupport staff4.01.6 |
| density (1-72) | 40 COP 3 \$57,796 | Oral health prof. 0.0 0.0 |
| Population growth 2006-2010 -5 County rank in 5-year | 586 CIP1A Develop. disabled | Public health educ |
| County rank in 5-year population growth (1-72) | 49 CIP1B Develop. disabled | Other prof. staff |
| Age Female Male Tot | tal CIP2 Elderly/phys. disab. adults . ,930 | Support staff 4.0 1.6 |
| 15-17 420 490 18-19 220 300 | 910 COP-W Elderly/phys. disab. adults | Funding Per capita |
| 20-24 450 570 1 25-44 2 340 3 050 5 | 020 CLTS Disabled children | FundingPer capitaTotal\$1,127,084\$44.13Local Taxes\$509,047\$19.93 LICENSED ESTABLISHMENTS |
| 45-64 3,700 4,150 7 65-84 2,170 2,150 4 | | Type Facilities |
| 85+ 370 190 | 570 ,500 \$12,396 of the above waiver costs | Camps 24 Hotels, Motels 23 |
| Race/ethnicity Female Male Tota | were paid as local match/overmatch al using COP funds. This amount is | Tourist Rooming 41 Pools 10 |
| White 10,780 11,690 22 Afr.Amer. 40 450 | ,460 not included in above COP costs. 490 | Restaurants 96 Body Art 1 |
| Amer. Ind. 50 60 Hispanic 680 650 1 | 110 * Waiver costs reported here ,330 include federal funding. | Number |
| Asian 60 40 Total 11,600 12,890 24 | 400101 Included in above COP costs.490110110* Waiver costs reported here,330include federal funding.100Clients500Eligible andWaiting3Family Care236\$7,586,309 | Pregnant/Postpartum 233 Infants 180 |
| Poverty Estimates for 2009 | Family Care 236 \$7,586,309 | Do not oppoly English |
| $\begin{array}{c} \text{LStimate (%)} & (0.11.7) \\ \text{All ages} & 14.7\% & (2.7\%) \end{array}$ | Note: In 2010 this county operated | Do not speak English 130 Speak English 709 |
| Ages 0-17 23.3% (4.3%) | Eligible and waiting clients are | Total 839 |
| Average wage for jobs covered by unemployment compensation \$27,684 (place of work) | under the Family Care waiver. Eligible and waiting clients are phased into Family Care. Hence, clients can incur costs for both COP/waivers and Family Care. | NEW CASES OF CANCER IN 2008Primary SiteTotal CasesRateBreast19158.6Cervical18.3Colorectal1663.4Lung and Bronchus2079.2Prostate14105.5Other sites62245.5Total132522.8 |
| Δηριμα | l e Nursing Homes 1 | Cervical 1 8.3 Colorectal 16 63.4 |
| Labor Force EstimatesAverageCivilian Labor Force12,636Unemployment rate10.05-yr avg. unemployment rate7.4 | 6 Licensed beds 59 0% Residents on Dec.31 40 | Lung and Bronchus 20 79.2 Prostate 14 105.5 |
| | 1Image: Nursing Homes16Licensed beds590%Residents on Dec.31404%Residents age 65 or older1per 1,000 population9 | Other sites 62 245.5 Total 132 522.8 |
| Median HH income (2009) \$43,844 Rank in median HH income (1-72) 45 | | Data is non 100 000 nonulation |

2010 PROFILE FOR WAUSHARA COUNTY

Second of four pages

| | | | NAT | ALITY | | | | |
|---|------------|------------------------|---|-----------|---------------|--|------------|---------|
| TOTAL LIVE BIRTHS | | 232 | Birth Order | Births | Percent | Marital Status | | |
| | | | First Second Third Fourth or higher Unknown | 94 | 41 | of Mother | Births | Percent |
| Crude Live Birth Rate | | 9.5 | Second | 51 | 22 | Married | 157 | 68 |
| General Fertility Rat | | | Third | 44 | 19 | Not married | 75 | 32 |
| | - | | Fourth or higher | 43 | 19 | Unknown | 0 | 0 |
| live hirths with reno | rted | | Unknown | 0 | 0 | ommount | Ũ | Ũ |
| Live births with repo congenital anomalies | | 1 1 7% | Onknown | 0 | 0 | Education | | |
| | | 4 1.7% | | | | of Mother | Births | Percent |
| Delivery Type | Dintho | Donoont | 1st Prenatal Visit | Dintho | Donoont | | | 12 |
| | | | | | | Elementary or le | 28 28 | 12 |
| Vaginal after | • | | 1st trimester | | | Some nign school | . 36 | 16 |
| Vaginal after previous cesarean Forceps Other vaginal Primary cesarean | 3 | 1 | 2nd trimester 3rd trimester No visits Unknown | 46 | 20 | Some high school High school Some college College graduate Unknown | 80 | 34 |
| Forceps | 2 | 1 | 3rd trimester | 5 | 2 | Some college | 59 | 25 |
| Other vaginal | 176 | 76 | No visits | 1 | <.5 | College graduate | e 29 | 13 |
| Primary cesarean | 35 | 15 | Unknown | 2 | 1 | Unknown | | |
| Repeat cesarean | 16 | 7 | | | | | | |
| | | | Prenatal Visits | Births | Percent | Smoking Status | | |
| Birthweight | Births | Percent | No visits | 1 | | of Mother | Births | Percent |
| <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown | 0 | 0.0 | 1-4 | | | Smoker | 48 | 21 |
| 1 500-2 499 cm | 10 | 43 | 5-9 | 57 | 25 | | | |
| 2 500+ am | 222 | 95.7 | 10-12 | 0/ | 2 25 41 | Nonsmoker Unknown | 182 2 | 1 |
| | 222 | 35.7 | 13+ | 73 | 31 | OIIKIIOWII | 2 | 1 |
| | 0 | 0 | Unknown | 3 | 1 | | | |
| | | | UNKNOWN | 3 | I | | | |
| | | | Low Birthweight | | Trimost | er of First Prenata | l Vicit | |
| | | | Low Birthweight (under 2,500 gm) Births Percent | 1 a+ Tp | imooton | 2nd Trimester | | Unknown |
| Deee (Etheriaity | Dintha D |) ~ ~ ~ ~ + | (under 2,500 gm) | | Percent | Births Percent | | |
| Race/Ethnicity | BILLING F | rencent | BILLINS PERCENT | BILLINS | Percent | BILLIS Percent | | Percent |
| White | 188 | 81 | 7 3.7 | 148 | 79 | 35 19 | 5 | 3 |
| Black/Atr.American | 0 | 0 | | • | • | • • | • | • |
| American Indian | 1 | <.5 | * . | * | • | * . | * | • |
| Hispanic/Latino | 40 | 17 | 3 7.5 | 27 | | 10 25 | 3 | 8 |
| Asian | 3 | 1 | * . | * | | * . | * | . |
| White Black/Afr.American American Indian Hispanic/Latino Asian Other/Unknown | 0 | 0 | | | | | | . |
| | | | | | | | | |
| | | | Low Birthweight (under 2,500 gm) | | Trimest | er of First Prenata | al Visit | |
| | Fe | ertility | (under 2,500 gm) | 1st Tr | imester | 2nd Trimester | Other/ | Unknown |
| Age of Mother | Births | Rate | `Births Percent´ | Births | Percent | Births Percent | Births | Percent |
| ັ <15 | 0 | | | - | | | - | . |
| 15-17 | 7 | 17 | | 4 | 57 | 3 43 | | - |
| 18-19 | 24 | 112 | 1 4.2 | | | 6 25 | • | • |
| 20-24 | 67 | 149 | 3 4.5 | 5/ | 75 81 | 11 16 | • • | 3 |
| 20-24 | 72 | 137 | 3 4.2 | 58 | 81 | 12 17 | 2 2 | 3 |
| 30-34 | 31 | 57 | 3 9.7 | 24 | 77 | 6 19 | 2 | 3 |
| | | | | | | | | |
| 35-39 | 23 | 39 | | 16 | 70 | | 2 | 9 |
| 40+ | 8 | 12 | | 4 | 50 | 3 38 | 1 | 13 |
| Unknown | 0 | | • • | • | • | | • | |
| | e 4 | 46 | . . . | | | | | |
| Teenage Births | 31 | 49 | * Not repo | rted if a | ge or race | category has fewer | than 5 bir | ths. |
| | | | | | | | | |

2010 PROFILE FOR WAUSHARA COUNTY

Third of four pages

| MORBIDITY | | | | MO | RTAI TTY | | | | |
|---|-------------------|---|--------|--------------|---|-------------|-------------|--|--|
| CONFIRMED CASES OF COMMUNICABLE DISEASES (2010) | | Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. | | | | | | | |
| Campylobacter Enteritis | lumber 12 0 | TOTAL DEATHS Crude Death Ra | ite | 259 1,057 | Selected Underlying Cause | Deaths | Rate 314 | | |
| Giardiasis Hepatitis Type A | 0 | | | | Heart Disease (total) Ischemic heart diseas | se 52 | | | |
| Hepatitis Type B* | <5 | Age | Deaths | Rate | Cancer (total) | 78 | | | |
| Hepatitis NANB/C | 15 | 1-4 | | | Cancer (total) Trachea/Bronchus/Lung | a 29 | | | |
| Legionnaire's | 0 | 5-14 | | | Colorectal | , <u> </u> | | | |
| Lyme | 38 | 15-19 | | | Colorectal Female Breast | 1 | .* | | |
| Méasles | 0 | 20-34 | 4 | | Cerebrovascular Diseas | se 6 | . | | |
| N. Meningitis, Meningococcal | 0 | 35-54 | 28 | | Lower Resp. Disease Pneumonia & Influenza | 11 | . | | |
| Meningitis, Bacterial | 0 | 55-64 | 38 | 1,014 | | 7 | . | | |
| Mumps | 0 | 65-74 | 63 | 2,343 | Accidents | 9 | • | | |
| Pertussis | 0 | 75-84 | 55 | 3,380 | Motor vehicle | 6 5 | • | | |
| Salmonellosis | <5 0 | 85+ | 71 | 12,522 | Diabetes | 5 . 3 | • | | |
| Shigellosis Tuberculosis | 0 <5 | Infant | | | Infect./Parasitic Dis. Suicide | . 3 6 | • | | |
| E-Coli,Shiga Toxin-prod.(STEC) | | Mortality Total Infant | Doothe | Rate | Surcrue | 0 | • | | |
| Babesiosis | 0 | Total Infant | Deaths | | * Based on female popu | ulation. | | | |
| Cryptosporidiosis | <5 | Neonatal | | : | | | | | |
| Streptococcus Pneum Invasive | <5 | Postneonatal | | | ALCOHOL AND DRUG ABUSE | E AS UNDER | | | |
| All Streptococcal Diseases | 0 | | | | OR CONTRIBUTING CAU | | | | |
| Blastomycosis | 0 | Infant Mortality | | | | | | | |
| Haemophilus flu, Invasive | 0 | Race of Mother | - | | Alcohol | 7 | . | | |
| Ehrlichiosis/Anaplasmosis | <5 | White | | | Tobacco Use | 52 | 212 | | |
| Influenza A-Novel | 0 | Black | • | • | Other Drugs | • | . | | |
| Listeriosis | 0 | Hispanic | • | • | | | | | |
| * Includes all positive HBsAg test results. | | Asian Other/Unknown | • | • | MOTOR VEHICL | E CRASHES | | | |
| | | Infant Mortality | by | | Note: These data are b | pased on 1 | ocation | | |
| Sexually Transmitted Disease | | Birthweight | | | of crash, not of | | | | |
| Chlamydia Trachomatis | 23 | <1.500 gm | _ | _ | | | | | |
| l Gonorrhea | 0 | <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown | | | Type of Motor | Persons | Persons | | |
| Syphilis | Ō | 2,500+ gm | | | Type of Motor Vehicle Crash Total Crashes | Injured | Killed | | |
| | | Uńknown | | | Total Crashes | 1 75 | 3 | | |
| IMMUNIZATIONS | | | | | Alcohol-Related | 26 | 1 | | |
| | | Perinatal | | _ | With Citation: | | | | |
| Children in Grades K-12 by | | Mortality | Deaths | Rate | For OWI | 19 | | | |
| Compliance Level | 4 000 | Total Perinatal | · • | • | For Speeding | 28 | | | |
| | 4,262 | Neonatal | • | • | Motorcyclist | 18 | 1 | | |
| Compliance Level Compliant Non-compliant Percent Compliant | 5 | Fetal | · · | • | Bicyclist Pedestrian | 0 | 0 | | |
| | 99.9 | | | | | 0 | υļ | | |

2010 PROFILE FOR WAUSHARA COUNTY

Fourth of four pages

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average | Charge Per Capita | ITALIZATIONS DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|------------------------|----------|---------------------|---------------------------|-----------|-------------------------|--|-----------|---------------------|---------------------------|-------------------|-------------------------|
| Injury-Related: | A11 | | | | | Alcohol-Related | | | | | |
| Ťotál | 192 | 7.8 | 3.9 | \$24,155 | \$189 | Total | 35 | 1.4 | 4.5 | \$10,904 | \$16 |
| <18 | 12 | | | | • | 18-44 | 15 | | | • | • |
| 18-44 | 47 | 6.8 | 3.5 | \$26,659 | \$181 | 45-64 | 16 | | | | |
| 45-64 | 61 | 7.8 | | \$27,910 | \$217 | Pneumonia and I | nfluenza | | | | |
| 65+ | 72 | 14.7 | 3.9 | \$20,919 | \$308 | Total | 95 | 3.9 | 4.5 | \$14,214 | \$55 |
| Injury: Hip F | racture | | | | | <18 | 9 | | | • | |
| Total | 19 | | • | | | 45-64 | 11 | | | | |
| 65+ | 16 | | • | | | 65+ | 70 | 14.3 | 4.0 | \$11,952 | \$171 |
| Injury: Poiso | nings | | | | | Cerebrovascular | | | | | |
| Total | 16 | | - | | | Total | 69 | 2.8 | 2.8 | \$16,233 | \$46 |
| 18-44 | 6 | | | | | 45-64 | 22 | 2.8 | 2.1 | | \$51 |
| | | | | | | 65+ | 44 | 9.0 | 3.2 | \$15,199 | \$137 |
| Psychiatric | | | | | | Asthma | | | | | |
| Total | 79 | 3.2 | 4.6 | \$7,097 | \$23 | Total | 12 | | | | |
| <18 | 12 | | | | | <18 | 2 | | | | |
| 18-44 | 37 | 5.3 | 5.6 | \$7,449 | \$40 | 18-44 | 5 | | | | |
| 45-64 | 24 | 3.1 | 3.5 | \$6,336 | \$19 | 45-64 | 2 | | | | |
| 65+ | 6 | | | | | 65+ | 3 | | | | |
| | | | | | | Other Chronic O | bstructiv | | | | |
| Coronary Heart | | | | | | Total | 74 | 3.0 | 3.2 | \$9,759 | \$29 |
| Total | 94 | 3.8 | | \$40,778 | \$156 | 45-64 | 20 | 2.5 | 2.8 | \$8,809 | \$22 |
| 45-64 | 31 | 4.0 | | \$41,508 | \$164 | 65+ | 50 | 10.2 | 3.2 | \$9,719 | \$100 |
| 65+ | 61 | 12.5 | 4.1 | \$40,673 | \$508 | | | | | | |
| | | | | | | Drug-Related | | | | | |
| Malignant Neopl | asms (Ca | ncers): | | | | Total | 19 | | | | |
| Total | 86 | 3.5 | 6.3 | \$41,173 | \$145 | 18-44 | 13 | | | | |
| 18-44 | 5 | | • | • | | | | | | | |
| 45-64 | 33 | 4.2 | 5.5 | \$37,785 | \$159 | Total Hospitali | | | | | |
| 65+ | 47 | 9.6 | 6.6 | \$40,609 | \$391 | Total | 2,503 | 102.2 | | \$19,937 | \$2,037 |
| Neoplasms: Fe | male Bre | ast (ra | tes for | female po | pulation) | <18 | 303 | 62.7 | 3.3 | \$12,975 | \$813 |
| Total | 3 | | • | | | 18-44 | 474 | 68.4 | 3.0 | \$14,691 | \$1,005 |
| Neoplasms: Co | | 1 | | | | 45-64 | 604 | 77.0 | 3.9 | \$25,805 | \$1,986 |
| Total | 11 | | | | | 65+ | 1,122 | 229.8 | 3.9 | \$20,875 | \$4,797 |
| 65+ | 8 | | | | | | | | | | |
| Neoplasms: Lu | | | | | | PR | | | | | |
| Total | 10 | | | | | Total | 394 | 16.1 | 3.7 | | \$224 |
| | | | | | | <18 | 22 | 4.6 | 4.0 | | \$78 |
| Diabetes | | | | | | 18-44 | 24 | 3.5 | 4.0 | | \$86 |
| Total | 24 | 1.0 | 3.1 | \$15,578 | \$15 | 45-64 | 93 | 11.9 | 3.6 | \$17,190 | \$204 |
| 65+ | 5 | | | • | | 65+ | 255 | 52.2 | 3.7 | \$11,427 | \$597 |
| | | | | | | * Hospitalizations | for cond | itions | where t | imelý and | effectiv |
| | | | | | | ambulatory care ca | n raduca | the lil | (alihood | of hosnit | alizatio |