

----- POPULATION ESTIMATES -----				----- LONG-TERM CARE -----		----- LOCAL HEALTH DEPARTMENTS -----		
Total 2010 Population				Community Options and MA Waiver		Staffing - FTE		
County population rank (1-72)				as HSRS reports costs for services		Number		
Population per square mile						Per 10,000		
County rank in population						Population		
density (1-72)								
Population growth 2006-2010				Clients		Total FTEs		
County rank in 5-year				COP		Administrative		
population growth (1-72)				MA Waiver *		Public health nurses		
				CIP1A Develop. disabled		Oral health prof.		
				CIP1B Develop. disabled		Envir. health prof.		
				1		Public health educ.		
				\$47,385		Nutritionist		
Age				CIP2 Elderly/phys. disab. adults		Other prof. staff		
Female				COP-W Elderly/phys. disab. adults		Technical/paraprof.		
Male				CLTS Disabled children		Support staff		
Total				906 \$11,830,039		Funding		
0-14				Brain Injury		Total		
15-17				Total COP/Wvrs		Local Taxes		
18-19				1,024 \$14,104,381		Per capita		
20-24						\$23,742,032		
25-44						\$10,021,278		
45-64						\$14.35		
65-84						----- LICENSED ESTABLISHMENTS -----		
85+						Type		
Total						Facilities		
Race/ethnicity						Bed & Breakfast		
Female						Camps		
Male						Hotels, Motels		
Total						Tourist Rooming		
White						Pools		
Afr.Amer.						Restaurants		
Amer. Ind.						Body Art		
Hispanic						----- WIC PARTICIPANTS -----		
Asian						Number		
Total						Pregnant/Postpartum		
						Infants		
						Children, age 1-4		
						Do not speak English		
						Speak English		
						Total		
						-----NEW CASES OF CANCER IN 2008-----		
						Primary Site		
						Total Cases		
						Rate		
						Breast		
						Cervical		
						Colorectal		
						Lung and Bronchus		
						Prostate		
						Other sites		
						Total		
						Note: Totals for invasive cancers only.		
						Rate is per 100,000 population.		
-----Poverty Estimates for 09-----				Eligible and				
Estimate (%) (C.I.+/-)				Waiting				
All ages				352				
Ages 0-17				n/a				
not available				(Family Care data not available)				
----- EMPLOYMENT -----				Note: Eligible and waiting clients				
Average wage for jobs covered				will be phased into the COP and MA				
by unemployment compensation				Waivers as available.				
(place of work)								
Labor Force Estimates				Nursing Homes				
Civilian Labor Force				Licensed beds				
Unemployment rate				Residents on Dec.31				
5-yr avg. unemployment rate				Residents age 65 or older				
				per 1,000 population				
Median HH income (2009)								
Rank in median HH income (1-72)								

NATALITY

TOTAL LIVE BIRTHS		8,209		Birth Order		Births		Percent		Marital Status		Births		Percent			
Crude Live Birth Rate		11.8		First		3,141		38		of Mother		5,760		70			
General Fertility Rate		60.6		Second		2,670		33		Married		2,443		30			
Live births with reported congenital anomalies		137 1.7%		Third		1,331		16		Not married		6		<.5			
				Fourth or higher		1,067		13		Unknown							
				Unknown		0		0		Education of Mother							
Delivery Type		Births Percent		1st Prenatal Visit		Births		Percent		Elementary or less		455		6			
Vaginal after previous cesarean		163 2		1st trimester		6,753		82		Some high school		475		6			
Forceps		21 <.5		2nd trimester		1,066		13		High school		2,115		26			
Other vaginal		5,991 73		3rd trimester		251		3		Some college		2,485		30			
Primary cesarean		1,146 14		No visits		31		<.5		College graduate		2,655		32			
Repeat cesarean		888 11		Unknown		108		1		Unknown		24		<.5			
Birthweight		Births Percent		Prenatal Visits		Births		Percent		Smoking Status of Mother		Births		Percent			
<1,500 gm		72 0.9		No visits		31		<.5		Smoker		1,247		15			
1,500-2,499 gm		401 4.9		1-4		378		5		Nonsmoker		6,947		85			
2,500+ gm		7,734 94.2		5-9		1,648		20		Unknown		15		<.5			
Unknown		2 <.5		10-12		3,302		40									
				13+		2,745		33									
				Unknown		105		1									
Race/Ethnicity		Births Percent		Low Birthweight (under 2,500 gm)		Births Percent		Trimester of First Prenatal Visit									
								1st Trimester		2nd Trimester		Other/Unknown					
White		7,469 91		421 5.6		6,267 84		860 12		342 5							
Black/Afr.American		86 1		5 5.8		60 70		23 27		3 3							
American Indian		86 1		7 8.1		63 73		22 26		1 1							
Hispanic/Latino		251 3		15 6.0		153 61		69 27		29 12							
Asian		314 4		23 7.3		208 66		91 29		15 5							
Other/Unknown		3 <.5		* .		* .		* .		* .							
Age of Mother		Births Fertility Rate		Low Birthweight (under 2,500 gm)		Births Percent		Trimester of First Prenatal Visit									
								1st Trimester		2nd Trimester		Other/Unknown					
<15		4 --		* .		* .		* .		* .		* .					
15-17		98 7		6 6.1		59 60		27 28		. .							
18-19		334 27		23 6.9		246 74		64 19		. .							
20-24		1,877 68		122 6.5		1,457 78		328 17		. .							
25-29		2,879 136		147 5.1		2,463 86		309 11		. .							
30-34		2,045 105		109 5.3		1,763 86		202 10		. .							
35-39		779 39		50 6.4		628 81		105 13		. .							
40+		193 9		15 7.8		136 70		30 16		. .							
Unknown		0 --			* .							
Teenage Births		436 17		* Not reported if age or race category has fewer than 5 births.													

MORBIDITY

MORTALITY

CONFIRMED CASES OF COMMUNICABLE DISEASES (2010)

Disease	Number
Campylobacter Enteritis	184
Giardiasis	46
Hepatitis Type A	<5
Hepatitis Type B*	58
Hepatitis NANB/C	156
Legionnaire's	<5
Lyme	716
Measles	0
N. Meningitis, Meningococcal	<5
Meningitis, Bacterial	0
Mumps	0
Pertussis	35
Salmonellosis	118
Shigellosis	6
Tuberculosis	5
E-Coli, Shiga Toxin-prod. (STEC)	32
Babesiosis	6
Cryptosporidiosis	144
Streptococcus Pneum Invasive	43
All Streptococcal Diseases	34
Blastomycosis	9
Haemophilus flu, Invasive	<5
Ehrlichiosis/Anaplasmosis	72
Influenza A-Novel	<5
Listeriosis	<5

* Includes all positive HBsAg test results.

Sexually Transmitted Disease

Chlamydia Trachomatis	1,644
Gonorrhea	68
Syphilis	9

IMMUNIZATIONS

Children in Grades K-12 by Compliance Level

Compliant	111,121
Non-compliant	1,688
Percent Compliant	98.5

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS	5,558
Crude Death Rate	798

Age	Deaths	Rate
1-4	6	.
5-14	7	.
15-19	24	47
20-34	111	79
35-54	441	233
55-64	587	677
65-74	799	1,598
75-84	1,439	4,579
85+	2,104	14,474

Infant Mortality	Deaths	Rate
Total Infant	40	4.9
Neonatal	23	2.8
Postneonatal	17	.

Infant Mortality by Race of Mother	Deaths	Rate
White	36	4.8
Black	1	.
Hispanic	2	.
Asian	1	.
Other/Unknown	.	.

Infant Mortality by Birthweight	Deaths	Rate
<1,500 gm	17	.
1,500-2,499 gm	6	.
2,500+ gm	17	.
Unknown	.	.

Perinatal Mortality	Deaths	Rate
Total Perinatal	67	8.1
Neonatal	23	2.8
Fetal	44	5.3

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	1,265	182
Ischemic heart disease	742	107
Cancer (total)	1,273	183
Trachea/Bronchus/Lung	342	49
Colorectal	102	15
Female Breast	74	21*
Cerebrovascular Disease	328	47
Lower Resp. Disease	308	44
Pneumonia & Influenza	111	16
Accidents	315	45
Motor vehicle	78	11
Diabetes	146	21
Infect./Parasitic Dis.	102	15
Suicide	112	16

* Based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	110	16
Tobacco Use	963	139
Other Drugs	57	8

MOTOR VEHICLE CRASHES

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	4,611	75
Alcohol-Related	435	30
With Citation:		
For OWI	397	3
For Speeding	398	0
Motorcyclist	333	20
Bicyclist	95	0
Pedestrian	80	8

2010 HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	4,544	6.5	4.1	\$26,891	\$175	Total	1,520	2.2	4.4	\$9,631	\$21
<18	243	1.5	2.7	\$18,636	\$28	18-44	667	2.7	4.3	\$8,518	\$23
18-44	926	3.7	3.6	\$25,261	\$94	45-64	773	4.0	4.4	\$10,067	\$41
45-64	1,251	6.6	4.0	\$28,593	\$187	Pneumonia and Influenza					
65+	2,124	22.1	4.4	\$27,544	\$610	Total	2,334	3.4	3.8	\$14,342	\$48
Injury: Hip Fracture						<18	269	1.7	2.5	\$7,512	\$13
Total	636	0.9	4.5	\$29,406	\$27	45-64	382	2.0	3.9	\$16,552	\$33
65+	565	5.9	4.6	\$29,531	\$174	65+	1,525	15.9	4.1	\$15,060	\$239
Injury: Poisonings						Cerebrovascular Disease					
Total	548	0.8	3.4	\$14,478	\$11	Total	1,242	1.8	3.5	\$21,212	\$38
18-44	276	1.1	3.2	\$13,152	\$15	45-64	227	1.2	3.5	\$27,397	\$33
Psychiatric						65+	982	10.2	3.5	\$19,278	\$197
Total	3,625	5.2	6.0	\$10,326	\$54	Asthma					
<18	372	2.3	5.4	\$9,721	\$22	Total	419	0.6	3.0	\$10,227	\$6
18-44	1,928	7.8	5.7	\$9,268	\$72	<18	80	0.5	1.9	\$5,905	\$3
45-64	1,019	5.3	6.5	\$11,402	\$61	18-44	83	0.3	2.8	\$10,438	\$3
65+	306	3.2	7.2	\$14,147	\$45	45-64	134	0.7	3.2	\$10,918	\$8
Coronary Heart Disease						65+	122	1.3	3.7	\$12,158	\$15
Total	1,978	2.8	3.6	\$44,169	\$125	Other Chronic Obstructive Pulmonary Disease					
45-64	723	3.8	3.2	\$46,695	\$177	Total	916	1.3	3.5	\$13,739	\$18
65+	1,184	12.3	4.0	\$42,861	\$529	45-64	248	1.3	3.3	\$13,549	\$18
Malignant Neoplasms (Cancers): All						65+	638	6.6	3.6	\$13,544	\$90
Total	1,687	2.4	5.2	\$36,407	\$88	Drug-Related					
18-44	101	0.4	5.0	\$40,633	\$17	Total	559	0.8	5.6	\$8,107	\$7
45-64	644	3.4	4.7	\$36,640	\$124	18-44	400	1.6	5.4	\$6,870	\$11
65+	931	9.7	5.5	\$35,122	\$341	Total Hospitalizations					
Neoplasms: Female Breast (rates for female population)						Total	63,258	90.8	3.6	\$18,664	\$1,695
Total	124	0.4	2.0	\$26,081	\$9	<18	9,626	59.6	2.8	\$7,105	\$424
Neoplasms: Colo-rectal						18-44	16,103	64.9	3.1	\$13,441	\$872
Total	246	0.4	7.0	\$43,700	\$15	45-64	14,222	74.5	3.9	\$25,097	\$1,869
65+	158	1.6	7.5	\$44,447	\$73	65+	23,307	242.9	4.1	\$23,120	\$5,615
Neoplasms: Lung						----- PREVENTABLE HOSPITALIZATIONS* -----					
Total	190	0.3	6.4	\$38,555	\$11	Total	7,879	11.3	3.6	\$13,803	\$156
Diabetes						<18	489	3.0	2.2	\$7,441	\$23
Total	563	0.8	3.4	\$17,163	\$14	18-44	792	3.2	3.0	\$13,557	\$43
65+	165	1.7	4.1	\$17,731	\$30	45-64	1,595	8.4	3.6	\$15,573	\$130
						65+	5,003	52.1	3.8	\$13,900	\$725

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization.