

CIVIL MONEY PENALTY (CMP) FUNDED PROJECT

FINAL REPORT

Grantee

**Dove Healthcare-West Eau Claire
1405 Truax Blve
Eau Claire WI 54703**

Project Title

Pressure Redistribution System

Award Amount

\$14,040

Grant Period

September 2017 - August 2019

Additional Information and Resources



**Department of Health Services / Division of Quality Assurance
Quality Assurance and Improvement Committee**

This project report has been prepared by the author under a research grant from the Department of Health Services (DHS) Quality Assurance and Improvement Committee. The views expressed in the report/training are personal to the author and do not necessarily reflect the view of the Department of Health Services or any of its staff and do not bind the Department in any manner.

F-01593 (08/2015)

Dove Healthcare
Pressure Mapping Grant (2017)
08/31/2019 Progress Report

Deliverables:

The facility has continued to integrate the process of pressure mapping into routine assessment process. There was no template for the facility to follow for the use of the technology, the procedures and process were developed as the facility implemented this pressure mapping process. These questions included how, when, how long and what surfaces to pressure map an individual resident. The lack of procedures and guidance through the pressure mapping technology company or through research has required the facility to learn as we go. The facility began very quickly to understand the benefits of pressure mapping at different times during a resident's stay. The benefits have been numerous. The facility has discovered practices that affect the resident surface interface every time pressure mapping is performed. The pressure mapping nurse has pressure mapped 91 different residents for over 215 pressure mapping interactions.

The benefits of the changes made to the resident's care plan with the data provided through this objective data have included:

- Improved resident comfort
- Decreased pressure injury risk – improved healing of existing pressure injuries and decreased number of incidence of new pressure injuries
- Improved positioning
- Use of mapping images as a tool for both resident and staff education
- Overall improved quality of life.

The practice changes have included:

- Discontinuing the use of non-skid material on the top of any cushion as it impedes pressure redistribution on all support surfaces
- More proactively encourage the removal of lift slings from under resident when up in chair
- Integrating the resizing of incontinent products in our assessment process
- Pressure mapping individuals with early change in condition either improvement or decline to assure proper pressure redistribution surfaces
- Resident risk versus benefit education regarding surface decision making

Because of the implementation of this technology all residents' pressure mapped have either seen improved healing in existing pressure injuries or have healed their injuries. Of those 91 residents, only one resident developed a pressure injury. This injury was multifactorial in a resident with a previous Stage 3 injury who was progressively declining due to disease and expired within a week after development.


Budget

Invoice has been submitted within the prescribed budget. No further invoices will be submitted.

Final Project Results

As expected, utilization of pressure mapping equipment has positively impacted the quality of life for over 90 of our residents. These individuals have benefited from over 215 mapping sessions providing individualization of their seating and lying surfaces, pressure injury prevention, and promotion of wound healing. Raw data of pressure mapping sessions has been attached for your review. This technology has had a significant impact in the care and life of residents residing within our facility through increased comfort, proper positioning due to individualization of seating and lying surfaces, and improved wound healing. These deliverables are apparent through a 50% reduction in quarterly pressure injury incidence and resident testimonial. Please view Resident Testimonial attachment and see image below.

Pressure Injury Incidence Quarterly Average (January-March)



Use of mapping images as an educational tool allows for staff to visualize the effects and points of increased pressure on the human body, proper positioning to redistribute identified pressure, and importance of effective pressure redistribution surfaces. Staff education has been conducted through face-to-face interaction during mapping sessions, focus groups, staff meetings with power point presentation and demonstration. Staff education power point is attached for your review. Visualization of pressure data offers residents opportunity for involvement in their care and allows them to make educated, risk versus benefit decisions.

Resident quality of life has overall improved through identification of residents at increased risk for pressure injuries, providing pressure mapping at various points of stay to assess their current surface(s), and significant reduction in pressure injury prevalence. Individualization of each surface to reach maximum effectiveness in pressure redistribution on both seating and lying surfaces has allowed for decreased pain, proper positioning, allowing residents to be socially involved for increased lengths of time, and increased wound healing.

Pressure Mapping Technology continues to have substantial potential to positively affect all those residing in skilled nursing homes. The facility goal is to continue to work on developing assessment

templates, educational templates, and policy/procedural templates to produce a toolkit in efforts to assure that this technology can be easily implemented in other skilled nursing homes throughout the state. Facility Pressure Mapping Policy is attached for your review. The facility has proposed additional grant money to proceed with these goals in a more timely and efficient manner.

We have shared our findings through educational presentations to the Wisconsin Director of Nursing Council Symposium in February 2019, the Wisconsin Health Care Association Spring Conference in April 2019, and at the Wisconsin Leading Age Spring Conference in May 2019. The developed power point is attached for your review. These were completed at the expense of the facility to show our commitment to improved care across the industry.

The challenge continues to be the lack of practice standards for the use of pressure mapping technology in long-term care environment. This requires human resources to create and evaluate the data that is being collected. Human resources the facility does not have or cannot currently afford.

Respectfully Submitted,

Juzell (Joey) Pettis, RN, DNS- CT, WCC, DWC
Regional Nurse Consultant
Dove Healthcare

Samantha Hopp, BSN, RN
Restorative and Pressure Mapping Nurse
Dove Healthcare- West

Date	Referral Reason-- Incorporated 01/19/19	Referral Surface to Map	Identified Pressure	New Interventions	Current Wound	Visit Length (HRS.)	Monthly Count
Sept '18							3 clients/ 5 sessions
09/27/2018		Reg. W/C	Y	Alter RoHo pressure and re-evaluate.	N	1	
09/27/2018		Broda W/C	N	Continue to reposition	Y	1	
09/27/2018		Bed (air mattress)	N	Continue to reposition	Y	1	
09/27/2018		Broda W/C	Y	Removed Dycem	Y	1	
09/27/2018		Bed (air mattress)	N	Effective	Y	1	
Oct. '18							17 clients/ 25 sessions
10/01/2018		Reg. W/C w/ HP Roho cushion	N	Proper positioning in W/C with RoHo cushion	Y	1	
10/01/2018		Personal Recliner w/ RoHo cushion	N	Proper positioning in recliner with RoHo cushion	Y	1	
09/28/2018		High-back W/C	Y	New Broda WC	Y	1	
09/28/2018		Bed w/ Air Mattress	N	Effective	Y	1	
10/02/2018		Broda W/C	N	Leg elevation and realignment of cushions	Y	1	
10/02/2018		Personal Recliner	Y		Y	1	
10/02/2018		High-back W/C	N	Proper positioning in WC	Y	1	
10/03/2018		Reg. W/C Reassessment	Y	Brief size two sizes too large. Decreased brief size and adjusted RoHo pressure	N	1	
10/03/2018		Bed (air mattress)	Y	Pressure caused by lift sling left under client. Proper positioning in bed.	Y	1	
10/03/2018		Electric W/C	Y	Remove leg portion of lift sling	Y	1	
10/03/2018		Broda W/C	N	Proper positioning in WC	Y	1	
10/04/2018		Bed (air mattress)	N	Proper positioning and use of heel protectors	Y	1	
10/04/2018		Bed (standard)	Y	Specialty mattress and educate resident and spouse on repositioning	N	1	
10/05/2018		Bed (air mattress)	N	Proper positioning, off back, in bed	Y	1	

10/05/2018	Bed (standard)	N	Remove lift sling when in w/C. Proper positioning	N	1.5
10/05/2018	Electric W/C	N	Proper positioning, removal of bottom portion of sling.	N	1
10/08/2018	Broda W/C	Y	Proper fitting wedge cushion and placed dycem UNDER cushion	N	1
10/10/2018	Highback W/C	Y	Significant body contraction to left sided. New standard cushion and proper positioning of left arm. Removal of dycem.	N	1.5
10/12/2018	Bed (standard)	Y	Proper positioning and use of heel elevation.	Y	1
10/12/2018	Broda W/C w/ cushion	Y	Proper positioning and use of heel elevation.	Y	1
10/12/2018	Bed w/ Specialty Mattress Reassessment	N	Verification that new mattress is effective.	N	1
10/17/2018	W/C w/ standard cushion (personal)	Y	C/O pressure behind legs-- Appropriately sized WC (it was too small)	N	
10/25/2018	New, New hig-back W/C w/ new standard cushion (personal vs. facility, back support---now d/c'd), New supportive footrests.	N	Appropriately sized WC, AND new foot rests, and new standard cushion	N	
10/18/2018	Bed w/ Standard	N	Proper positioning and floating of heels.	Y	
10/19/2018	Bed w/ Air Mattress	N	Visualized more friction/shearing than pressure, heels. Staff education re: lifting resident with hoier into and out of bed.	N	
Nov. '18					6 clients/ 9 sessions
11/14/2018	Standard Bed and Elec. WC	N	Positioning in WC-- Blue foam positioning device on right side, covered with pillow case.	N	
11/23/2018	Personal Recliner	Y	Seated directly on Coccyx while up in recliner. Spends significant amount of time in recliner. Position with small pillow under alternating hips, per residents request.	N	1
11/26/2018	Bed w/ Air Mattress	N	Air Mattress effective.	Y	1
11/27/2018	High-back W/C w/ RoHo	Y	RoHo in place	Y	1

11/28/2018	High-back W/C w/RoHo	Y	Adjusted air pressure in RoHo cushion and properly positioned in WC	Y	1
11/28/2018	W/C and Recliner	Y	Replaced old standard cushion with new standard cushion	Y	1
11/29/2018	Broda W/C w/ Standard Cushion	N		Y	1
11/29/2018	Bed w/ Standard mattress and heel protectors	N		Y	1
11/29/2018	Reg. w/ Standard Cushion	Y	Removed dycem from on top of cushion and positioned properly in WC	N	1
Dec. '18					8 clients/ 13 sessions
12/04/2018	Bed w/ Air Mattress	N		Y	1
12/05/2018	High-back W/C with personal cushion	Y	W/C might be too high. Old personal cushion. 12/11/2018 New, smaller-framed and lowered w/c w/ mosaic roho cushion	N	1
12/05/2018	Bed w/ standard mattress	N		Y	1
12/06/2018	Standard W/C w/ personal vs. low-profile roho cushion	Y	Replaced personal cushion with low-profile roho	Y	1
12/19/2018	W/C w/ Roho cushion(s)	Y	Replaced low-profile cushion (had a slow leak) with high-profile cushion	Y	1
12/20/2018	W/C w/ standard cushion	N	Appropriate as resident is rarely up in chair and only for short periods of time	Y	1
12/20/2018	Bed w/ Comfort Care mattress (convertible)	Y	Areas of high pressure noted to left buttock, despite repositioning. Heel protectors appropriate.		1
12/20/2018	Remapping w/ Bed w/ full air mattress	N	Air mattress deemed appropriate with heel protectors and repositioning off of buttocks		1
12/27/2018	Standard W/C w/ Standard cushion	Y	implemented Mosaic RoHo cushion	Y	1
12/27/2018	Standard bed mattress	Y	implemented RoHo Mosaic Mattress overlay	Y	2
12/31/2018	Bed w/standard mattress	N	Pelvic fx, minimal movement, sleeps on back	N	1
12/31/2018	High-back W/C w/ standard cushion	N			0.5
12/31/2018	Bed w/Air overlay	N	recurrent open area, shearing?	Y	1
Jan. '19					11 clients/ 16 sessions

01/03/2019	New admit, open area to left buttocks	Personal Ring cushion to W/C	Y	Placed standard comfort company cushion	Y	1
01/08/2019		New High-back WC	N		Y	1
01/09/2019	New admit, Open area to buttocks	W/C Mosaic Cushion	Y	Placed Mosaic RoHo W/C cushion and adjusted air pressure	Y	1
01/09/2019	New admit, Open area to buttocks	Standard Bed Mattress	Y	Placed Mosaic RoHo mattress overlay and heel protectors	Y	1
01/09/2019	New admit, Open area to buttocks	Bed w/ Mosaic RoHo Overlay	N	Effective	Y	1
01/14/2019	Anti-roll backs unable to activate due to weight of the HP RoHo cushion	Standard W/C with NEW Mosaic RoHo	N	Removed RoHo, placed Mosaic-- Anti-roll backs able to activate	N	1
01/22/2019	Recent weight loss, decline in wound healing	HP RoHo in electric W/C	Y	Readjusted cushion air pressure	Y	1
01/22/2019	Sliding out of w/c--- stability in w/c compromised due to HP RoHo?	W/C with Mosaic	N	Placed Mosaic RoHo W/C cushion and adjusted air pressure	N	1
01/23/2019	Recent fall. Dementia dx.	Standard bed mattress with air overlay (hospice).	N	Keep air overlay	N	1
01/24/2019	Report of c/o pain to buttocks while sitting in recliner	Mapped on standard cushion and high-profile RoHo. Recliner w/o any cushion--dycem on recliner. Personal recliner comparison w/ HP RoHo and standard	Y	Upgrade w/c cushion to high-profile RoHo and use also while client is sitting in recliner	N	1
01/25/2019	Re-check of cushion inflation--deflated		Y	Fill cushion and re-adjust internal cushion air pressure.	Y	1
01/29/2019	New Admit- Stage 2 to coccyx	Standard Mattress	N	No Concer	Y	1
01/29/2019	Re-check of cushion inflation--all good		N	Appropriate	Y	0.5
01/29/2019	New Admit- Stage 2	Standard Mattress	N	No concern	Y	1
01/30/2019	New admit- stage 2	W/C w/ Mosaic RoHo	N	Placed Mosaic RoHo W/C cushion and adjusted air pressure	Y	1

01/31/2019	Scattered open areas to coccyx area--moisture related--ruling out areas of increased pressure.	W/C w/ standard cushion (CC)	N	Placed standard (NEW) CC cushion	Y	1
Feb. '19						11 clients/ 15 sessions
02/01/2019	Scattered open areas to coccyx area--moisture related--ruling out areas of increased pressure.	Bed w/ Standard Mattress	N	No concern	Y	1
02/04/2019	Recent weight loss		N	No concern	Y	1
02/06/2019	New admit	W/C w/ Mosaic RoHo	N	Placed Mosaic RoHo	N	1
02/11/2019	New admit	Standard Mattress	N	NA	N	1
02/11/2019	RoHo cushion Missing	W/C w/ standard cushion (CC)	N	Decrease cushion level to standard versus mosaic	N	1
02/11/2019	C/O RoHo cushion being underinflated	W/C w/HP Roho	Y	adjusted/Decreased air pressure in cushion	N	1
02/14/2019	Shearing injury to buttocks	Personal Rocking Chair/ Glider	N	NA	N	1
02/14/2019	Recent fall/change of seating	High-back w/c w/ half wedge cushion	Y	Placed gel pad with wedge cushion for pressure redistribution	N	2
02/15/2019	Recliner	Recliner w/ Waffle cushion	N	Effective		
02/15/2019	W/C	W/C w/ LP RoHo---changed to standard	N	Changed to standard cushion	N	1
02/15/2019	Broke leg and no longer in personal recliner---only Broda W/C	Broda W/C w/ RoHo	N	Appropriate	N	1
02/15/2019	New reddend area--Spending much time in Recliner	Recliner with: Nothing/Waffle cushion	Y	Waffle cushion in place	Y	1
02/15/2019	W/C w/ Mosaic---to check air pressure	W/C w/ Mosaic RoHo	Y	Readjusted Mosaic pressure	Y	1
02/20/2019	Requested to verify continued appropriateness of standard mattress	Standard bed mattress-- WC PMT mat used to promote residents comfort (Comfort CP)	N	Effective	Y	1

02/20/2019	New (Re) Admit. Shearing to buttocks area--Rule out possibility of pressure component	Bariatric W/C w/ Standard Bariatric cushion	N	Effective	Y	1
------------	--	--	---	-----------	---	---

Mar. '19

14 clients/ 22 sessions

03/04/2019	Shearing area prior to admission--healed. Rule out issues with increased frequency in recliner.	Comparison: Recliner seat & Recliner w/ waffle cushion	N	NA--keep waffle cushion in place Resident education w/visual	N-Healed	1
------------	--	--	---	---	----------	---

03/05/2019	20# wt loss in less than 6wks, increased time in recliner--potential for skin breakdown?	Comparison: Recliner seat & Recliner w/ waffle cushion	Y	Waffle Cushion to recliner Resident education w/visual	?	1
------------	--	--	---	---	---	---

03/06/2019	Prevention purposes, hx of pressure areas	Comparison: Recliner seat & Recliner w/ waffle cushion	Y	Waffle Cushion to recliner Resident education w/visual	N	1
------------	---	--	---	---	---	---

03/13/2019	General decline. Verifying that current cushion remains appropriate.	Comparison: W/C, Mosaic versus New Standard	N	NA-- Keep Mosaic RoHo	Y	1
------------	---	---	---	-----------------------	---	---

03/13/2019	General decline. Spending increased time in recliner.	Comparison: Recliner, waffle versus Mosaic RoHo	Y	Move Mosaic RoHo to Recliner when in it.	Y	1
------------	--	---	---	--	---	---

03/13/2019	New Broda Wheelchair	Verification of placement of new Broda W/C w/ Standard cushion	N	NA-- Keep Broda WC w/standard cushion	Y	1
------------	----------------------	--	---	---------------------------------------	---	---

03/18/2019	New open area to coccyx--Recent significant weight loss, nutritional and physical decline.	Map old RoHo. Replace and re-map with New RoHo. Both on Broda W/C Broda W/C w/ HP RoHo Cushion--air leak/hole found	Y	Place new HP RoHo cushion to Broda W/C and individualize air pressure	Y	2
------------	--	---	---	---	---	---

03/18/2019	New open area to coccyx--Recent significant weight loss, nutritional and physical decline.	Re-map/verify that current full air mattress remains appropriate for resident's pressure redistribution.	N	Continue with current POC-- Position on side with heel protectors and resident should be first person to lay down and last person to get up in the morning.	Y	1
------------	--	--	---	---	---	---

03/19/2019	Hospice delivered NEW HP RoHo for use in W/C---to move Mosaic to recliner (Waffle cushion previously mapped)	W/C w/ HP RoHo	N	Place new HP RoHo cushion to W/C and individualize air pressure	Y	1
03/22/2019	Resident stated that his cushion felt uncomfortable.	W/C w/ (old) standard cushion.	Y	Placed Waffle cushion to W/C	N	1
03/22/2019	New W/C. Resident overall decline.	Broda W/C w/ standard cushion (CC)	Y	Placed on Mosaic RoHo	N	1
03/25/2019	New Low profile RoHo cushion received from Hospice	Broda W/C w/ LP RoHo	N	Placed NEW LP RoHo (hospice)	N	1
03/25/2019	Standard cushion had tear	Broda W/C	Y	Placed LP RoHo	N	1
03/25/2019	New admit	High-back W/C w/Mosaic RoHo	Y	Remove standard cushion and place mosaic RoHo	Y	1
03/25/2019	new Admit	Bed w/ Standard Mattress	N	proper positioning and heel elevation--- client education	Y	1
03/26/2019	Recent decline, spending more time in bed	bed with standard mattress and heel protectors	N	Effective	N	1
03/27/2019	New pressure injury--- decreased INR. Verification of current measures/surfaces.	W/C w/	N	Effective	Y	1
03/27/2019	New pressure injury--- decreased INR. Verification of current measures/surfaces.	Bed w/ air mattress and heel protectors	N	Effective	Y	1
03/29/2019	New Admit. Reddend are to mid-spine, kyphosis	W/C w/mosaic RoHo	Y	Placed Mosaic RoHo--removed standard	N	1
03/29/2019	New Admit. Reddend are to mid-spine, kyphosis	Recliner w/ waffle cushion	Y	Placed waffle cushion	N	0.5

03/29/2019	New Admit. Reddend are to mid-spine, kyphosis	Standard mattress w/ positioning and elevated heels	Y	Proper positioning and heel elevation--- client education	N	1
03/29/2019	New Admit. Stage II pressure injury to right gluteal fold/buttock	Bariatric W/C w/ BariatricHP RoHo cushion	Y	Removed standard cushion and placed HP RoHo	Y	1
April '19						12 clients/ 26 sessions
04/01/2019	LP RoHo cushion deflated	Broda W/C w LP RoHo---flat	N	Replaced w/ new LP RoHo		1
04/08/2019	C/O discomfort to buttocks	W/C w/ HP RoHo air pressure adjusted	N	Adjusted cushion air pressure	Y	1
04/08/2019	C/O discomfort to buttock--spending more time in recliner	Recliner: Seat, Waffle, HP RoHo	Y	Decided not to place cushion to recliner	Y	1
04/08/2019	Bed w/ Air overlay-- Evaluating reading w/ using new soaker pad	Bed w/ standard mattress and air overlay	Y	Adjusted air overlay firmness	N	1
04/09/2019	Re-eval: (decreased air overlay pressure) Bed w/ Air overlay-- Evaluating reading w/ using new soaker pad	Bed w/ standard mattress and air overlay	N	Continued with current new firmness level	N	1
04/09/2019	C/O discomfort to back when in bed	Standard Bariatric bed	N	Mattress effective	Y	1
04/15/2019	Re-admit from hospital w/ pressure injury(s) to heels and coccyx--Mod. Contact	Standard bed	Y	Heel elevation while in bed	Y	1
04/15/2019	Re-admit from hospital w/ pressure injury(s) to heels and coccyx--Mod. Contact	High Back W/C w/ standard cushion	N	Proper positioning.	Y	1
04/17/2019		Bed w/ Standard Mattress	Y	Switched to air mattress. Resident was the d/c'd to hospital.	Y	1
04/17/2019		W/C w/ standard cushion (CC) and LP RoHo	Y	Continued areas of high pressure, will re-eval HP RoHo once resident returns from hospital.	Y	1
04/17/2019		W/C w/ Standard Cushion (CC)	N	Effective. Standard cushion remain in place.	Y	1

04/17/2019		Bed w/ Standard Mattress	Y	Switched to air mattress.	Y	1
04/18/2019		W/C w/ HP RoHo	N	Effective. HP RoHo cushion placed to W/C	Y	1
04/18/2019		Bed w/ air mattress and heel protectors	N	Effective	Y	1
04/18/2019		Bed w/ air mattress and heel protectors. Mapped NEW soaker pads and slide sheets.	N	Effective	Y	1.5
04/19/2019		Bed w/ Standard mattress	N	Position on side with heel elevation	Y	1
04/19/2019		W/C w/ standard mattress	N	Effective	Y	1
04/23/2019		Bed w/ air mattress and heel protectors	Y	Lower mattress air pressure. Position on side and heel protectors	Y	1
04/26/2019		Bed w/ standard mattress	N	NA	N	1
04/26/2019		Bariatric W/C w/ Bariatric Standard Cushion	Y	Place Bariatric HP RoHo	N	1
04/26/2019	Reddened area to spine	Bed w/Perimeter Mattress	N	Proper positioning on side and heel protectors	Y	1
04/29/2019	Stage II to coccyx	Bed w/ Air Overlay (hospice)	Y	Remove air overlay and place air mattress	Y	1
04/29/2019	Stage II to coccyx	Full air mattress to bed	N	Keep full air mattress and adjusted air pressure level to level 2	Y	1
04/29/2019	Stage II to coccyx	Recliner w/ HP RoHo	N	Adjusted HP RoHo cushion air pressure for use on recliner	Y	1
04/29/2019	Blister to heel (from shoes)	Broda Footrest	N	NA-- no longer wearing shoes	Y	0.5
04/29/2019	Blister to gluteal crease	Bed w/ Standard Mattress	N	Mattress appropriate	Y	1
May '19						13 clients/ 29 sessions
05/03/2019	New Admit	W/C w/ Bariatric standard cushion	Y	Placed bariatric HP RoHo- effective	Y	1
05/03/2019	New admit	Bed w/ standard mattress	Y	Place Bariatric Low air loss mattress	Y	1
05/03/2019	New admit	Recliner	Y	Placed HP RoHo cushion to recliner surface- effective	Y	1
05/06/2019	New admit. Stage III to left heel.	W/C w/ Standard cushion	N	Standard cushion wil remain in place	Y	1
05/06/2019	New admit. Stage III to left heel.	Bed w/ Standard mattress	Y	Will place Low Air Loss Mattress	Y	2
05/06/2019	New admit. Stage III to left heel.	Bed w/ Low air loss mattress	N	Effective. Resident unsatisfied with her comfort and ability to reposition self	Y	1
05/07/2019	New admit. Stage III to left heel.	Bed w/ Comfort Care mattress (convertible)	Y	Moderately effective. Provided resident education regarding risk/ benefit with "downgrade" in mattress	Y	1

05/08/2019	Friction/shearing injury to right buttocks. Increased time sleeping in recliner.	Recliner	Y	Waffle cushion placed to recliner seat	Y	1
05/10/2019	New admit - Dialysis 3x/week. Eval W/C.	W/C w/ Standard	Y	Therapy will fit with new, appropriately sized W/C-- Seat is too deep for clients height	Y	1
05/13/2019	Evaluated pressure redistribution w/ new standard w/c	Standard W/C (approp. Sized) w/ standard cushion	N	Keep new w/c	Y	1
05/13/2019	Gel pad/cushion deflated.	High-back W/C w/ Waffle cushion with partial foam wedge underneath.	N	Keep Waffle cushion	N	1
05/17/2019	New admit	High-back W/C w/ Standard cushion	Y	Mapped and placed HP RoHo cushion	Y	1
05/17/2019	New admit	Bed w/ Standard mattress	Y	Mapped and placed Full air mattress	Y	1
05/20/2019	New admit. Unstaggable to R buttocks, prior to admit.	Bed w/ Standard Mattress	Y	Mapped and placed Full air mattress	Y	1
05/20/2019	New admit. Unstaggable to R buttocks, prior to admit.	W/C w/ Standard-- CC Standard-- LP RoHo cushions	Y	Place LP RoHo w/ adjusted inflation	Y	1
05/20/2019	New admit. Stage II to L buttock, prior to admit.	High-back W/C w/ CC standard cushion	Y	Placed Mosaic RoHo	Y	1
05/20/2019	New admit. Stage II to L buttock, prior to admit.	Bed w/ standard mattress	N	Keep standard mattress	Y	1
05/22/2019	New admit. CVA w/ weakness bilaterally	HB W/C w/ CC Standard cushion- Effective	N	Keep CC Standard cushion	N	1
05/22/2019	New admit. CVA w/ weakness bilaterally	Bed w/ Standard mattress	Y	Upgrade mattress to convertible Comfort Care mattress and re-map.	N	1
05/22/2019	New admit. CVA w/ weakness bilaterally	Bed w/ Comfort Care mattress (convertible)	N	Effective- Keep Comfort Care Convertible mattress.	N	1
05/28/2019	Newly readmitted from hospital- Increased risk for skin breakdown.	W/C Cushion comparison (Standard CC, Mosaic RoHo, HP RoHo)	Y	HP RoHo placed to W/C and mapped- Effective	Y- not pressure	1
05/28/2019	Newly readmitted from hospital- Increased risk for skin breakdown.	Recliner seat	Y	Waffle cushion placed and mapped- effective.	Y- not pressure	1

05/28/2019	New admit (Respite) w/ hx of skin issues and breakdown	Standard W/C	Y	Adjusted HP RoHo air pressure--effective	N	1
05/28/2019	New admit (Respite) w/ hx of skin issues and breakdown	Electric W/C w/ Personal HP RoHo	Y	Re-adjusted HP RoHo air pressure--effective	N	1
05/29/2019	New admit (Respite) w/ hx of skin issues and breakdown	Recliner seat	Y	Safety concerns with use of Waffle Cushion-- Transfer HP RoHo from standard W/C to Recliner when in use.	N	1
05/29/2019	Newly readmitted from hospital- Increased risk for skin breakdown.	Standard Mattress	N	Effective w/ heel elevation.	Y- not pressure	1
05/29/2019	New admit (Respite) w/ hx of skin issues and breakdown	Standard Mattress	Refused PMT	N/A	N	0
05/30/2019	New admit w/ increased risk for skin breakdown	W/C w/ Standard, LP RoHo, and HP RoHo	Y	HP RoHo placed to W/C and mapped- Effective	N	1
05/30/2019	New admit w/ increase risk for skin breakdown	Recliner seat	Y	Waffle cushion mapped and placed- effective	N	1
05/30/2019	New admit w/ increased risk for skin breakdown	bed with standard mattress	Y	Full air mattress mapped and placed- effective	N	1
JUNE '19						12 clients/ 26 sessions
06/06/2019	New Admit, PCU, Hospice	Standard mattress and convertible air mattress	Y	Placed Convertible mattress temporarily- awaiting availability of full air mattress.	N	1
06/06/2019	New Admit, PCU, Hospice	Standard W/C w/ LP RoHo	N	LP RoHo to remain in place	N	1
06/10/2019	New Admit, PCU, Hospice	Full air mattress to bed	Y	Continued areas of high pressure to left hip.	N	1
06/13/2019	D/C from hospice- HP RoHo	Standard W/C w/ Mosaic RoHo	N	Mosaic RoHo placed and cushion air pressure adjusted-- effective	N	1
06/14/2019	New admit	W/C w/ Mosaic RoHo	N	Place Mosaic RoHo- Effective	Y	1
06/14/2019	New admit	Bed w/ Standard mattress	N	Keep standard mattress	Y	1
06/14/2019	New pressure area to posterior thigh-- Re-eval effectiveness of air mattress	Bed w/ Full air mattress- Declines positioning and ROM	N	Air Mattress effective.	N	1

06/14/2019	New admit w/ pressure injuries prior to admit	Bed w/ full air mattress	N	Keep placement of full air mattress	Y	1
06/14/2019	New admit w/ pressure injuries prior to admit	Standard W/C w/ Mosaic RoHo	N	Place Mosaic RoHo- Effective	Y	1
06/14/2019	Resident spending increased time in W/C w/o cushion	Standard W/C w/ Standard cushion	N	Place standard cushion to W/C	N	1
06/18/2019	New admit, increased risk r/t disease process	Recliner seat, no cushion	N	Recliner maps as effective in pressure redistribution- no cushion needed	N	1
06/18/2019	New admit w/ increased risk r/t disease process	Standard cushion (Inclusa) to standard W/C	N	Standard cushion will remain in place	N	1
06/18/2019	Fall intervention	Eval effectiveness of convertible mattress vs. full air mattress as fall intervention	Y	Convertible mattress removed d/t increased areas of pressure and full air mattress re-placed to bed	Y	2
06/18/2019	New admit- Hospice w/skin injuries prior to admit	Standard W/C w/ LP RoHo	N	LP RoHo to remain in place	Y	1
06/18/2019	New admit- Hospice w/skin injuries prior to admit	Recliner w/ Waffle cushion	N	Waffle Cushion to recliner	Y	1
06/19/2019	New admit- Hospice w/skin injuries prior to admit	Standard mattress	N	Standard mattress to remain in place- effective	Y	1
06/19/2019	New admit w/ pressure injuries prior to admit	Bariatric W/C w/ Bariatric HP RoHo cushion	N	LP RoHo to remain in place	Y	1
06/19/2019	New admit w/ pressure injuries prior to admit	Recliner seat w/ Bariatric Waffle Cushion (personal from hospital)	N	Waffle cushion to remain in place	Y	1
06/19/2019	New admit w/ pressure injuries prior to admit	Standard mattress	Y	Will place and evaluate Air Mattress	Y	1
06/20/2019	New admit w/ pressure injuries prior to admit	Evaluate effectiveness of Full air mattress	N	Air mattress will remain in place	Y	1
06/26/2019	New admit w/ increased risk for skin breakdown	Recliner w/ waffle cushion	N	Waffle cushion placed- effective	Y	1

06/26/2019	New admit w/ increased risk for skin breakdown	W/C w/ LP RoHo	N	LP RoHo in place- Effective	Y	1
06/26/2019	Concern re: open area to buttocks, not r/t pressure	Personal Rocking Chair/ Glider	N	Personal rocking chair w/ personal cushion- effective	Y	1
06/26/2019	Resident C/O not being able to sleep on Full Air mattress	Bed w/ Convertible Mattress	Y	Not effective. Ed provided re: risk vs. benefit. Resident decided to stay with full air mattress.	Y	2
06/28/2019	C/O buttocks feeling "sore"	Bed w/ Standard Mattress	N	Standard Mattress- effective	N	1
06/28/2019	C/O buttocks feeling "sore"	Recliner seat	Y	Placed waffle cushion-effective	N	1
06/28/2019	C/O buttocks feeling "sore"	W/C w/ Standard Cushion	N	Standard cushion effective for short term use of W/C	N	1
July '19						12 Clients/ 18 sessions
07/01/2019		Bed w/ Standard mattress	N	Standard mattress-effective	Y	1
07/02/2019	Skin report of "excoriated area"-- not present	W/C w/ Isch Disch, LP RoHo, and HP RoHo	Y	HP RoHo placed to W/C and mapped- Effective	N	1
07/02/2019	Skin report of "excoriated area"-- not present	Recliner seat	N	No Cushion needed for Recliner seat	N	1
07/02/2019	Previous/discharged resident	Personal electric W/C w/ purchased HP RoHo cushion	N	Adjusted cushion air pressure to individualize cushion for him-- effective	?	1
07/03/2019	Readmit with skin injuries prior to admission	W/C w/ Standard Cushion	Y	Mapped and placed Mosaic RoHo cushion	Y	1
07/03/2019	New admit with increased risk for skin breakdown	W/C w/standard cushion	N	Mapped and placed standard cushion	N	1
07/09/2019	IH: Stage II to R Buttocks-- r/t physical decline and seating surface during transfusion appointments?	W/C w/ LP RoHo	N	Standard and LP RoHo are both effective	Y	1
07/09/2019	IH: Stage II to R Buttocks-- r/t physical decline and seating surface during transfusion appointments?	Recliner w/ LP RoHo	N	Standard and LP RoHo are both effective	Y	1
07/09/2019	New admit with multiple pressure injuries to buttocks	W/C w/ Standard, CC Standard, HP RoHo	Y	HP RoHo placed to W/C-- Unable to get accurate PMT reading d/t resident experiencing muscle spasms-- Will remap	Y	1

07/09/2019	New admit with multiple pressure injuries to buttocks	Recliner w/ HP RoHo	Y	HP RoHo placed to W/C-- Unable to get accurate PMT reading d/t resident experiencing muscle spasms-- Will remap	Y	1
07/10/2019	Re-admit w/ fall w/ right hip fx	Bed w/ Convertible Mattress	N	L2-3, Effective with heel elevation and proper positioning. Previously on Low- Air Loss mattress	Y	1
07/10/2019	Re-admit w/ fall w/ right hip fx	High Back W/C w/ LP RoHo cushion	N	Currently on standard (CC)-- ineffective. Previously on HP RoHo. Mapped on LP RoHo--Effective.	Y	1
07/10/2019	Resident C/O having discomfort to buttock when in W/C for longer periods of time	W/C w/ Standard (CC)-- Changed to HP RoHo	Y	HP RoHo mapped and placed- effective	N	1
07/11/2019	New admit with multiple pressure injuries to buttocks	Recliner w/ HP RoHo-- Verification of effectiveness	N	HP RoHo-- effective	Y	1
07/12/2019	New admit with multiple pressure injuries to buttocks	Willing to sleep in bed to allow for offloading of wound site(s)	Y	PMT to standard and Convertible mattresses- - Convertible mattress effective	Y	1
07/23/2019	New admit-- increased time in bed	Bed w/ Standard mattress	Y	Effective d/t ability to self reposition	N	1
07/27/2019	New admit w/ pressure injury prior to admission--Hospice w/i 24 hrs	Recliner w/ Waffle cushion	Y	Waffle cushion placed--effective	Y	1
07/27/2019	New admit w/ pressure injury prior to admission--Hospice w/i 24 hrs	W/C w/ HP RoHo	Y	HP RoHo placed--effective	Y	1
07/30/2019	Resident with new onset (IH) pressure injury. Increased time out of bed	Recliner with: Nothing/Waffle cushion	Y	Waffle cushion placed--effective	Y	1
Aug. 2019						9 clients/ 9 sessions
08/05/2019	Re-admit w PI prior to admit to coccyx (and heel)-- increased time in recliner	Recliner w/ &w/o waffle cushion	Y	Waffle cushion placed--effective	Y	1
08/07/2019	Progression to sit-to-stand for transfers	Standard size bed frame w/ Convertible mattress	Y	Pressure areas present, but not substantial-- effective for use. Provided resident education regarding risk/benefit of swapping mattresses.	N	1

08/07/2019	Increased weight loss, physical decline d/t disease process	W/C w/ Standard and Mosaic RoHo	N	Standard cushion, ineffective. Mosaic RoHo placed and cushion air pressure adjusted--effective	N	1
08/07/2019	Increased weight loss, physical decline d/t disease process	Bed w/ Standard mattress	Y	Resident frequently self-repositions in bed, making the standard mattress still effective. If resident's condition changes, mattress should be re-evaluated.	N	1
08/08/2019	IH Stage II to coccyx	Broda W/C w/ Standard cushion, no cushion previously, grey broda seat mat	N	Standard cushion effective.	Y	1
08/15/2019	Sleeping in Recliner	Recliner Seat	N	Recliner seat effective	N	1
08/15/2019	Sleeping in recliner	Recliner seat	Y	Resident refused to allow placement of cushion	N	1
08/20/2019	IH pressure injury-stage II	New: Low-Air Loss Mattress, Bariatric	Y	Resident educated on need for repositioning despite placement of new mattress--Refusing to be repositioned by staff.	Y	2
08/26/2019	New Elastic Gel cushion	High-back W/C. Kept removing Waffle cushion, stating that she felt it was going to cause her to fall out of her w/c.	N	Elastic Gel cushion remained in place for time being as resident approves of surface over Waffle cushion.	N	1
08/27/2019	Increased risk.	Electric W/C w & w/o full sling under resident.	N	Full body sling can remain under resident while in W/C.	Y (right heel)	1
08/28/2019	Stage II to coccyx (IH)	Bed w/ standard mattress			Y	1

New intervention added to POC

Intervention still to be determined