Please mark your answers. Follow the directions included with the questions. If no directions are presented, check the box next to your answer or fill in the blanks. Because not all questions will apply to everyone, you may be asked to skip certain questions.

BEFORE PREGNANCY

First, we would like to ask a few questions about *you* and the time <u>before</u> you got pregnant with your new baby.

1. At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things? For each item, circle Y (Yes) if you did it or circle N (No) if you did not.

	No	Ye
a.	I was dieting (changing my eating	
	habits) to lose weight N	Y
b.	I was exercising 3 or more days	
	of the week N	Y
c.	I was regularly taking prescription	
	medicines other than birth control N	Y
d.	I visited a health care worker to	
	be checked or treated for diabetes N	Y
e.	I visited a health care worker to	
	be checked or treated for high	
	blood pressureN	Y
f.	I visited a health care worker to	
	be checked or treated for depression	
	or anxiety N	Y
g.	I talked to a health care worker	
	about my family medical history N	Y
h.	I had my teeth cleaned by a dentist	
	or dental hygienistN	Y

2.	During the <i>month before</i> you got pregnant with your new baby, were you covered by any of these health insurance plans?	
		Check <u>all</u> that apply
		Health insurance from your job or the job of your husband, partner, or
		parents Health insurance that you or someone else
		paid for (not from a job) Medicaid, BadgerCare or BadgerCare Plus
		TRICARE or other military health care
		I did not have any health insurance before I got pregnant
3.	witl wee	ring the <i>month before</i> you got pregnant h your new baby, how many times a ck did you take a multivitamin, a natal vitamin, or a folic acid vitamin?
		I didn't take a multivitamin, prenatal vitamin, or folic acid vitamin at all
		1 to 3 times a week
4.		t before you got pregnant with your new by, how much did you weigh?
		Pounds OR Kilos

2

_	TT	
5.	How tall are you without shoes?	9. Before you got pregnant with your new baby, did you ever have any other babies who were born alive?
	Feet Inches OR Meters	☐ No — → Go to Question 12 ☐ Yes
6.	What is your date of birth?	10. Did the baby born <i>just before</i> your new one weigh <i>more</i> than 5 pounds, 8 ounces (2.5 kilos) at birth?
	$\frac{19}{\text{Month}} / \frac{19}{\text{Day}} / \frac{19}{\text{Year}}$	□ No □ Yes
7.	Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had	11. Was the baby <i>just before</i> your new one born <i>more</i> than 3 weeks before his or her due date?
	Type 1 or Type 2 diabetes? This is <u>not</u> the same as gestational diabetes or diabetes that starts during pregnancy.	□ No □ Yes
	□ No □ Yes	The next questions are about the time when you got pregnant with your <i>new</i> baby.
8.	During the 3 months before you got pregnant with your new baby, did you have any of the following health problems? For each one, circle Y (Yes) if you had the	12. Thinking back to <i>just before</i> you got pregnant with your <i>new</i> baby, how did you feel about becoming pregnant?
	problem or circle N (No) if you did not.	Check <u>one</u> answer
a. b. c. d. e. f.	No Yes Asthma N Y High blood pressure (hypertension) N Y Anemia (poor blood, low iron) N Y Heart problems N Y Epilepsy (seizures) N Y Thyroid problems N Y	☐ I wanted to be pregnant sooner ☐ I wanted to be pregnant later ☐ I wanted to be pregnant then ☐ I didn't want to be pregnant then or at any time in the future
g. h.	Depression N Y Anxiety N Y	13. When you got pregnant with your new baby, were you trying to get pregnant?
		Ves → Go to Question 16
		Go to Question 14

14. When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? (Some things people do to keep from getting pregnant include not having sex at certain times [natural family planning or rhythm] or withdrawal, and using birth control methods such as the pill, condoms, vaginal ring, IUD, having their tubes tied, or their partner having a vasectomy.)

		No Yes — Go	to Question 16
5.	or p	nat were your reasons or partner's reasons for no keep from getting pregna	t doing anything
		Che	ck <u>all</u> that apply
		I didn't mind if I got pre I thought I could not get time I had side effects from the method I was using I had problems getting be I needed it I thought my husband or sterile (could not get pre My husband or partner of anything Other ———— Ple	pregnant at that ne birth control irth control when partner or I was gnant at all) lidn't want to use

DURING PREGNANCY

The next questions are about the prenatal care you received during your most recent pregnancy. Prenatal care includes visits to a doctor, nurse, or other health care worker before your baby was born to get checkups and advice about pregnancy. (It may help to look at the calendar when you answer these questions.)

16. How many weeks or months pregnant were you when you were sure you were pregnant? (For example, you had a pregnancy test or a doctor or nurse said you were pregnant.)

Weeks OR Months

17. How many weeks or months pregnant were you when you had your first visit for prenatal care? Do not count a visit that was only for a pregnancy test or only for WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children).

Weeks OR ____ Months

☐ I didn't go
for prenatal
care ——— Go to Page 4, Question 19

Go to Page 4, Question 18

☐ I don't remember

4

18.	Did you get prenatal care as early in y pregnancy as you wanted?	our
	O No See	n 20
19.	Did any of these things keep you from getting prenatal care at all or as early a wanted? For each item, circle T (True) it was a reason that you didn't get prenatal when you wanted or circle F (False) if it not a reason for you or if something does apply to you.	f it care was
	True	False
a.	I couldn't get an appointment when I wanted one	F
b.	I didn't have enough money or insurance to pay for my visits T	F
c. d.	I had no transportation to get to the clinic or doctor's office T The doctor or my health plan	F
e.	would not start care as early as I wanted	F
f.	going on	F
g.	or school	F
	BadgerCare or BadgerCare Plus cardT	F
h.	I had no one to take care of my childrenT	F
i. j.	I didn't know that I was pregnant T I didn't want anyone else to know	F
J.	I was pregnant T	F
k.	I didn't want prenatal care T	F
	you did not go for prenatal care, go to uestion 22.	

20. Did any of these health insurance plans help you pay for your *prenatal care*?

Check all that apply

Health insurance from your job
or the job of your husband, partner, or
parents
Health insurance that you or someone else
paid for (not from a job)
Medicaid, BadgerCare or BadgerCare
Plus
TRICARE or other military health care
Indian Health Service
Other source(s) — Please tell us:

☐ I did not have health insurance to help pay for my prenatal care

21.	During any of your prenatal care visits, di a doctor, nurse, or other health care work talk with you about any of the things list below? Please count only discussions, not	ker ed	During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?	•
	reading materials or videos. For each item, circle Y (Yes) if someone talked with you about it or circle N (No) if no one talked we you about it.		□ No □ Yes	
a. b. c.	•	Yes Y Y	During your most recent pregnancy, were you told by a doctor, nurse, or other heal care worker that you had gestational diabetes (diabetes that started during this pregnancy)?	lth
d.	pregnancy could affect my baby N Using a seat belt during my pregnancy	Y Y	□ No □ Yes	
e. f.	Medicines that are safe to take during my pregnancy	Y Y	Did you have any of the following proble during your most recent pregnancy? For each item, circle Y (Yes) if you had the problem or circle N (No) if you did not.	
g.	Doing tests to screen for birth defects or diseases that run in my family N	Y		Yes
h.	The signs and symptoms of preterm labor (labor more than 3 weeks before	a. b.	Vaginal bleeding N Kidney or bladder (urinary tract)	Y
i.	the baby is due)	Y Y c.	infection	Y
j.	Getting tested for HIV (the virus that causes AIDS) N	Y d.	dehydration	Y
k. 1.	What to do if I feel depressed during my pregnancy or after my baby is born	Y e.	(cerclage for incompetent cervix) N High blood pressure, hypertension (including pregnancy-induced hypertension [PIH]), preeclampsia,	Y
	husbands or partners N	Y f.	or toxemia	Y
22.	At any time during your most recent pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)?	st g.	abruptio placentae or placenta previa)	Y
	□ No □ Yes □ I don't know	h.	before my baby was due (preterm or early labor)	Y
	- I don't know		rupture of membranes [PROM])N	Y

I had to have a blood transfusion N

I was hurt in a car accident N

 \mathbf{Y}

6

The next questions are about smoking cigarettes around the time of pregnancy (before, during, and after).

26.		we you smoked any cigarettes in the past ears?
↓		No — Go to Question 30 Yes
27.	hov	the 3 months before you got pregnant, w many cigarettes did you smoke on an rage day? (A pack has 20 cigarettes.)
	<u>_</u>	11 to 20 cigarettes 6 to 10 cigarettes 1 to 5 cigarettes Less than 1 cigarette
28.	hov	the <u>last 3</u> months of your pregnancy, w many cigarettes did you smoke on an rage day? (A pack has 20 cigarettes.)
		11 to 20 cigarettes 6 to 10 cigarettes 1 to 5 cigarettes Less than 1 cigarette
29.		w many cigarettes do you smoke on an rage day now? (A pack has 20 cigarettes.)
		41 cigarettes or more 21 to 40 cigarettes 11 to 20 cigarettes 6 to 10 cigarettes 1 to 5 cigarettes Less than 1 cigarette I don't smoke now

30.	des	ich of the following cribes the rules abo r home <i>now</i> ?	
			Check <u>one</u> answer
		No one is allowed t anywhere inside	
_		my home	Go to Question 33
\forall	_	some times	in some rooms or at
1		Smoking is permitted home	ed anywhere inside my
31.		· · · ·	partner smoke inside
	you	r home?	
		No Yes	
32.	par		or your husband or lse smoke cigarettes
		No Yes	
alco	ohol	xt questions are a around the time , during, and afte	of pregnancy
33.	pasi cool		holic drinks in the s 1 glass of wine, wine beer, shot of liquor, or
↓		No — Yes	Go to Question 36
Go	to (Question 34a	

34a. During the <i>3 months before</i> you got pregnant, how many alcoholic drinks did you have in an average week?	Pregnancy can be a difficult time for some women. The next questions are about things that may have happened <u>before</u> and	
14 drinks or more a week 7 to 13 drinks a week 4 to 6 drinks a week 1 to 3 drinks a week Less than 1 drink a week I didn't drink then Go to Question 35a	 36. This question is about things that may have happened during the 12 months before your new baby was born. For each item, circle Y (Yes) if it happened to you or circle N (No) if it did not. (It may help to look at the calendar when you answer these questions.) 	
34b. During the 3 months before you got pregnant, how many times did you drink 4 alcoholic drinks or more in one sitting? A sitting is a two hour time span.	No Yes a. A close family member was very sick and had to go into the hospital N Y	
☐ 6 or more times ☐ 4 to 5 times ☐ 2 to 3 times ☐ 1 time ☐ I didn't have 4 drinks or more in 1 sitting	b. I got separated or divorced from my husband or partner	
35a. During the <u>last 3</u> months of your pregnancy, how many alcoholic drinks did you have in an average week?	 g. I argued with my husband or partner more than usual	
14 drinks or more a week 7 to 13 drinks a week 4 to 6 drinks a week 1 to 3 drinks a week Less than 1 drink a week I didn't drink then — Go to Question 36	i. I had a lot of bills I couldn't pay N Y j. I was in a physical fight N Y k. My husband or partner or I went to jail N Y l. Someone very close to me had a problem with drinking or drugs N Y m. Someone very close to me died N Y	
35b. During the <i>last 3 months</i> of your pregnancy, how many times did you drink 4 alcoholic drinks or more in one sitting? A sitting is a two hour time span. 6 or more times	37. During the 12 months before your new baby was born, did you feel emotionally upset (for example angry, sad, or frustrated) as a result of how you were treated based on your race?	
4 to 5 times 2 to 3 times 1 time I didn't have 4 drinks or more in 1 sitting	□ No □ Yes	

43.		en were you discharged from the pital after your baby was born?
	Mo	$\frac{1}{1}$ / $\frac{1}{1}$ / $\frac{20}{1}$ Year
		I didn't have my baby in a hospital
44.		any of these health insurance plans p you pay for the <i>delivery</i> of your new y?
		Check <u>all</u> that apply
		Health insurance from your job or the job of your husband, partner, or
		parents Health insurance that you or someone else paid for (not from a job)
		Medicaid, BadgerCare or BadgerCare Plus
		TRICARE or other military health care Indian Health Service

AFTER PREGNANCY

pay for my delivery

→ Please tell us:

The next questions are about the time since your new baby was born.

45. After your baby was born, was he or she put in an intensive care unit?

No
Yes
I don't kno

	fter your baby was born, how long did he she stay in the hospital?	If you did not breastfeed your new baby, go to Question 53b.
\	3 to 5 days 6 to 14 days More than 14 days My baby was not born in a hospital My baby is still in the hospital — Go to Question 49	51. Are you currently breastfeeding or feeding pumped milk to your new baby? ☐ No ☐ Yes ☐ Go to Question 53a 52. How many weeks or months did you breastfeed or pump milk to feed your baby?
47. Is	your baby alive now?	Weeks OR Months
↓ □	No — Go to Page 10, Question 59 Yes	Less than 1 week
48. Is	your baby living with you now?	53a. How old was your new baby the first time
↓ □	No — Go to Page 10, Question 59 Yes	he or she drank liquids other than breast milk (such as formula, water, juice, tea, or cow's milk)?
m	id you ever breastfeed or pump breast ilk to feed your new baby after delivery, een for a short period of time?	Weeks OR Months
	No Yes—— ➤ Go to Question 51	My baby was less than 1 week old My baby has not had any liquids other than breast milk
	That were your reasons for not reastfeeding your new baby? Check <u>all</u> that apply	53b. How old was your new baby the first time he or she ate food (such as baby cereal, baby food, or any other food)?
	My baby was sick and was not able to breastfeed	Weeks OR Months
	I was sick or on medicine I had other children to take care of I had too many household duties	My baby was less than 1 week old My baby has not eaten any foods
	I tried but it was too hard I didn't want to	If your baby is still in the hospital, go to Page 10, Question 59.
	I went back to work or school I wanted my body back to myself	

54.	In which one position do you most often lay your baby down to sleep now? Check one answer On his or her side On his or her back On his or her stomach	59. Are you or your husband or partner doing anything <i>now</i> to keep from getting pregnant? (Some things people do to keep from getting pregnant include not having sex at certain times [natural family planning or rhythm] or withdrawal, and using birth contremethods such as the pill, condoms, vaginal ring, IUD, having their tubes tied, or their
55.	How often does your new baby sleep in the same bed with you or anyone else? Always	partner having a vasectomy.) No Yes — Go to Question 61
	☐ Often☐ Sometimes☐ Rarely☐ Never	60. What are your reasons or your husband's or partner's reasons for not doing anythin to keep from getting pregnant now? Check all that apply
56.	Was your new baby seen by a doctor, nurse, or other health care worker for a <i>one week check-up</i> after he or she was born?	☐ I am not having sex☐ I want to get pregnant☐ I don't want to use birth control☐ My husband or partner doesn't want to
	□ No □ Yes	use anything I don't think I can get pregnant (sterile) I can't pay for birth control I am pregnant now
57.	Has your new baby had a well-baby checkup? (A well-baby checkup is a regular health visit for your baby usually at 1, 2, 4, and 6 months of age.)	Other — Please tell us:
√ To	□ No———— Go to Question 59 Ves	61. Since your new baby was born, have you had a postpartum checkup for yourself? (A postpartum checkup is the regular checkup)
58.	Has your new baby gone as many times as you wanted for a well-baby checkup?	a woman has about 6 weeks after she gives birth.)
	□ No □ Yes	No Yes Go to Question 63 62. At that visit, did a doctor, nurse, or other health care worker advise you to take multivitamins, prenatal vitamins, or folic acid vitamins?
		□ No □ Yes

65. During your most recent pregnancy, did you feel you needed any of the following services? For each one, circle Y (Yes) if you felt you needed the service or circle N (No) if you did not feel you needed the service. Did you need—
a. Food stamps, WIC vouchers or money to buy food N Y
b. Counseling information for family and personal problems
66. During <i>your most recent</i> pregnancy, did you <i>receive</i> any of the following services?
For each one, circle Y (Yes) if you received the service or circle N (No) if you did not receive the service. Did you <i>receive</i> —
a. Food stamps, WIC vouchers or money to buy food

67.	This question is about the care of your teeth during your <i>most recent</i> pregnancy. For each item, circle Y (Yes) if it is true or circle N (No) if it is not true.	69. During the 12 months before your new bab was born, how many people, including yourself, depended on this income?
a.	No Yes I needed to see a dentist for a problem	People 70. What is today's date?
b. c.	I went to a dentist or dental clinicN Y A dental or other health care worker talked with me about how to care for my teeth and gumsN Y	$\frac{1}{\text{Month}} / \frac{1}{\text{Day}} / \frac{20}{\text{Year}}$
The last questions are about the time during the <u>12 months before</u> your new baby was born.		
68.	During the 12 months before your new baby was born, what was your yearly total household income before taxes? Include your income, your husband's or partner's income, and any other income you may have received. (All information will be kept private and will not affect any services you are now getting.)	
	□ Less than \$10,000 □ \$10,000 to \$14,999 □ \$15,000 to \$19,999 □ \$20,000 to \$24,999 □ \$25,000 to \$34,999 □ \$35,000 to \$49,999 □ \$50,000 or more	

Please use this space for any additional comments you would like to make about the health of mothers and babies in Wisconsin.

Thanks for answering our questions!

Your answers will help us work to make Wisconsin mothers and babies healthier.